




OCUN



WorkBook
2024

OCÚN MISSION

Everything we do is connected to our love of climbing, rocks and the outdoors. We share the same desire for beauty and perfection and the need to constantly improve our performance, equipment and ourselves. Climbing is our passion.



















Saving our environment with all of its beauty and diversity is the new challenge imposed on us by the quickly changing climate. This is why we are trying to implement sustainable practices and eco-friendly materials. You will find a new icon under some products which is indicating that they are being made or packed in a more sustainable way.

Quality, improved safety and cleaner design of climbing equipment represent a challenge and an opportunity for further work for us.

We feel responsible toward climbers, friends and customers who rely on our products at all times, wherever they are.

We help them to reach higher and climb to the top more safely. The joy and adventures they experience when conquering vertical worlds are our biggest reward.

ENGINEERING FOR CLIMBING

| | | |
|---|------------------------------|--------------|
|  | Climbing Shoes | p. 4 - 29 |
|  | Gloves | p. 31 - 33 |
|  | Harnesses | p. 34 - 56 |
|  | Carabiners | p. 57 - 69 |
|  | Quickdraw Sets | p. 70 - 81 |
|  | Belay Devices | p. 83 - 87 |
|  | Ropes | p. 88 - 94 |
|  | Slings | p. 95 - 109 |
|  | Helmets | p. 110 - 113 |
|  | Via Ferrata Special Packs | p. 115 - 120 |
|  | Crash Pads | p. 122 - 134 |
|  | Chalk & Holds | p. 135 - 142 |
|  | Chalk Bags and Accessories | p. 144 - 151 |
|  | Men's Climbing Apparel | p. 153 - 177 |
|  | Women's Climbing Apparel | p. 178 - 206 |
|  | Professional Safety Solution | p. 209 - 213 |



Climbing Shoes





FURY
ART. 04332


3FS
3 FORCE SYSTEM



UPPER: **Microfiber** SIZE: **3 – 13 (UK)**

MIDSOLE: **2D Toe Soft**

LAST: **Competition**



SIGMA
ART. 05337


NEW



UPPER: **Microfiber**

MIDSOLE: **3D Fit Hard** SIZE: **4 – 13 (UK)**

LAST: **Competition**



DIAMOND
ART. 00598



UPPER: **Leather + microfiber**

MIDSOLE: **3D Fit Hard** SIZE: **4 – 13 (UK)**

LAST: **Excentric**



HIGH-END



OZONE
ART. 04700

3FS
3 FORCE SYSTEM



UPPER: **Microfiber** SIZE: **4 – 13 (UK)**

MIDSOLE: **3D Fit Middle**

LAST: **Asymmetrix**



OZONE HV
ART. 04701


3FS
3 FORCE SYSTEM



UPPER: **Microfiber** SIZE: **4 – 13 (UK)**

MIDSOLE: **3D Fit Middle**

LAST: **Asymmetrix Plus**



PERFORMANCE



BULLIT
ART. 04576



UPPER: **Microfiber** SIZE: **4 – 13 (UK)**

MIDSOLE: **2D Toe Soft**

LAST: **Asymmetrix**



HAVOC
ART. 04577



UPPER: **Microfiber** SIZE: **4 – 13 (UK)**

MIDSOLE: **2D Toe Soft**

LAST: **All-round**



PERFORMANCE



JETT CRACK
ART. 04578



UPPER: **Microfiber** SIZE: **4 – 13 (UK)**

MIDSOLE: **2D Fit Hard**

LAST: **All-round**



IRIS
ART. 05338

NEW



UPPER: **Microfiber** SIZE: **2 – 10 (UK)**

MIDSOLE: **2D Toe Soft**

LAST: **Slimtix**



PEARL
ART. 04832



UPPER: **Microfiber** SIZE: **4 – 13 (UK)**

MIDSOLE: **2D Fit Soft**

LAST: **Radical**






JETT QC
ART. 04041




UPPER: **Microfiber** SIZE: **4 – 13 (UK)**
MIDSOLE:
2D Fit Hard
LAST:
All-round



JETT LU
ART. 04176




UPPER: **Microfiber** SIZE: **4 – 13 (UK)**
MIDSOLE:
2D Fit Hard
LAST:
All-round



ADVANCER QC
ART. 04833



UPPER: **Microfiber** SIZE: **4 – 13 (UK)**
MIDSOLE:
2D Fit Hard
LAST:
Advantic



ADVANCER LU
ART. 04834




UPPER: **Microfiber** SIZE: **4 – 13 (UK)**
MIDSOLE:
2D Fit Hard
LAST:
Advantic



STRIKER QC
ART. 04835




UPPER: **Microfiber** SIZE: **3 – 13, 14, 15 (UK)**
MIDSOLE:
2D Fit Middle
LAST:
Entratic



STRIKER LU
ART. 04836



UPPER: **Microfiber** SIZE: **4 – 13 (UK)**
MIDSOLE:
2D Fit Middle
LAST:
Entratic



RENTAL **NEW**
ART. 05339




UPPER: **Microfiber** SIZE: **3 – 13, 14, 15 (UK)**
MIDSOLE:
2D Fit Hard
LAST:
Entratic



RIVAL
ART. 03758



UPPER: **Microfiber** SIZE: **2 – 5 (UK)**
MIDSOLE:
2D Fit Soft
LAST:
Standard



RIBBIT
ART. 04731




UPPER: **Microfiber** SIZE: **24 - 35 (EUR)**
MIDSOLE:
None
LAST:
Baby




μ FRICTION COEFFICIENT

The μ coefficient is a dimensionless coefficient of proportionality and we call it the coefficient of resting friction. This value represents the ratio between the value of resting friction (resisting movement along the underlying surface) and perpendicular pressure (acting on the underlying surface). This coefficient depends on the material contacting the body, the quality and roughness of the contact area, the presence of unwanted substances between them and many other factors. Friction coefficient values are obtained through experimentation.

To enable measuring the specific adhesive qualities of CAT rubber, we have developed our own OCÚN Climbing Lab method of measuring and determining coefficients that simulates real climbing conditions.



| | |
|-------------------|----------------------|
| $\mu \leq 0,9$ | Standard rubber |
| $\mu = 1,1 - 1,4$ | High friction rubber |
| $\mu \geq 1,5$ | Super sticky rubber |



CAT rubber μ 1.0

Our non-marking color white rubber compound with reasonable friction parameters. Especially developed for climbing gyms with geniusly balanced softness and high durability. It gives climber enough confidence and comfort on every artificial foothold and volume.



CAT rubber μ 1.1

This is a high friction compound with an even balance of all other attributes and parameters for rock climbing and climbing walls. This compound is used for beginner models, where an emphasis is placed on resistance to abrasion.



CAT rubber μ 1.5

Our super sticky compound was developed with an emphasis on high adhesion that significantly increases friction generated by the sole. The compound has optimal hardness that ensures sufficient stability even when standing on edges and tiny footholds. This compound is used in mid-range and high-performance models.



VIBRAM XS GRIP

Vibram XS Grip is a rubber compound which deftly combines stiffness with stickiness. Thanks to these attributes, it is reliable on the smallest edges and footholds, while significantly helping to maintain stability when edging. We use Vibram XS Grip on all shoes intended for particularly demanding rock climbing.

Closure systems

Lace-Up (LU)



The classic lace-up system enables fine tuning of the fitting for performance climbers or for those, who don't have a typical foot shape.

Quick Lace-Up (LU)



Quick LU system enables to tighten the shoes by a single pull.

Quick Closure (QC)



Simple and practical closure system using velcro straps makes putting on/taking off easy.

Slipper (S)



Easy to slip in due to its elastic tongue construction and single velcro strap, which holds the shoe perfectly in place.

Because one style never fits all

Climbing Lab Mantra: Designing – testing – producing – listening to climbers – improving and repeating the process

It all begins with the last

The last is the basis of the shoe, it is giving it its shape, volume and character. The lasts are our Climbing Lab's „family silver“.

Multidisciplinary skills

The development of lasts is the fusion of multiple disciplines. We connect anatomy, a thorough knowledge of materials and climbing techniques and we keep following their lead.

Irreplaceable handwork

Despite all the computer support, the most important factor is still the craftsmanship and long-standing experience of our designers.

Testing: Measuring as well as sharing experience

Some physical properties can be measured, other qualities and how the shoes feel are judged by our experienced test climbers during everyday rock climbing and bouldering.

Thanks to neverending improvement, testing, and staying in touch with climbers, we manage to continue the development of performance climbing.



DOWNTURNED PROFILE



HIGH ASYMMETRY

COMPETITION

This last is designed for high performance climbing shoes intended for competition climbers. The tip is shaped so that the climber's toes are slightly bent to get maximum feedback when standing on ledges. The heel is shaped based on our many years of experience to perfectly fit the foot. The Competition last is ideal for narrow and average sized feet.

Shoes: FURY, SIGMA



CURVED PROFILE
+ DOWNTURNED TOE



HIGH ASYMMETRY

ASYMMETRIX

Slightly down-turned last with radically shaped front and concave shape for support of pressed toes. Very asymmetric shape with big-toe orientation. Front is anatomically modeled for more stressed toes. Width of last is for normal to wide foot with anatomical medium heel. Last was constructed for peak performance in overhanging routes.

Shoes: OZONE, BULLIT



CURVED PROFILE + HIGH
DOWNTURNED TOE



MEDIUM ASYMMETRY

RADICAL

Down-turned last with radically shaped front, medium asymmetric. Front is constructed for moderately stressed toes with enough space for all toes. The last is suitable for normal to narrow foot with small volume heel. Last comes from study of feet of skinny, bony athletes who frequently appear in performance climbing.

Shoes: PEARL



SLIGHTLY CURVED PROFILE



LOW ASYMMETRY

SLIMTIX

Designed for those with a low volume in the instep and heel. With a fairly flat profile and medium asymmetry, this last offers peak performance for a variety of climbing styles. Its overall volume is slim, providing a snug fit for optimal precision on the rock. Whether you're tackling technical routes or bouldering problems, this last will support your foot with comfort and stability.

Shoes: IRIS



NEUTRAL PROFILE



LOW ASYMMETRY

ENTRATIC

Very comfortable last designed for beginners. Slightly asymmetric shape with features of a performance last – the big toe is oriented more to the inner edge with the anatomically shaped heel. For normal to wide foot.

Shoes: STRIKER QC, STRIKER LU, RENTAL



NEUTRAL PROFILE



LOW ASYMMETRY

BABY

Flat last with slight asymmetry. Front is modeled for comfort of all toes while keeping technicality of shoes on high level. Width of last as well as heel corresponds with orthopedic requirements of children's shoes.

Shoes: RIBBIT



DOWNTURNED PROFILE



HIGH ASYMMETRY

EXCENTRIC

Very down-turned last with concave shape to support the pressed toes. It has extremely asymmetric shape with orientation on two front toes. Front is anatomically modeled to allow enough comfort even for aggressively stressed toes. The width of the last fits normal and slightly wider foot with medium heel. The last was constructed for peak performance in prestressed shoes.

Shoes: DIAMOND



DOWNTURNED PROFILE



HIGH ASYMMETRY

ASYMMETRIX PLUS

Slightly downturned last with radically shaped front, and concave shape for support of pressed toes. Front is anatomically modeled for more stressed toes. Last was constructed for wide foot and for peak performance in overhanging routes.

Shoes: OZONE HV



NEUTRAL PROFILE



MEDIUM ASYMMETRY

ALL-ROUND

Last designed with an emphasis on all-around sport performance with comfort. All-round is moderately asymmetrical, with a neutral arch and thanks to the roomy toebox it fits normal and wider soles well. The heel is modelled on the basis of our proven Asymmetrix model.

Shoes: HAVOC, JETT QC, JETT LU, JETT CRACK



NEUTRAL PROFILE



LOW ASYMMETRY

ADVANTIC

Comfortable last shaped for mid-ranged, all-round shoes. It fits well especially to the Greek type of foot. Advantic has low asymmetry and average volume of instep and heel. It is slightly downturned for better performance.

Shoes: ADVANCER QC, ADVANCER LU



NEUTRAL PROFILE



LOW ASYMMETRY

STANDARD

Very comfortable last designed for beginners. Slightly asymmetric shape with features of a performance last – the toebox is oriented along the shoe axis, making it suitable for wider Greek foot. For normal to wide foot.

Shoes: RIVAL



Choosing the right size

ADULTS

1. Take your street shoe size



Simple system for choosing the right size


Ocún shoes are manufactured using a last sized on a metric scale according to the foot length in millimeters (so called Mondo Point). Mondo Point is a size scale that lets you easily determine a suitable shoe size by measuring the length of the sole.

Factors to consider when choosing the exact size

In order to choose the exact size, you need to consider several factors:

1. Everybody's foot is unique in terms of shape, volume, width and shape of toes.
 2. The shoes differ depending on the shape of the last, construction of the upper and closures. All of these properties affect the fit and the feel of the shoe.
 3. The size also depends on the difficulty of climbing routes the climber intends to use the shoe for.
- Always try on and test the shoe in order to choose the right size.

2. Choose your desired fit and subtract or add the size change




3. Look up your size in adult conversion chart

| UK | 2 | 2,5 | 3 | 3,5 | 4 | 4,5 | 5 | 5,5 | 6 | 6,5 | 7 | 7,5 | 8 | 8,5 | 9 | 9,5 | 10 | 10,5 | 11 | 11,5 | 12 | 13 | 14 | 15 |
|----------|-----|-----|-----|-----|-----|------|-----|------|-----|-----|-----|------|-----|------|-----|------|-----|------|-----|------|-----|-----|-----|-----|
| US men | 3 | 3,5 | 4 | 4,5 | 5 | 5,5 | 6 | 6,5 | 7 | 7,5 | 8 | 8,5 | 9 | 9,5 | 10 | 10,5 | 11 | 11,5 | 12 | 12,5 | 13 | 14 | 15 | 16 |
| US women | 4 | 4,5 | 5 | 5,5 | 6 | 6,5 | 7 | 7,5 | 8 | 8,5 | 9 | 9,5 | 10 | 10,5 | 11 | 11,5 | 12 | 12,5 | 13 | | | | | |
| mm | 210 | 215 | 220 | 225 | 230 | 235 | 240 | 245 | 250 | 255 | 260 | 265 | 270 | 275 | 280 | 285 | 290 | 295 | 300 | 305 | 310 | 315 | 320 | 325 |
| EUR | 33 | 34 | 35 | 36 | 37 | 37,5 | 38 | 38,5 | 39 | 40 | 41 | 41,5 | 42 | 42,5 | 43 | 44 | 45 | 45,5 | 46 | 46,5 | 47 | 48 | 49 | 50 |

KIDS

1. Measure foot-length



Ocún climbing shoes for kids are sized using a French sizing scale corresponding to foot length in millimetres. To size the child's shoe correctly, measure the length of their foot and choose the size from the size conversion chart. The sizes match to standard street shoe sizing.

ALWAYS TRY ON AND TEST THE SHOE IN ORDER TO CHOOSE THE RIGHT SIZE.

2. Look up size in children's conversion chart

| mm | 141 - 153 | 153 - 164 | 164 - 177 | 177 - 190 | 190 - 203 | 203 - 215 |
|-----|-----------|-----------|-----------|-----------|-----------|-----------|
| EUR | 24 - 25 | 26 - 27 | 28 - 29 | 30 - 31 | 32 - 33 | 34 - 35 |
| US | 6 - 7 | 8 - 9 | 10 - 11 | 12 - 13 | 1 - 2 | 3 - 4 |

FURY

Art. 04332



3-Force: Patented system of climbing shoe design

PATENT PENDING 2009

3-Force System provides pressure distribution contributing to a higher torsional stiffness and resulting in perfect balance on the tiniest footholds and edges.



PRESSURE DISTRIBUTION OF 3-FORCE SYSTEM

HIGH-END

High-end bouldering shoe

The Fury is a climbing shoe designed for the most demanding high-performance bouldering. It is built on most advanced last and features a highly adhesive sole and rand around the heel and toe box to give you maximum confidence when performing highly technical moves.

- Aggressive profile necessary when climbing overhangs and boulders
- Patented 3-Force System design
- 2D Toe Soft midsole increases sensitivity in the tip and improves performance when friction climbing

| | |
|--|--------------------------------|
| UPPER: Microfiber | MIDSOLE: 2D Toe Soft |
| SOLE: CAT rubber 1.5, 4 mm | LAST: Competition |
| | |
| WEIGHT (SIZE 7): 420 g | SIZE: 3 - 13 (UK) |
| FOOT TYPE: | TOE TYPE: |
| NARROW NORMAL WIDE | EGYPTIAN GREEK CUBE |
| TERRAIN: | |
| BOULDER ROCKS MULTIPITCH INDOOR | |

SIGMA

Art. 05337



3D
SHAPE



HIGH-END

Built to conquer the most challenging routes

This shoe is meant for the hardest rock climbs. Its unique midsole consists of two parts to give you unparalleled support - not only at the tip of the shoe, but also under its arch. The mid part of the sole is designed to be thinner than usual to allow for high sensitivity and perfect fit. The overall stiffness provides maximum confidence in technically challenging moves.

- Elaborate design of the sole for unparalleled support and sensitivity
- 3D toepatch for toehooking
- Flat laces, tongue pocket for laces
- Soft, thin microfiber for maximum comfort and lightness

UPPER:

Microfiber

SOLE:

Vibram, 4 mm



WEIGHT (SIZE 7):

500 g

FOOT TYPE:



NARROW



NORMAL



WIDE



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:

3D fit Hard

LAST:

Competition



SIZE:

4 - 13 (UK)

TOE TYPE:



■ Lace cover

The lace cover of the climbing shoe features a lace pocket, which safeguards your laces from loosening or experiencing wear and tear.

■ Toe Patch

Made from CAT 1.5 rubber compound, the 3D-molded toe patch delivers exceptional precision and performance when executing toehooks.

■ Ergonomic laminated midsole



The ergonomic laminated midsole construction gives an additional layer for added reinforcement and support to the climbing shoe.

■ 3D midsole

The midsole's 3D sandwich construction enhances toe support and effectively channels toe force vectors into a single point.

■ Sole

The sole is equipped with Vibram XS Grip, which offers ideal stiffness and high-friction performance for optimal grip.



DIAMOND

Art. 00598

3D
SHAPE















HIGH-END

Timeless weapon for conquering the most demanding climbs

The Diamond is a down-turned aggressive climbing shoe designed for high-performance and sport climbers.

- Ideal for the most difficult sport climbs
- Effective on small footholds and technical routes
- Excellent fit for precise heelhooking
- Asymmetrical lacing firmly holds the foot

| | | | | | |
|--|---|---|---|---|---|
| UPPER: Leather + microfiber | | | MIDSOLE: 3D Fit Hard | | |
| SOLE: Vibram, 4 mm | | | LAST: Excentric | | |
|  | | |  | | |
| WEIGHT (SIZE 7): 444 g | | | SIZE: 4 - 13 (UK) | | |
| FOOT TYPE: | | | TOE TYPE: | | |
|  |  |  |  |  |  |
| NARROW | NORMAL | WIDE | EGYPTIAN | GREEK | CUBE |
| TERRAIN: | | | | | |
|  |  |  |  | | |
| BOULDER | ROCKS | MULTIPITCH | INDOOR | | |

OZONE

Art. 04700

3D
SHAPE



3FS
3 FORCE SYSTEM



3FS
3 FORCE SYSTEM

3-Force: Patented system of climbing shoe design

PATENT
PENDING
2009

3-Force System provides pressure distribution contributing to a higher torsional stiffness and resulting in perfect balance on the tiniest footholds and edges.



PRESSURE DISTRIBUTION
OF 3-FORCE SYSTEM

HIGH-END

Ultimate edging shoe

The Ozone is designed for performance in every detail. Connection of revolutionary rand construction, asymmetrical shape, sticky toepatch and perfectly fitting heel determines this shoe for use on the hardest rock climbs.

- Patented 3-Force System design
- High precision on tiny footholds and edges
- Sticky rubber toepatch for toe hooking
- Pretension in the arch and heel rand to transfer the power to the tip
- Asymmetrical shape and elastic tongue for perfect fit
- 3D shaped midsole for toe support

UPPER:

Microfiber

SOLE:

Vibram, 4 mm



WEIGHT (SIZE 7):

470 g

FOOT TYPE:



NARROW



NORMAL



WIDE



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:

3D Fit Middle

LAST:

Asymmetrix



SIZE:

4 - 13 (UK)

TOE TYPE:



OZONE HV

Art. 04701

3D
SHAPE



3FS
3 FORCE SYSTEM



3FS
3 FORCE SYSTEM

3-Force: Patented system of climbing shoe design

PATENT
PENDING
2009

3-Force System provides pressure distribution contributing to a higher torsional stiffness and resulting in perfect balance on the tiniest footholds and edges.



PRESSURE DISTRIBUTION
OF 3-FORCE SYSTEM

HIGH-END

High volume edging shoe

The Ozone HV is high volume option for climbers with wider feet. Connection of revolutionary rand construction, asymmetrical shape, sticky toepatch and perfectly fitting heel determines this shoe for use on the hardest rock climbs.

- Patented 3-Force System design
- High precision on tiny footholds and edges
- Sticky rubber toepatch for toe hooking
- Pretension in the arch and heel rand to transfer the power to the tip
- Asymmetrical shape, wider last and more bulky toebox for perfect fit and comfort
- 3D shaped midsole for toe support

UPPER:

Microfiber

SOLE:

Vibram, 4 mm



WEIGHT (SIZE 7):

480 g

FOOT TYPE:



NARROW



NORMAL



WIDE



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:

3D Fit Middle

LAST:

Asymmetrix Plus



SIZE:

4 - 13 (UK)

BULLIT

Art. 04576



PERFORMANCE

High-performance shoe engineered for bouldering

Soft climbing shoe built on our successful high performance last especially designed for bouldering and using modern construction principles.

- Moulded 3D rubber toe-patch using CAT 1.5 compound for precise toe-hooking
- Special pretension in the arch for perfect fit
- Soft midsole and high sticky CAT 1.5 rubber on the sole for maximum performance on volumes
- Comfortable slipper cut with single velcro and thin strap to prevent rotation on the foot

UPPER:

Microfiber

SOLE:

CAT rubber 1.5, 4 mm



WEIGHT (SIZE 7):

440 g

FOOT TYPE:



NARROW



NORMAL



WIDE



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:

2D Toe Soft

LAST:

Asymmetrix



SIZE:

4 - 13 (UK)

HAVOC

Art. 04577



PERFORMANCE

High-performance and precise climbing shoe

Comfortable but still powerful on volumes and precise on tiny footholds, that is Havoc. Climbing shoe designed for bouldering as well as for lead climbing.

- Moulded 3D rubber toe-patch using CAT 1.5 compound for precise toe-hooking
- 2 velcro straps for perfect fixation on the foot
- Comfortable slipper-like upper with elastic tongue
- All-round pointy last with lesser asymmetry and middle volume

UPPER:

Microfiber

SOLE:

CAT rubber 1.5, 4 mm



WEIGHT (SIZE 7):

432 g

FOOT TYPE:



NARROW



NORMAL



WIDE



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:

2D Toe Soft

LAST:

All -round



SIZE:

4 - 13 (UK)

JETT CRACK

Art. 04578



PERFORMANCE

Performance shoe designed for crack climbing

Protected ankle, covered laces, rubber rand around the toes and heel - all these details make the Jett Crack ideal for trad and crack climbing. Added to All-round last, sticky rubber sole and overall comfort, Jett Crack is perfect choice for multipitch climbing.

- Slightly downturned last with middle asymmetry
- Features that protect climbers foot while crack climbing
- Comfortable and padded upper
- Covered laces for maximum durability

UPPER:

Microfiber

SOLE:

CAT rubber 1.5, 4,5 mm



WEIGHT (SIZE 7):

542 g

FOOT TYPE:



NARROW



NORMAL



WIDE



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:

2D Fit Hard

LAST:

All -round



SIZE:

4 - 13 (UK)

IRIS

Art. 05338



PERFORMANCE

Low-Volume Performance Climbing Shoe

New to the collection, this shoe is designed to be perfectly fitting and allowing for more intricate moves. Yet it is very comfortable! This is all thanks to the new last we have developped specifically for Iris. Sleek profile and low volume make it fit especially to slim feet. One Velcro strap allows for precise adjustment. 3D toe patch makes toe hooks a breeze. Sole is made of our stickiest rubber.

- Single velcro strap for easy and precise adjustments
- 3D rubber toe patch for enhanced grip and traction
- CAT 1.5 rubber compound for superior adhesion
- Fits especially to slim feet

UPPER:

Microfiber

SOLE:

CAT rubber 1.5, 4 mm



WEIGHT (SIZE 7):

400 g

FOOT TYPE:



NARROW



NORMAL



WIDE



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:

2D Toe Soft

LAST:

Slimtix



SIZE:

2 - 10 (UK)

PEARL

Art. 04832



PERFORMANCE

Over 20 years in collection the classic shoe that never goes out of style

It is a time-tested, high-performance shoe, which has a radical arch and slight asymmetry.

- Wider heel strap for tighter fit
- Insole is made of very comfortable microfibre
- Limited edition, only 2023 pairs were made
- Adhesive sole provides excellent friction on slabs and edges
- Optimal balance of stiffness and sensitivity
- Padded tongue and fast lacing system

UPPER:

Microfiber

SOLE:

CAT rubber 1.5, 4 mm



WEIGHT (SIZE 7):

430 g

FOOT TYPE:



NARROW



NORMAL



WIDE

TOE TYPE:



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:

2D Fit Soft

LAST:

Radical



SIZE:

4 - 13 (UK)

JETT QC

Art. 04041















PERFORMANCE

Sport climbing shoe that does not resign on comfort

Climbing shoe for all those, who seek ideal balance between comfort and performance.

We have developed a brand new last because of Jett QC. We also put our super adhesive rubber compound CAT 1.5 on it.

- Last with medium asymmetry and larger volume of the instep and tip
- Precise fixation of the foot and easy to put on
- Rand construction and usage of super adhesive CAT 1.5 enable hard climbing
- Reliable shoe for the crag and gym alike

| | |
|--|--|
| UPPER: Microfiber | MIDSOLE: 2D Fit Hard |
| SOLE: CAT rubber 1.5, 4,5 mm | LAST: All -round |
|  |  |
| WEIGHT (SIZE 7): 520 g | SIZE: 4 - 13 (UK) |
| FOOT TYPE:  NARROW | TOE TYPE:  EGYPTIAN |
|  NORMAL |  GREEK |
|  WIDE |  CUBE |
| TERRAIN:  BOULDER |  ROCKS |
|  MULTIPITCH |  INDOOR |

JETT LU

Art. 04176















PERFORMANCE

Reliable climbing shoe for long climbs

Long and partly covered lacing along with hard midsole predestine Jett LU for technically challenging routes where precise footwork matters. Bigger volume of the instep and tip guarantee comfort while climbing long routes and multipitches.

- Last with medium asymmetry and larger volume of the instep and tip
- Precise lacing, covered in the tip to avoid abrasion of the laces
- Chosen materials and wide breathable tongue increase comfort in long climbs
- Super adhesive CAT 1.5 works also on the tiny footholds

| | |
|--|--|
| UPPER: Microfiber | MIDSOLE: 2D Fit Hard |
| SOLE: CAT rubber 1.5, 4,5 mm | LAST: All -round |
|  |  |
| WEIGHT (SIZE 7): 496 g | SIZE: 4 - 13 (UK) |
| FOOT TYPE:  NARROW | TOE TYPE:  EGYPTIAN |
|  NORMAL |  GREEK |
|  WIDE |  CUBE |
| TERRAIN:  BOULDER |  ROCKS |
|  MULTIPITCH |  INDOOR |

ADVANCER QC

Art.04833



ALL-ROUND

Comfortable shoe for advanced climbers

The Advancer QC is meant for long lasting performance in every climbing terrain. It combines comfort with advanced construction. It fits well especially to climbers with Greek or Cube toe type.

- Two opposite Velcros are fast and efficient
- Low, asymmetry, flat profile, average volume
- Heel rubber strap offers extra support on the sides
- CAT 1.5 rubber and pretensioned stiff midsole for optimal performance

UPPER:
Microfiber

SOLE:
CAT rubber 1.5, 4 mm



WEIGHT (SIZE 7):
438 g

FOOT TYPE:



NARROW



NORMAL



WIDE



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:
2D Fit Hard

LAST:
Advantic



SIZE:
4 - 13 (UK)



ADVANCER LU

Art. 04834















ALL-ROUND

Comfortable lace up shoe ideal for day-long climbs

The Advancer LU benefits from advanced construction, low asymmetry and easily adjustable lacing. This features are ideal for all-day climbing in comfort, yet on a certain level of performance. Built especially for climbers with Greek or Cube toe type.

- Low asymmetry and flat profile, average volume
- Padded tongue and synthetic leather for higher comfort
- Rubber heel strap with higher support on the sides
- CAT 1.5 rubber and pretensioned stiff midsole for optimal performance

| | | | | | |
|--|---|---|---|---|---|
| UPPER: Microfiber | | | MIDSOLE: 2D Fit Hard | | |
| SOLE: CAT rubber 1.5, 4 mm | | | LAST: Advantic | | |
|  | | |  | | |
| WEIGHT (SIZE 7): 420 g | | | SIZE: 4 – 13 (UK) | | |
| FOOT TYPE: | | | TOE TYPE: | | |
|  |  |  |  |  |  |
| NARROW | NORMAL | WIDE | EGYPTIAN | GREEK | CUBE |
| TERRAIN: | | | | | |
|  |  |  |  | | |
| BOULDER | ROCKS | MULTIPITCH | INDOOR | | |

STRIKER QC

Art.04835



MESA ROSE

MALACHITE GREEN



ALL-ROUND

Comfortable shoe suitable for daylong routes

Striker QC is the ideal climbing shoe for beginners and recreational climbers, thanks to its slightly asymmetrical shape.

- Strengthened rubber toe allows a wider spectrum of use
- Comfortable slipper-like upper with elastic tongue
- Straight shoe profile and relaxed heel
- Sport character thanks to the slight asymmetry
- Quick Velcro closure ideal for bouldering and training
- Sufficiently comfortable for all-day climbing.

UPPER:

Microfiber

SOLE:

CAT rubber 1.1, 4,5 mm



WEIGHT (SIZE 7):

418 g

FOOT TYPE:



NARROW



NORMAL



WIDE



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:

2D Fit Middle

LAST:

Entratic



SIZE:

3 - 13, 14, 15 (UK)



STRIKER LU

Art. 04836



MESA ROSE



MALACHITE GREEN



ALL-ROUND

Comfortable shoe for beginners and occasional climbers

Reliable shoe for everyone who is new to the sport of climbing as well as for recreational climbers.

- Rubber on the toes allow for wider spectrum of technical moves
- Perfectly comfortable for full day of climbing
- Slight asymmetry for better performance
- Flat profile, relaxed heel rand and soft, padded tongue
- Feet held firmly in place by the long lacing

UPPER:

Microfiber

SOLE:

CAT rubber 1.1, 4,5 mm



WEIGHT (SIZE 7):

409 g

FOOT TYPE:



NARROW



NORMAL



WIDE



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:

2D Fit Middle

LAST:

Entratic



SIZE:


4 - 13 (UK)

TOE TYPE:



RENTAL

Art. 05339



ALL-ROUND

Comfortable and durable shoe suitable for use in rental shops

Comfortable climbing shoe designed with emphasis on durability and equipped with features which make renting smooth and easy.

- Tough rubber sole wraps over the toe providing 6 mm of protection
- Clearly visible size marking
- Practical system for connecting right and left climbing shoe

UPPER:

Microfiber

SOLE:

CAT rubber 1.1, 4, 5 mm



WEIGHT (SIZE 7):

464 g

FOOT TYPE:



NARROW



NORMAL



WIDE



EGYPTIAN



GREEK



CUBE

TERRAIN:



BOULDER



ROCKS



MULTIPITCH



INDOOR

MIDSOLE:

2D Fit Hard

LAST:

Entratic



SIZE:

3 - 13, 14, 15 (UK)

RIVAL

Art. 03758



KIDS

Childrens' competition climbing shoe

The Rival is designed specifically for advanced junior climbers and competitors.

- Soft sport construction for competitive climbing
- High rubber patches for toe-hooks and heel-hooks
- The perfect compromise between performance and anatomical needs
- Slipper design with one velcro strap

| | |
|--|--|
| UPPER: Microfiber | MIDSOLE: 2D Fit Soft |
| SOLE: CAT rubber 1.5, 4 mm | LAST: Standard |
| | |
| WEIGHT (SIZE 45): 320 g | SIZE: 2 - 5 (UK) |
| FOOT TYPE: NARROW NORMAL WIDE | TOE TYPE: EGYPTIAN GREEK CUBE |
| TERRAIN: BOULDER ROCKS MULTIPITCH INDOOR | |

RIBBIT

Art. 04731



KIDS

Comfy little shoe for little climbers

Stick like a frog, never fall from a rock.

- Extremely comfortable for the littlest climbers
- Easy to put on and off
- Meets orthopedic requirements for children's footwear
- White rubber does not leave marks
- Doubled sizes allow longer period of use

| | |
|--|--|
| UPPER: Microfiber | MIDSOLE: None |
| SOLE: CAT rubber 1.0, 3,3 mm | LAST: Baby |
| | |
| WEIGHT (SIZE 31): 170 g | SIZE: 24 - 35 EUR |
| FOOT TYPE: NARROW NORMAL WIDE | TOE TYPE: EGYPTIAN GREEK CUBE |
| TERRAIN: BOULDER ROCKS MULTIPITCH INDOOR | |

| | Model | | Art. | Terrain | | | | Profile | Asymmetry | Midsole | | | Sole | Seamless heel | Special features | | |
|-------------|-------------|--|-------|---------|-------|------------|--------|---------|-----------|---------|--------|------|------|---------------|------------------|--|--|
| | | | | Boulder | Rocks | Multipitch | Indoor | | | Soft | Middle | Hard | | | | | |
| HIGH-END | FURY | | 04332 | | | | | | | 2D toe | | | | | | | |
| | SIGMA | | 05337 | | | | | | | | | 3D | | | | | |
| | DIAMOND | | 00598 | | | | | | | | | 3D | | | | | |
| | OZONE | | 04700 | | | | | | | | 3D | | | | | | |
| | OZONE HV | | 04701 | | | | | | | | 3D | | | | | | |
| PERFORMANCE | BULLIT | | 04576 | | | | | | | 2D toe | | | | | | | |
| | HAVOC | | 04577 | | | | | | | 2D toe | | | | | | | |
| | JETT CRACK | | 04578 | | | | | | | | | 2D | | | | | |
| | IRIS | | 05338 | | | | | | | 2D toe | | | | | | | |
| | PEARL | | 04832 | | | | | | | 2D | | | | | | | |
| ALL-ROUND | JETT QC | | 04041 | | | | | | | | | 2D | | | | | |
| | JETT LU | | 04176 | | | | | | | | | 2D | | | | | |
| | ADVANCER QC | | 04833 | | | | | | | | | 2D | | | | | |
| | ADVANCER LU | | 04834 | | | | | | | | | 2D | | | | | |
| | STRIKER QC | | 04835 | | | | | | | | 2D | | | | | | |
| | STRIKER LU | | 04836 | | | | | | | | 2D | | | | | | |
| | RENTAL | | 05339 | | | | | | | | | 2D | | | | | |
| KIDS | RIVAL | | 03758 | | | | | | | 2D | | | | | | | |
| | RIBBIT | | 04731 | | | | | | | | | | | | | | |



Crack Gloves



CRACK GLOVES LITE

Art. 04377



Improved version of our successful Crack Gloves with our stickiest rubber compound CAT 1.5 and better durability of exposed details. Crack Gloves Lite provide maximum performance, sensibility and maintaining the protection of climbers' hands while crack climbing.

- Stretch microfiber for fingerloops with improved fit and comfort
- Improved durability of strap and loops

SIZES:

XS, S, M, L, XL

WEIGHT:


57 g

MATERIAL:

60% Polyamide
30% Synthetic rubber
10% Polyester



SIZE CHART:



CRACK GLOVES

Art. 03548



Thin rubber protects the backs of your hands while providing maximum sensitivity and friction when jamming.

- Material: microfiber stretch suede + sensitive adhesive rubber for perfect balance of performance and protection
- Rubber conceals the quick Velcro closure preventing unfastening when hard crack climbing

SIZES:

XS, S, M, L, XL

WEIGHT:


57 g

MATERIAL:

60% Polyamide
30% Synthetic rubber
10% Polyester



SIZE CHART:



CRACK GLOVES PRO

Art. 04840



Crack Gloves Pro are the high-end version of Crack Gloves equipped with CAT 1.5 rubber compound for superior grip and improved durability. These gloves provide maximum performance and sensitivity while protecting climbers' hands during crack climbing. Additional features include 3D finger loops, thumb cover, and elastic strap for a secure and comfortable fit.

- CAT 1.5 rubber compound for superior grip
- Improved durability for long-lasting use
- 3D finger loops for a secure fit
- Thumb cover for added protection
- Elastic strap for a comfortable fit

| SIZES: | WEIGHT: |
|------------------------|-------------|
| XS, S, M, L, XL | 55 g |

| MATERIAL: | |
|-----------------------------|--|
| 60% Polyamide | |
| 30% Synthetic rubber | |
| 10% Polyester | |

| SIZE CHART: | | | | | | |
|-------------|---------|---------|---------|---------|---------|---------|
| | 15,5 cm | 17,5 cm | 19,5 cm | 21,5 cm | 23,5 cm | 25,5 cm |
| | XS | S | M | L | XL | |
| | 6,1" | 6,9" | 7,7" | 8,5" | 9,3" | 10" |

[illegible]

FLIT




FLIT
ART. 04579

RECOMMENDED FOR:



SIZE: **S - M - L**




FLIT 3
ART. 04580

RECOMMENDED FOR:



SIZE: **S - M - L - XL**



NEON




NEON
ART. 04170

RECOMMENDED FOR:



SIZE: **XS - S - M - L**




NEON 3
ART. 04171

RECOMMENDED FOR:



SIZE NEON 3: **S - M - L - XL** / SIZE NEON LADY: **XS - S - M - L**



NEON 3 LADY
ART. 04172

WEBEE




WEBEE BIGWALL
Art. 04702

RECOMMENDED FOR:



SIZE: **XS - M (Red/Black), L - XL (Grey/Black)**




WEBEE
Art. 04837

RECOMMENDED FOR:



SIZE: **S - M - L - XL**




WEBEE LADY
Art. 05037

RECOMMENDED FOR:



SIZE: **XS - S - M - L**



TWIST




TWIST TECH ECO
ART. 05264



RECOMMENDED FOR:



SIZE: **XS - M, M - L, L - XL**




TWIST TECH ECO LADY
ART. 05265



RECOMMENDED FOR:



SIZE: **XS - M, M - L, L - XL**




TWIST
ART. 04336



RECOMMENDED FOR:



SIZE: **XS - M, M - XL**



TWIST




TWIST QUATTRO
ART. 04335



RECOMMENDED FOR:



SIZE: **XS - M, M - XL**



KIDS


TWIST KID
ART. 04337



RECOMMENDED FOR:



SIZE: **XXS, XS**



RENTAL




TWIST RENTAL
ART. 04408



RECOMMENDED FOR:



SIZE: **XXS - XS, XS - M, M - XL**



FULL BODY / CHEST HARNESSES



BODYGUARD
ART. 00028

RECOMMENDED FOR:



SIZE: **Universal**



WEBEE CHEST
ART. 04838

RECOMMENDED FOR:



SIZE: **Universal**



**WEBEE CHEST LITE
+TIEIN SLING**
ART. 04582

RECOMMENDED FOR:



SIZE: **Universal**



KIDS FULL BODY / CHEST HARNESSES



KIDS

CHEST KID
ART. 04839

RECOMMENDED FOR:



SIZE: **Universal**



KIDS

MOJO
ART. 04703

RECOMMENDED FOR:



SIZE: **Universal**



KIDS

DOPPLER
ART. 04581

RECOMMENDED FOR:



SIZE: **Universal**



SETS




CLIMBING TWIST SET
ART. 04338



SIZE: **XS - M, M - XL**



- Harness TWIST (Art. 04336)
- EAGLE HMS TRIPLE (Art. 04733)
- Belay device HURRY Blue (Art. 03277)
- Chalk bag PUSH (Art. 04448)
- CHALK BAG BELT (Art. 04346)
- CHALK BALL 35 g

Safely and comfortably




■ The system of connection leg loops with waist belt

Non-detachable connections provide extra safety and reduce the risk of wrong tie-in. Even when tied in wrongly the strength is at least 10kN.



■ Wear and Tear indicator

In those areas with the greatest load we equipped our harnesses with special straps made of highly resistant fiber which reduces wear (tie-in loop) which is caused by friction between ropes and lanyards. It also extends the lifetime of the harness. Those special straps include red-colored fibers which indicate the stage of wear of the harness so it is easier to perform a visual safety inspection. Once you can see the red fiber on the loop it means it is time to retire the harness.



■ Stainless steel buckles

All buckles on our harnesses are stainless steel (type SS-420J2), so you don't need to be worried about corrosion and you can climb confidently in bad weather or by the sea. This type of stainless steel is in the other industries used for production of surgical instruments and diving equipment.





■ Construction of leg loops

Unique construction of leg loops without interruption of the loaded strap at the seam. The loaded strap winds around the leg loop webbing and is only stitched into position to keep it from sliding. This system guarantees the harness will be safe even in extreme cases of damage to the sewing. In such situation the leg loops will only shift partially and you will be able to get to safety.




■ Movable waist system

The sliding belt makes sure your tie-in is always in the correct position. The load-bearing strap runs freely through a tunnel in the padding so the belay loop and gear loops are always properly centered.




■ WeBee Performance Technology

Lightweight, breathable, flexible and durable thanks to the patented construction of the padding. This harness has an adjustable shape and is extremely breathable while keeping its light weight. The sandwich structured waist belt made of perforated 3D PE EVA foam with a closed-cell structure is abrasion resistant and washable. The harness is unique because of its water and sweat resistant one-layer construction without any additional lining or cover layers.



■ Flit Ultralightweight Technology

Unique distribution of weight by wide webbing with great breathability. Lightweight materials used for manufacturing this harness make the technology ideal for situations when saving weight can help.





Safely and comfortably





Breathable padding

Breathable padding construction guarantees high breathability while also ensuring user comfort. Space between strength-supporting piping contains ventilation holes that are covered with a perforated microfiber lining for greater comfort.





Water repellent PE foam padding

The physical properties of the PE foam guarantee the harness will keep its shape while staying soft. The padding is non-absorbent and will not degrade due to use, temperature or moisture and will maintain its properties over its entire lifespan.




The waist belt is divided into two reinforced strands:

Even distribution of pressure and higher comfort. Forces acting on the climber's body when hanging or during fall are evenly distributed over the entire belt loop thanks to the double strand construction, which increases overall comfort when climbing. Climbers particularly appreciate this on longer routes.




1-buckle construction

Harnesses equipped with a single buckle are very lightweight, ideal for sport climbing.



3-buckle construction

Harnesses equipped with three buckles offer users size flexibility, ideal for most of climbing.




4-buckle construction

Harnesses equipped with four buckles offer users considerable size flexibility with a perfectly centered belt.




"Y" leg loops

Vector forces in the leg loops are distributed along a longitudinal axis at an angle of 30 - 70°. The correct positioning of leg loop straps has a fundamental impact on user comfort.



"D" leg loops

Vector forces in "D" type leg loops are distributed along the transverse axis at an angle of 70 - 90°. This distribution of force makes the harness more comfortable to use. If the leg loops are set too loosely, pressure will not be distributed properly and may stress the lumbar area.



FLIT

Art. 04579



Lightweight breathable harness in small volume

- 235g in size M
- 4 molded gear loops
- Breathable padding
- Small volume
- 1 slide-lock stainless steel buckle SS-420J2 (20mm)

RECOMMENDED FOR:



SPORT/
INDOOR



TRAD/
BIGWALL



ALPINE




VIA FERRATA

| SIZE: | WAIST: | LEGS: | WEIGHT: |
|----------|-------------------|-------------------|--------------|
| S | 67 - 77 cm | 47 - 52 cm | 225 g |
| M | 76 - 86 cm | 51 - 56 cm | 235 g |
| L | 84 - 94 cm | 55 - 60 cm | 245 g |

TYPE:

CE EN 12277+A1 typ C UIAA 105



FLIT 3

Art. 04580



Lightweight breathable 3-buckle harness

- The most lightweight 3 buckle padded harness
- 4 molded gear loops
- Breathable padding
- Small volume
- 3 slide-lock stainless steel buckle SS-420J2 (2 x 15mm, 1 x 20mm)

RECOMMENDED FOR:



SPORT/
INDOOR



TRAD/
BIGWALL



ALPINE



VIA FERRATA

| SIZE: | WAIST: | LEGS: | WEIGHT: |
|-----------|--------------------|-------------------|--------------|
| S | 67 - 77 cm | 47 - 57 cm | 275 g |
| M | 76 - 86 cm | 51 - 61 cm | 285 g |
| L | 84 - 94 cm | 55 - 65 cm | 300 g |
| XL | 92 - 102 cm | 59 - 69 cm | 310 g |

TYPE:

CE EN 12277+A1 typ C UIAA 105



NEON





Art. 04170



Comfortable lightweight 1-buckle sport climbing harness

- Padded waist belt and leg loops from breathable sandwich
- High-quality microfiber material resistant to abrasion
- 1 slide-lock stainless steel buckle SS-420J2 (20 mm)
- 4 gear loops





RECOMMENDED FOR:




| | | | |
|---|--|--|---|
|  SPORT/ INDOOR |  TRAD/ BIGWALL |  ALPINE |  VIA FERRATA |
|---|--|--|---|

| SIZE: | WAIST: | LEGS: | WEIGHT: |
|-----------|-------------------|-------------------|--------------|
| XS | 57 - 67 cm | 44 - 49 cm | 270 g |
| S | 67 - 77 cm | 48 - 53 cm | 290 g |
| M | 76 - 86 cm | 52 - 57 cm | 305 g |
| L | 83 - 93 cm | 55 - 60 cm | 320 g |

TYPE:

CE EN 12277+A1 typ C UIAA 105





NEON 3





Art.04171



Comfortable lightweight 3-buckle sport climbing harness

- Waist and legs padded with breathable sandwich
- High-quality microfiber material resistant to abrasion
- Adjustable leg loops
- 3 slide-lock stainless steel buckles SS-420J2 (2 × 15 mm, 1 × 20 mm)
- 4 gear loops





RECOMMENDED FOR:




| | | | |
|---|--|--|---|
|  SPORT/ INDOOR |  TRAD/ BIGWALL |  ALPINE |  VIA FERRATA |
|---|--|--|---|

| SIZE: | WAIST: | LEGS: | WEIGHT: |
|-----------|-------------------|-------------------|--------------|
| S | 67 - 77 cm | 46 - 56 cm | 330 g |
| M | 76 - 86 cm | 52 - 62 cm | 345 g |
| L | 83 - 93 cm | 55 - 65 cm | 360 g |
| XL | 87 - 99 cm | 59 - 69 cm | 375 g |

TYPE:

CE EN 12277+A1 typ C UIAA 105





NEON 3 LADY

Art. 04172



Women's comfortable lightweight 3-buckle sport climbing harness

- Waist and legs padded with breathable sandwich
- High-quality microfiber material resistant to abrasion
- Adjustable leg loops
- 3 slide-lock stainless steel buckles SS-420J2 (2 × 15 mm, 1 × 20 mm)
- 4 gear loops
- Respects female anatomy


RECOMMENDED FOR:

| | | | |
|------------------|------------------|--------|-------------|
| | | | |
| SPORT/ INDOOR | TRAD/ BIGWALL | ALPINE | VIA FERRATA |

| SIZE: | WAIST: | LEGS: | WEIGHT: |
|-----------|-------------------|-------------------|--------------|
| XS | 57 - 67 cm | 46 - 56 cm | 330 g |
| S | 67 - 77 cm | 52 - 62 cm | 345 g |
| M | 76 - 86 cm | 55 - 65 cm | 360 g |
| L | 83 - 93 cm | 59 - 69 cm | 375 g |

TYPE:

CE EN 12277+A1 typ C UIAA 105





TWIST TECH ECO

Art. 05264



Comfortable 3-buckle all-round harness from recycled materials

- Padded belt and leg loops with very comfortable sandwich construction
- Adjustable leg loops
- Moveable waist
- 3 slide-lock stainless steel buckles of stainless SS-420J2 (2 × 20 mm, 1 × 30 mm)
- 5 gear loops
- 2 carrytool slots
- Whole harness made from recycled materials

RECOMMENDED FOR:



| SIZE: | WAIST: | LEGS: | WEIGHT: |
|--------|-------------|------------|---------|
| XS – M | 63 - 90 cm | 45 - 60 cm | 380 g |
| M – L | 69 - 100 cm | 49 - 68 cm | 400 g |
| L – XL | 77 - 110 cm | 53 - 72 cm | 420 g |

TYPE:

CE EN 12277+A1 typ C UIAA 105



TWIST TECH ECO LADY

Art. 05265



Women's classic 3-buckle harness for all-around use from recycled materials

- Padded belt and leg loops with very comfortable sandwich construction
- Adjustable leg loops
- Moveable waist
- 3 slide-lock stainless steel buckles of stainless SS-420J2 (2 × 20 mm, 1 × 30 mm)
- 5 gear loops
- 2 carrytool slots
- Respects female anatomy
- Whole harness made from recycled materials

RECOMMENDED FOR:




| SIZE: | WAIST: | LEGS: | WEIGHT: |
|--------|-------------|------------|---------|
| XS – M | 59 - 80 cm | 45 - 60 cm | 360 g |
| M – L | 63 - 90 cm | 49 - 68 cm | 380 g |
| L – XL | 69 - 100 cm | 53 - 72 cm | 400 g |


TYPE:

CE EN 12277+A1 typ C UIAA 105





ONLY 75g (18 %) FROM TOTAL 400g (SIZE M-L) ARE MADE FROM PRIMARY SOURCES



TWIST

Art. 04336



Lightweight classic 3-buckle harness for all-around use

- Padded belt and leg loops with very comfortable sandwich construction
- Adjustable leg loops
- Moveable waist
- 3 slide-lock stainless steel buckles of stainless SS-420J2 (2 × 20 mm, 1 × 30 mm)
- 4 gear loops


RECOMMENDED FOR:

| | | | |
|------------------|------------------|--------|-------------|
| SPORT/ INDOOR | TRAD/ BIGWALL | ALPINE | VIA FERRATA |
|------------------|------------------|--------|-------------|

| | | | |
|---------------|--------------------|-------------------|--------------|
| SIZE: | WAIST: | LEGS: | WEIGHT: |
| XS – M | 63 - 95 cm | 45 - 60 cm | 370 g |
| M – XL | 77 - 110 cm | 53 - 72 cm | 410 g |

TYPE:

CE EN 12277+A1 typ C UIAA 105



TWIST QUATTRO

Art. 04335



Comfortable 4-buckle harness
for all-around use

- Padded belt and leg loops with very comfortable sandwich construction
- Adjustable leg loops
- Moveable waist
- 4 slide-lock stainless steel buckles SS-420J2 (2 x 20 mm, 2 x 30 mm), completely adjustable in all directions
- 6 gear loops
- 2 carrytool slots

RECOMMENDED FOR:

| | | | |
|------------------|------------------|--------|-------------|
| SPORT/ INDOOR | TRAD/ BIGWALL | ALPINE | VIA FERRATA |
|------------------|------------------|--------|-------------|

| | | | |
|---------------|--------------------|-------------------|--------------|
| SIZE: | WAIST: | LEGS: | WEIGHT: |
| XS – M | 65 - 95 cm | 45 - 60 cm | 420 g |
| M – XL | 76 - 110 cm | 53 - 72 cm | 460 g |

TYPE:

CE EN 12277+A1 typ C UIAA 105

TWIST KID

Art. 04337



Children's 3-buckle harness

- Adjustable leg loops
- Moveable waist
- Padded belt and leg loops with very comfortable sandwich construction
- 3 slide-lock stainless steel buckles SS-420J2 (3 x 20 mm)
- 2 gear loops

RECOMMENDED FOR:

| | | | |
|------------------|------------------|--------|-------------|
| SPORT/ INDOOR | TRAD/ BIGWALL | ALPINE | VIA FERRATA |
|------------------|------------------|--------|-------------|

| | | | |
|------------|-------------------|-------------------|--------------|
| SIZE: | WAIST: | LEGS: | WEIGHT: |
| XXS | 48 - 68 cm | 33 - 46 cm | 290 g |
| XS | 55 - 75 cm | 40 - 50 cm | 310 g |

TYPE:

CE EN 12277+A1 typ C UIAA 105



WEBEE BIGWALL

Art. 04702



Lightweight 4-buckle harness
for big walls

- Breathable, highly durable and also washable thanks to WeBee technology
- Adjustable leg loops
- Haul loop with 9kN tensile strength
- 2 belay/tie-in loops
- 4 slide-lock stainless steel buckles SS-420J2 (2 × 28 mm, 2 × 20 mm)
- 7 gear loops
- 2 carrytool slots


RECOMMENDED FOR:

| | | | |
|--|--|--|---|
|  SPORT/ INDOOR |  TRAD/ BIGWALL |  ALPINE |  VIA FERRATA |
|--|--|--|---|

| SIZE: | WAIST: | LEGS: | WEIGHT: | COLOR: |
|--------|-------------|------------|---------|------------|
| XS - M | 68 - 95 cm | 50 - 68 cm | 530 g | Red/Black |
| L - XL | 85 - 110 cm | 55 - 73 cm | 570 g | Grey/Black |

TYPE:

CE EN 12277+A1 typ C UIAA 105



DETAILS:



Art. 04837



Lightweight 3-buckle
sport climbing harness

- Adjustable leg loops
- Light, breathable, highly durable and also washable thanks to WeBee technology
- 3 slide-lock stainless steel buckles SS-420J2 (1x 20mm, 2x 15mm)
- 4 molded gear loops
- 2 carrytool slots

RECOMMENDED FOR:

SPORT/
INDOORTRAD/
BIGWALL

ALPINE




VIA FERRATA

| SIZE: | WAIST: | LEGS: | WEIGHT: |
|-----------|--------------------|-------------------|--------------|
| S | 68 - 78 cm | 48 - 58 cm | 325 g |
| M | 76 - 86 cm | 52 - 62 cm | 340 g |
| L | 84 - 94 cm | 55 - 65 cm | 355 g |
| XL | 92 - 102 cm | 58 - 68 cm | 370 g |

TYPE:

CE EN 12277+A1 typ C UIAA 105



WEBEE LADY

Art. 05037



Lightweight 3-buckle sport climbing harness

- Adjustable leg loops
- Light, breathable, highly durable and also washable thanks to WeBee technology
- 3 slide-lock stainless steel buckles SS-420J2 (1x 20mm, 2x 15mm)
- 4 molded gear loops
- 2 carrytool slots
- Respects female anatomy

RECOMMENDED FOR:

SPORT/
INDOORTRAD/
BIGWALL

ALPINE




VIA FERRATA

| SIZE: | WAIST: | LEGS: | WEIGHT: |
|-----------|-------------------|-------------------|--------------|
| XS | 56 - 66 cm | 48 - 58 cm | 315 g |
| S | 68 - 78 cm | 52 - 62 cm | 335 g |
| M | 76 - 86 cm | 55 - 65 cm | 350 g |
| L | 84 - 94 cm | 58 - 68 cm | 365 g |

TYPE:

CE EN 12277+A1 typ C UIAA 105



WEBEE CHEST

Art. 04838



A comfortable, breathable and versatile chest harness

- Anatomically-shaped padding made of perforated 3D foam
- Adjustable size
- 2 slide-lock stainless steel buckles SS-420J2 (2 x 20 mm)
- 2 gear loops

Chest harness can be safely used in combination with a sit harness only.

RECOMMENDED FOR:

SPORT/
INDOOR

TRAD/
BIGWALL

TYPE:

CE EN 12277+A1 typ D UIAA 105

BODYGUARD

Art. 00028



Full body harness for beginners and for safe via ferrata climbing

- Fully adjustable
- 2× 44 mm AL click buckle on chest
- 2× 44 mm AL click buckle (ABS) on leg loops
- 2 gear loops

RECOMMENDED FOR:

SPORT/
INDOOR

TRAD/
BIGWALL

TYPE:

CE EN 12277+A1 typ C UIAA 105

WEBEE CHEST LITE + TIE-IN SLING

Art. 04582



Perfect solution for connection between sit and chest harness

- Anatomically-shaped chest harness made of perforated 3D foam
- Adjustable size
- 2 slide-lock stainless steel buckles SS-420J2 (2 x 20 mm)
- Tie-in Sling included
- The safest connection between sit and chest harness

Chest harness can be safely used in combination with a sit harness only.

RECOMMENDED FOR:



SPORT/
INDOOR



TRAD/
BIGWALL



ALPINE




VIA
FERRATA

| SIZE: | CHEST CIRCUMFERENCE: | WEIGHT: : |
|------------------|----------------------|--------------|
| Universal | 70 - 105 cm | 265 g |

TYPE:

CE EN 12277+A1 typ D UIAA 105 (Harnesses)

CE EN 566 (Slings)



Middle of the TIE-IN sling goes through main tie-in loop on your sit harness

Carabiner is clipped into the tie-in points of the CHEST harness

Tie in points on the TIE-IN sling are marked by green re-inforcing Cordura® fabric

CHEST KID

Art. 04839





Comfortable children's chest harness


- Padded with very comfortable sandwich construction
- Adjustable size
- 1 slide-lock stainless steel buckle SS-420J2 (20 mm)


Chest harness can be safely used in combination with a sit harness only.

RECOMMENDED FOR:

 SPORT/
INDOOR

 TRAD/
BIGWALL




 ALPINE

 VIA FERRATA

| | | |
|-----------|----------------------|-----------|
| SIZE: | CHEST CIRCUMFERENCE: | WEIGHT: : |
| Universal | 50 - 70 cm | 160 g |

TYPE:

CE EN 12277+A1 typ D UIAA 105



MOJO


Art. 04703





Full body harness for kids


- Adjustable leg loops from wide webbing
- 4x 30mm stainless steel buckles SS-420J2
- Fully adjustable upper and lower part of harness
- 1 gear loop

RECOMMENDED FOR:

 SPORT/
INDOOR

 TRAD/
BIGWALL



 ALPINE

 VIA FERRATA

| | | | |
|-----------|------------------|------------|---------|
| SIZE: | HEIGHT OF TORSO: | LEGS: | WEIGHT: |
| Universal | 30 - 55 cm | 23 - 50 cm | 345 g |

TYPE:

CE EN 12277+A1 typ B UIAA 105



DOPPLER

Art. 04581



Full body padded harness for kids

- Padded with very comfortable sandwich construction
- Fully adjustable with 4 buckles
- 4x 30 mm slide-lock steel buckle SS-420J2
- 1 gear loop

RECOMMENDED FOR:



SPORT/
INDOOR



TRAD/
BIGWALL



ALPINE



VIA FERRATA

SIZE:

HEIGHT OF TORSO:

LEGS:

WEIGHT:

Universal

30 - 55 cm

23 - 50 cm

420 g

TYPE:

CE EN 12277+A1 typ B UIAA 105



CLIMBING TWIST SET

Art. 04338



Twist harness with basic accessories, everything a beginner needs to start climbing

- Harness TWIST (Art. 04336)
- EAGLE HMS TRIPLE (Art. 04733)
- Belay device HURRY Blue (Art. 03277)
- Chalk bag PUSH (Art. 04448)
- CHALK BAG BELT (Art. 04346)
- CHALK BALL 35 g


- CE EN 12277+A1 typ C UIAA 105 (Harnesses)
- CE EN 12275 UIAA 121 (Carabiners)
- CE EN 15151-2 (Belay Device)

HARNESS TWIST

| SIZE: | WAIST: | LEGS: | WEIGHT: |
|--------|-------------|------------|---------|
| XS – M | 63 - 95 cm | 45 - 60 cm | 370 g |
| M – XL | 77 - 110 cm | 53 - 72 cm | 410 g |



Art. 04408







































































































































- Individual batch number
- Movable waist belt
- Adjustable leg loops
- 3 slide-lock stainless steel buckles
SS-420J2 (2× 20 mm, 1× 30 mm)
- Padded belt and leg loops with very comfortable sandwich construction

 VIA FERRATA

CE EN 12277+A1 typ C UIAA 105



| | Model | Type | Movable system | Leg loops | Number of buckels | Material loops | Weight (size M) | Sport/Indoor | Trad/BigWall | Alpine | Via Ferrata | Wear abrasion indicator |
|--------|--|--------|---|---|-------------------|----------------|-----------------|---|---|---|---|---|
| FLIT | FLIT 04579  | Uni | |  Y | 1 | 4 | 235g |  |  |  |  |  |
| | FLIT 3 04580  | Uni | |  Y | 3 | 4 | 285g |  |  |  |  |  |
| NEON | NEON 04170  | Uni | |  D | 1 | 4 | 305g |  |  |  |  |  |
| | NEON 3 04171  | Uni | |  D | 3 | 4 | 345g |  |  |  |  |  |
| | NEON 3 LADY 04172  LADY | Ladies | |  D | 3 | 4 | 360g |  |  |  |  |  |
| WEBEE | WEBEE BIGWALL 04702  | Uni | |  D | 4 | 7 | 530g |  |  |  |  |  |
| | WEBEE 04837  | Uni | |  D | 3 | 4 | 340g |  |  |  |  |  |
| | WEBEE LADY 05037  LADY | Ladies | |  D | 3 | 4 | 350g |  |  |  |  |  |
| TWIST | TWIST TECH ECO 05264  NEW | Uni |  |  Y | 3 | 5 | 380g |  |  |  |  |  |
| | TWIST TECH ECO LADY 05265  NEW LADY | Ladies |  |  Y | 3 | 5 | 360g |  |  |  |  |  |
| | TWIST 04336  NEW | Uni |  |  Y | 3 | 4 | 370g |  |  |  |  |  |
| | TWIST QUATTRO 04335  NEW | Uni |  |  Y | 4 | 6 | 420g |  |  |  |  |  |
| | TWIST KID 04337  NEW | Kids |  |  Y | 3 | 2 | 290g |  |  |  |  |  |
| RENTAL | TWIST RENTAL 04408  NEW | Uni |  |  Y | 3 | 2 | 350g |  | | |  |  |

| | Model | | Type | Movable system | Leg loops | Number of buckels | Material loops | Weight (size M) | Sport/Indoor | Trad/BigWall | Alpine | Via Ferrata |
|-------|---------------------------------------|---|------|---|---|-------------------|----------------|-----------------|---|---|---|---|
| CHEST | WEBEE CHEST 04838 |  | Uni |  | | 2 | 2 | 290 g | |  |  |  |
| | WEBEE CHEST LITE + TIE-IN SLING 04582 |  | Uni |  | | 2 | | 265 g | |  |  |  |
| | BODYGUARD 00028 |  | Uni | |  | 4 | 2 | 695 g |  |  |  |  |
| KIDS | CHEST KID 04839 |  | Kids |  | | 1 | | 160 g |  |  |  |  |
| | MOJO 04703 |  | Kids | |  | 4 | 1 | 345 g |  | | |  |
| | DOPPLER 04581 |  | Kids | |  | 4 | 1 | 420 g |  | | |  |

Carabiners



LOCKING CARABINERS



**EAGLE HMS
Screw**
ART. 04626

**EAGLE HMS Screw
3-pack**
ART. 04704

**EAGLE HMS
Twist**
ART. 04627

**EAGLE HMS
Triple**
ART. 04733

STRENGTH:

- ◀ ◯ ▶ **25 kN**
- ◀ ◯ ▶ **10 kN**
- ◀ ◯ ▶ **8 kN**

GATE OPENING:

- ◀ ◯ ▶ **23 mm**

LOCKING CARABINERS



**CONDOR HMS
Screw**
ART. 03278

**CONDOR HMS
Twist**
ART. 03549

**CONDOR HMS
Triple**
ART. 03550

STRENGTH:

- ◀ ◯ ▶ **25 kN**
- ◀ ◯ ▶ **7 kN**
- ◀ ◯ ▶ **6 kN**

GATE OPENING:

- ◀ ◯ ▶ **22 mm**

LOCKING CARABINERS



**HARPY HMS
Screw**
ART. 03976

**HARPY HMS
Twist**
ART. 03977

**HARPY HMS
Triple**
ART. 03978

STRENGTH:

- ◀ ◯ ▶ **28 kN**
- ◀ ◯ ▶ **8 kN**
- ◀ ◯ ▶ **8 kN**

GATE OPENING (SCREW):

- ◀ ◯ ▶ **27 mm**

GATE OPENING (TWIST, TRIPLE):

- ◀ ◯ ▶ **26 mm**

LOCKING CARABINERS



**OSPREY
Screw**
ART. 02450

**OSPREY
Twist**
ART. 02632

**OSPREY
Triple**
ART. 02633

STRENGTH:

- ◀ ◯ ▶ **25 kN**
- ◀ ◯ ▶ **9 kN**
- ◀ ◯ ▶ **6 kN**

GATE OPENING:

- ◀ ◯ ▶ **22 mm**

LOCKING CARABINERS



FALCON Screw
ART. 02448



FALCON Screw
3-pack
ART. 04063



FALCON
Straight
ART. 02446



FALCON
Bent
ART. 02447

| | |
|--------------------------|-------|
| STRENGTH: | |
| ◀ ◯ ▶ | 25 kN |
| ◀ ◯ ▶ | 9 kN |
| ◀ ◯ ▶ | 9 kN |
| GATE OPENING (SCREW): | |
| ◀ ◯ ▶ | 17 mm |
| GATE OPENING (STRAIGHT): | |
| ◀ ◯ ▶ | 20 mm |
| GATE OPENING (BENT): | |
| ◀ ◯ ▶ | 24 mm |

LOCKING CARABINERS



HAWK Screw
ART. 03980



HAWK Screw
3-pack
ART. 04064



HAWK
Straight
ART. 02760



HAWK
Bent
ART. 04066

| | |
|--------------------------|-------|
| STRENGTH: | |
| ◀ ◯ ▶ | 24 kN |
| ◀ ◯ ▶ | 9 kN |
| ◀ ◯ ▶ | 9 kN |
| GATE OPENING (SCREW): | |
| ◀ ◯ ▶ | 15 mm |
| GATE OPENING (STRAIGHT): | |
| ◀ ◯ ▶ | 16 mm |
| GATE OPENING (BENT): | |
| ◀ ◯ ▶ | 19 mm |

CARABINERS



RAVEN Straight
ART. 04705



RAVEN Bent
ART. 04706



| | |
|--------------------------|-------|
| STRENGTH: | |
| ◀ ◯ ▶ | 24 kN |
| ◀ ◯ ▶ | 10 kN |
| ◀ ◯ ▶ | 11 kN |
| GATE OPENING (STRAIGHT): | |
| ◀ ◯ ▶ | 23 mm |
| GATE OPENING (BENT): | |
| ◀ ◯ ▶ | 23 mm |

CARABINERS



HAWK Wire
ART. 02449



HAWK Wire 6-pack
ART. 04707

| | |
|---------------|-------|
| STRENGTH: | |
| ◀ ◯ ▶ | 23 kN |
| ◀ ◯ ▶ | 8 kN |
| ◀ ◯ ▶ | 7 kN |
| GATE OPENING: | |
| ◀ ◯ ▶ | 20 mm |



KESTREL 6-PACK
ART. 04067



KESTREL 60-PACK
ART. 02994

| | |
|---------------|-------|
| STRENGTH: | |
| ◀ ◯ ▶ | 24 kN |
| ◀ ◯ ▶ | 8 kN |
| ◀ ◯ ▶ | 9 kN |
| GATE OPENING: | |
| ◀ ◯ ▶ | 25 mm |

Materials and technology

All OCÚN carabiner bodies are hot forged



HOT FORGED

- Allows optimal profile and complex design
- Maximizes strength to weight ratio due to grain orientation

All load bearing parts are heat treated

- Enhances strength
- Optimizes ductility and hardness

All aluminium parts are anodized


- Further protects the surface from corrosion
- Enhances hardness
- Looks awesome

All OCÚN carabiner bodies and gates are made of 7075 ALUMINIUM ALLOY

- Strongest commercially used aluminium, still very lightweight
- Good corrosion resistance
- Used in aviation, automotive, marine, military and other high-demand applications


Hinges and springs

- The small and hidden parts are all made of high grade stainless or spring steels



Emphasis on quality

- All Ocún carabiners comply with EN european standards and UIAA standards, ensuring maximum safety
- Random selection from each batch is individually break tested for major axis, minor axis and open gate strength to ensure strength requirements are met
- Visual and tactile inspection prevents functional and cosmetic defects
- Each carabiner has a unique production number and can therefore be tracked all the way back to its birth



New Eco Packaging

We have replaced our standard blister packaging with new eco-friendly packs. All of our metal gear is now sold on displays made of eco-friendly cardboard which is coloured only with eco dyes.



Different shapes for different tasks

We have different expectations from each type of carabiner; therefore, they have all been uniquely designed to perfectly perform in various situations. If you devote enough time to choosing the right one, you will be rewarded by its flawless functionality. First, think about your specific needs.

■ HMS

Usually pear shaped with spacious and smooth upper basket. Perfect for belaying.



■ OVAL

Basic, symmetrical carabiner, traditional in climbing and mountaineering. Widely usable.



■ ASYMMETRICAL D

Smaller carabiners suitable for protecting routes. Used in quickdraws, or with cams, nuts and slings.



Features

Manual

■ SCREW

Color coded lock - red



Automatic

■ TWIST

Color coded lock - green



Automatic

■ TRIPLE

Color coded lock - blue



Keylock

Neat design of the nose without an annoying hook, standard on all Ocún carabiners with solid gates.



I-profile

Lightens the carabiner while maintaining strength. Standard on all Ocún carabiners.



O-profile


Round profile shape is rope friendly and eliminates the risk of sharp edges forming due to abrasive wear. Standard on the upper basket of all Ocún HMS carabiners.



Quickdraw explained


1 Straight gate carabiner

- Clips into anchor
- Grooved straight gate for better grip



2 Webbing

- Different lengths and designs for different situations



3 Biner-fix

- Prevents rotation of the lower biner in the webbing

4 Bent gate carabiner

- Rope clips here
- Dented bent gate facilitates clipping

5 Wire gate carabiner

- Lightweight
- Reliable in freezy and muddy conditions
- Reduces gate flutter and gate shutter effect
- Can be used as both upper and lower QD carabiner

Gate flutter

Occurs during a long lead climber fall when the rope moving through the carabiner creates harmonic vibration, slightly opening the gate periodically.

Gate shutter

Occurs when the spine of the carabiner hits against an obstacle and the gate continues inertial motion, opening slightly.

EAGLE HMS

SCREW

Art. 04626

WEIGHT: 73 g



TWIST

Art. 04627

WEIGHT: 79 g



TRIPLE

Art. 04733

WEIGHT: 79 g



The popular Eagle is an HMS carabiner of typical dimensions – essential climbing equipment.

- The O-profile of the upper basket makes it easier to handle ropes and work with belay devices
- Ergonomic body
- Lightweight considering its size
- Safe and reliable

STRENGTH:

◀ O ▶ 25 kN

◀ O ▶ 10 kN

◀ O ▶ 8 kN

GATE OPENING:

◀ O ▶ 23 mm

EXTERNAL DIMENSIONS: 103 x 75 mm

TYPE:

CE EN 12275, EN 362 UIAA 121

EAGLE HMS SCREW 3-PACK

Art. 04704



CONDOR HMS

SCREW

Art. 03278

WEIGHT: 85 g



TWIST

Art. 03549

WEIGHT: 89 g



TRIPLE

Art. 03550

WEIGHT: 89 g



Larger, ergonomically shaped and ultra-safe HMS carabiner for belaying and rappelling

- Internal wire gate prevents cross-loading
- O-profile of the upper basket for easy rope handling and better belaying

STRENGTH:

◀ O ▶ 25 kN

◀ O ▶ 7 kN

◀ O ▶ 6 kN

GATE OPENING:

◀ O ▶ 22 mm

EXTERNAL DIMENSIONS: 122 x 74 mm

TYPE:

CE EN 12275, EN 362 UIAA 121

HARPY HMS

SCREW

Art. 03976

WEIGHT: 92 g



TWIST

Art. 03977

WEIGHT: 98 g



TRIPLE

Art. 03978

WEIGHT: 98 g



The biggest HMS in our collection, suitable for building belaying points and comfortable belaying with the munter hitch knot or with a belay device.

- Very spacious upper arc allows connection with loads of gear
- O-profile of the upper basket for easy rope handling and better belaying
- Huge gate opening

| | |
|----------------------------------|---------------------------|
| STRENGTH: | |
| ◀ ◯ ▶ | 28 kN |
| ◀ ◯ ▶ | 8 kN |
| ◀ ◯ ▶ | 8 kN |
| GATE OPENING: | |
| ◀ ◯ ▶ | 27 mm (Screw) |
| ◀ ◯ ▶ | 26 mm (Twist, Triple) |
| EXTERNAL DIMENSIONS: 122 x 88 mm | |
| TYPE: | |
| CE | EN 12275, EN 362 UIAA 121 |

OSPREY

SCREW

Art. 02450

WEIGHT: 70 g



TWIST

Art. 02632

WEIGHT: 77 g



TRIPLE

Art. 02633

WEIGHT: 77 g



Universal carabiner of classic oval shape

| | |
|----------------------------------|---------------------------|
| STRENGTH: | |
| ◀ ◯ ▶ | 25 kN |
| ◀ ◯ ▶ | 9 kN |
| ◀ ◯ ▶ | 6 kN |
| GATE OPENING: | |
| ◀ ◯ ▶ | 22 mm |
| EXTERNAL DIMENSIONS: 110 x 62 mm | |
| TYPE: | |
| CE | EN 12275, EN 362 UIAA 121 |

FALCON SCREW

Art. 02448



Falcon carabiner with Screw lock.

- Extra safe
- Grooves on the back for easier handling
- Suitable for placing in the points of important protection, also good for building your own extra safe quickdraw

| | |
|---------------|------------------------------|
| STRENGTH: | WEIGHT: |
| ◀ ◯ ▶ 25 kN | 53 g |
| ◀ ◯ ▶ 9 kN | EXTERNAL DIMENSIONS: |
| ◀ ◯ ▶ 9 kN | 101 x 59 mm |
| GATE OPENING: | TYPE: |
| ◀ ◯ ▶ 17 mm | CE EN 12275, EN 362 UIAA 121 |

FALCON SCREW 3-PACK

Art. 04063



HAWK SCREW

Art. 03980



Hawk carabiner with Screw lock.

- Extra safe
- Suitable for placing in the points of important protection, also good for building your own extra safe quickdraw
- Unrivalled weight, size and strength ratio

| | |
|---------------|------------------------------|
| STRENGTH: | WEIGHT: |
| ◀ ◯ ▶ 24 kN | 42 g |
| ◀ ◯ ▶ 9 kN | EXTERNAL DIMENSIONS: |
| ◀ ◯ ▶ 9 kN | 91 x 53 mm |
| GATE OPENING: | TYPE: |
| ◀ ◯ ▶ 15 mm | CE EN 12275, EN 362 UIAA 121 |

HAWK SCREW 3-PACK

Art. 04064








Art. 04705



Large quickdraw carabiner for sport climbing with forged straight gate. Ideal for on-sighting, flashing, redpointing and projecting hard routes.

- Forged gate for improved strength, better ergonomics and distinct design
- Unrivalled open gate and minor axis strength
- Large opening and spacious basket for easy clipping






| | |
|---|--|
| STRENGTH: | WEIGHT: |
|  24 kN | 46 g |
|  10 kN | EXTERNAL DIMENSIONS: |
|  11 kN | 100 x 63 mm |
| GATE OPENING: | TYPE: |
|  23 mm |  EN 12275 UIAA 121 |

Art. 04706



Large quickdraw carabiner for sport climbing with forged bent gate. Ideal for on-sighting, flashing, redpointing and projecting hard routes.

- Forged gate for improved strength, better ergonomics and distinct design
- Unrivalled open gate and minor axis strength
- Large opening and spacious basket for easy clipping

| | |
|---|---|
| STRENGTH: | WEIGHT: |
|  24 kN | 46 g |
|  10 kN | EXTERNAL DIMENSIONS: |
|  11 kN | 100 x 63 mm |
| GATE OPENING: | TYPE: |
|  23 mm |  EN 12275 UIAA 121 |

FALCON





The largest D-shaped carabiner in our collection places increased emphasis on ergonomics.

- Grooves on the back and larger dimensions for easier handling
- Ergonomically shaped gate

STRAIGHT

Art. 02446







| | |
|---|----------------------|
| STRENGTH: | WEIGHT: |
|  25 kN | 48 g |
|  9 kN | EXTERNAL DIMENSIONS: |
|  9 kN | 101 x 59 mm |
| GATE OPENING: | TYPE: |
|  20 mm | CE EN 12275 UIAA 121 |

BENT

Art. 02447



| | |
|---|----------------------|
| STRENGTH: | WEIGHT: |
|  25 kN | 48 g |
|  9 kN | EXTERNAL DIMENSIONS: |
|  9 kN | 101 x 59 mm |
| GATE OPENING: | TYPE: |
|  24 mm | CE EN 12275 UIAA 121 |



Universal carabiner of classic shape and dimensions particularly suitable for placing in protection.
• Unrivalled weight, size and strength ratio

STRAIGHT

Art. 02760



| | |
|---------------|----------------------|
| STRENGTH: | WEIGHT: |
| ◀ ◯ ▶ 24 kN | 40 g |
| ◀ ◯ ▶ 9 kN | EXTERNAL DIMENSIONS: |
| ◀ ◯ ▶ 9 kN | 91 x 53 mm |
| GATE OPENING: | TYPE: |
| ◀ ◯ ▶ 16 mm | CE EN 12275 UIAA 121 |

BENT

Art. 04066



| | |
|---------------|----------------------|
| STRENGTH: | WEIGHT: |
| ◀ ◯ ▶ 24 kN | 40 g |
| ◀ ◯ ▶ 9 kN | EXTERNAL DIMENSIONS: |
| ◀ ◯ ▶ 9 kN | 91 x 53 mm |
| GATE OPENING: | TYPE: |
| ◀ ◯ ▶ 19 mm | CE EN 12275 UIAA 121 |

WIRE

Art. 02449



| |
|----------------------|
| STRENGTH: |
| ◀ ◯ ▶ 24 kN |
| ◀ ◯ ▶ 8 kN |
| ◀ ◯ ▶ 9 kN |
| GATE OPENING: |
| ◀ ◯ ▶ 25 mm |
| WEIGHT: |
| 35 g |
| EXTERNAL DIMENSIONS: |
| 91 x 53 mm |
| TYPE: |
| CE EN 12275 UIAA 121 |

HAWK WIRE 6-PACK

Art. 04707



KESTREL



Our smallest and lightest certified carabiner. Thanks to its weight you will save precious grams in bigwalls and mountains.

- Wire gate keeps dirt out and doesn't freeze up
- Excellent strength characteristics
- Lightweight
- Colors correspond to various cam sizes
- Sold only in 6-packs or 60-packs

STRENGTH:

- ▶ 23 kN
- ▶ 8 kN
- ▶ 7 kN

GATE OPENING:

- ▶ 20 mm

WEIGHT:

25 g

EXTERNAL DIMENSIONS:

81 x 49 mm

TYPE:

CE EN 12275 UIAA 121

KESTREL 6-PACK

Art. 04067





























KESTREL 60-PACK

Art. 02994

- 60 pieces in the package
- box contains 5 purple Kestrels and 11 Kestrels in each of the colors (antracit, yellow, green, red, blue)



| | Model | | Standard | Types of gates and locks | Weight | External dimensions | Gate opening:  | Strength | | |
|-------------------|---------------------------------|---|--------------------|--------------------------|--------|---------------------|--|---|---|---|
| | | | | | | | |  |  |  |
| LOCKING CARBINERS | EAGLE HMS Screw ART. 04626 |  | EN 12275 EN 362 | SCREW | 73 g | 103 x 75 | 23 mm | 25 kN | 10 kN | 8 kN |
| | EAGLE HMS Twist ART. 04627 |  | EN 12275 EN 362 | TWIST | 79 g | 103 x 75 | 23 mm | 25 kN | 10 kN | 8 kN |
| | EAGLE HMS Triple ART. 04733 |  | EN 12275 EN 362 | TRIPLE | 79 g | 103 x 75 | 23 mm | 25 kN | 10 kN | 8 kN |
| | CONDOR HMS Screw ART. 03278 |  | EN 12275 EN 362 | SCREW | 85 g | 122 x 74 | 22 mm | 25 kN | 7 kN | 6 kN |
| | CONDOR HMS Twist ART. 03549 |  | EN 12275 EN 362 | TWIST | 89 g | 122 x 74 | 22 mm | 25 kN | 7 kN | 6 kN |
| | CONDOR HMS Triple ART. 03550 |  | EN 12275 EN 362 | TRIPLE | 89 g | 122 x 74 | 22 mm | 25 kN | 7 kN | 6 kN |
| | HARPY HMS Screw ART. 03976 |  | EN 12275 EN 362 | SCREW | 92 g | 122 x 88 | 27 mm | 28 kN | 8 kN | 8 kN |
| | HARPY HMS Twist ART. 03977 |  | EN 12275 EN 362 | TWIST | 98 g | 122 x 88 | 26 mm | 28 kN | 8 kN | 8 kN |
| | HARPY HMS Triple ART. 03978 |  | EN 12275 EN 362 | TRIPLE | 98 g | 122 x 88 | 26 mm | 28 kN | 8 kN | 8 kN |
| | OSPREY Screw ART. 02450 |  | EN 12275 EN 362 | SCREW | 70 g | 110 x 62 | 22 mm | 25 kN | 9 kN | 6 kN |
| | OSPREY Twist ART. 02632 |  | EN 12275 EN 362 | TWIST | 77 g | 110 x 62 | 22 mm | 25 kN | 9 kN | 6 kN |
| | OSPREY Triple ART. 02633 |  | EN 12275 EN 362 | TRIPLE | 77 g | 110 x 62 | 22 mm | 25 kN | 9 kN | 6 kN |
| | FALCON Screw ART. 02448 |  | EN 12275 EN 362 | SCREW | 53 g | 101 x 59 | 17 mm | 25 kN | 9 kN | 9 kN |
| | HAWK Screw ART. 03980 |  | EN 12275 EN 362 | SCREW | 42 g | 91 x 53 | 15 mm | 24 kN | 9 kN | 9 kN |
| CARBINERS | RAVEN Straight ART. 04705 |  | EN 12275 | STRAIGHT | 46 g | 100 x 63 | 23 mm | 24 kN | 10 kN | 11 kN |
| | RAVEN Bent ART. 04706 |  | EN 12275 | BENT | 46 g | 100 x 63 | 23 mm | 24 kN | 10 kN | 11 kN |
| | FALCON Straight ART. 02446 |  | EN 12275 | STRAIGHT | 48 g | 101 x 59 | 20 mm | 25 kN | 9 kN | 9 kN |
| | FALCON Bent ART. 02447 |  | EN 12275 | BENT | 48 g | 101 x 59 | 24 mm | 25 kN | 9 kN | 9 kN |
| | HAWK Straight ART. 02760 |  | EN 12275 | STRAIGHT | 40 g | 91 x 53 | 16 mm | 24 kN | 9 kN | 9 kN |
| | HAWK Wire ART. 02449 |  | EN 12275 | WIRE | 35 g | 91 x 53 | 25 mm | 24 kN | 8 kN | 9 kN |
| | HAWK Bent ART. 04066 |  | EN 12275 | BENT | 40 g | 91 x 53 | 19 mm | 24 kN | 9 kN | 9 kN |
| | KESTREL ART. 04067 |  | EN 12275 | WIRE | 25 g | 81 x 49 | 20 mm | 23 kN | 8 kN | 7 kN |

[illegible]

RAVEN QD ZOOM PA 15/22 mm



| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 24 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 10 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 11 kN | | |
| GATE OPENING (STRAIGHT): | | WEIGHT: | |
| ↙ ↘ | 23 mm | 110 g / 105 g | |
| GATE OPENING (BENT): | | | |
| ↙ ↘ | 23 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 16 cm | single pack | 04708 |
| pink | 16 cm | single pack | 04708 |
| blue | 12 cm | 6-pack | 04709 |
| pink | 12 cm | 6-pack | 04709 |

RAVEN QD BIO-DYN-RING 15 mm



| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 24 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 10 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 11 kN | | |
| GATE OPENING (STRAIGHT): | | WEIGHT: | |
| ↙ ↘ | 23 mm | 102 g / 100 g | |
| GATE OPENING (BENT): | | | |
| ↙ ↘ | 23 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 05310 |
| blue | 10 cm | 6-pack | 05311 |
| pink | 10 cm | 6-pack | 05311 |

FALCON QD ZOOM PA 15/22 mm



| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 25 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 9 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 9 kN | | |
| GATE OPENING (STRAIGHT): | | WEIGHT: | |
| ↙ ↘ | 20 mm | 115 g / 108 g | |
| GATE OPENING (BENT): | | | |
| ↙ ↘ | 24 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 16 cm | single pack | 04068 |
| blue | 12 cm | 5-pack | 04069 |
| green | 12 cm | 5-pack | 04069 |

FALCON QD PA 16 mm



| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 25 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 9 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 9 kN | | |
| GATE OPENING (STRAIGHT): | | WEIGHT: | |
| ↙ ↘ | 20 mm | 113 g / 108 g | |
| GATE OPENING (BENT): | | | |
| ↙ ↘ | 24 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 04070 |
| blue | 10 cm | 5-pack | 04071 |
| green | 10 cm | 5-pack | 04071 |

HAWK QD ZOOM PA 15/22 mm



| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 24 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 8 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 9 kN | | |
| GATE OPENING (STRAIGHT): | | WEIGHT: | |
| ↙ ↘ | 16 mm | 99 g / 93 g | |
| GATE OPENING (BENT): | | | |
| ↙ ↘ | 19 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 16 cm | single pack | 04072 |
| red | 16 cm | single pack | 04072 |
| blue | 12 cm | 6-pack | 05340 |
| red | 12 cm | 6-pack | 05340 |

HAWK QD COMBI PA 16 mm



| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 24 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 8 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 9 kN | | |
| GATE OPENING (STRAIGHT): | | WEIGHT: | |
| ↙ ↘ | 16 mm | 91 g / 88 g | |
| GATE OPENING (BENT): | | | |
| ↙ ↘ | 25 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 04074 |
| blue | 10 cm | 5-pack | 04075 |
| green | 10 cm | 5-pack | 04075 |

HAWK QD COMBI DYN 11 mm



| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 24 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 8 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 9 kN | | |
| GATE OPENING (STRAIGHT): | | WEIGHT: | |
| ↙ ↘ | 16 mm | 83 g / 81 g | |
| GATE OPENING (WIRE): | | | |
| ↙ ↘ | 25 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 04076 |
| blue | 10 cm | 5-pack | 04077 |
| green | 10 cm | 5-pack | 04077 |

HAWK QD WIRE DYN 11 mm



| | | | |
|----------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 24 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 8 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 9 kN | | |
| GATE OPENING (WIRE): | | WEIGHT: | |
| ↙ ↘ | 25 mm | 78 g / 76 g | |
| GATE OPENING (WIRE): | | | |
| ↙ ↘ | 25 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | 5-pack | 04081 |
| red | 10 cm | 5-pack | 04080 |

HAWK QD WIRE ECO-PES 16 mm



| | | | |
|----------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 24 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 8 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 9 kN | | |
| GATE OPENING (WIRE): | | WEIGHT: | |
| ↙ ↘ | 25 mm | 83 g / 76 g | |
| GATE OPENING (WIRE): | | RECYCLED MATERIAL | |
| ↙ ↘ | 25 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 05341 |
| red | 10 cm | 6-pack | 05342 |
| green | 10 cm | 6-pack | 05342 |

HAWK QD COMBI BIO-DYN-RING 15 mm



| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 24 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 8 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 9 kN | | |
| GATE OPENING (STRAIGHT): | | WEIGHT: | |
| ↙ ↘ | 16 mm | 85 g / 81 g | |
| GATE OPENING (WIRE): | | BIO-BASED | |
| ↙ ↘ | 25 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 05038 |
| blue | 10 cm | 6-pack | 05343 |
| green | 10 cm | 6-pack | 05343 |
| red | 10 cm | 6-pack | 05343 |

HAWK QD WIRE BIO-DYN-RING 15 mm



| | | | |
|----------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 24 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 8 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 9 kN | | |
| GATE OPENING (WIRE): | | WEIGHT: | |
| ↙ ↘ | 25 mm | 83 g / 81 g / 77 g | |
| GATE OPENING (WIRE): | | BIO-BASED | |
| ↙ ↘ | 25 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| orange | 20 cm | 6-pack | 05350 |
| blue | 15 cm | 6-pack | 05349 |
| green | 10 cm | 6-pack | 05344 |
| red | 10 cm | 6-pack | 05344 |

HAWK WIRE ST-SLING SET DYN 12 mm



| | | | |
|----------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 24 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 8 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 9 kN | | |
| GATE OPENING (WIRE): | | WEIGHT: | |
| ↙ ↘ | 25 mm | 96 g / 91 g / 78 g | |
| GATE OPENING (WIRE): | | | |
| ↙ ↘ | 25 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| green | 80 cm | single pack | 05002 |
| orange | 60 cm | single pack | 05001 |
| red | 40 cm | single pack | 05000 |

KESTREL QD BIO-DYN-RING 15 mm



| | | | |
|----------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 23 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 8 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 7 kN | | |
| GATE OPENING (WIRE): | | WEIGHT: | |
| ↙ ↘ | 20 mm | 65 g / 63 g / 60 g | |
| GATE OPENING (WIRE): | | BIO-BASED | |
| ↙ ↘ | 20 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| orange | 20 cm | 6-pack | 05352 |
| blue | 15 cm | 6-pack | 05351 |
| red | 10 cm | 6-pack | 05345 |

KESTREL ST-SLING SET DYN 12 mm



| | | | |
|----------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 23 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 8 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 7 kN | | |
| GATE OPENING (WIRE): | | WEIGHT: | |
| ↙ ↘ | 20 mm | 80 g / 75 g / 70 g | |
| GATE OPENING (WIRE): | | | |
| ↙ ↘ | 20 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| green | 80 cm | single pack | 04584 |
| orange | 60 cm | single pack | 04583 |
| red | 40 cm | single pack | 04710 |

KESTREL O-SLING DYN 8 mm



| | | | |
|----------------------|---------|-----------------------|-------|
| STRENGTH: | | TYPE: | |
| ↙ ↘ | 23 kN | CE EN 566, EN 12275 | |
| ↙ ↘ | 8 kN | UIAA 121 (Carabiners) | |
| ↙ ↘ | 7 kN | | |
| GATE OPENING (WIRE): | | WEIGHT: | |
| ↙ ↘ | 20 mm | 71 g | |
| GATE OPENING (WIRE): | | | |
| ↙ ↘ | 20 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| orange | 60 cm | single pack | 04082 |

EASY CHECK SET 16 mm



| | | | |
|-----------|---------|---------------------|--|
| STRENGTH: | | GATE OPENING: | |
| ↙ ↘ | 40 kN | ↙ ↘ 29 mm | |
| ↙ ↘ | 12 kN | TYPE: | |
| ↙ ↘ | 16 kN | CE EN 566, EN 12275 | |
| LENGTH: | WEIGHT: | ART. | |
| 30 cm | 227 g | 02953 | |
| 15 cm | 217 g | 02952 | |

RAVEN QD ZOOM PA 15/22 mm



High-end quickdraw set with large ergonomic carabiners and wide webbing for sport climbing. Ideal for projecting and redpointing hard routes.

- Forged gates for improved strength, better ergonomics and distinct design
- Unrivalled open gate and minor axis strength for extra safety
- Large carabiner openings and spacious baskets for easy clipping
- Wide tapered webbing for easy grip and durability
- Rubber biner fix



only 6-pack

| STRENGTH: | | WEIGHT: | |
|--------------------------|---------|-----------------------|-------|
| ◀ ◯ ▶ | 24 kN | 110 g / 105 g | |
| ◀ ◯ ▶ | 10 kN | TYPE: | |
| ◀ ◯ ▶ | 11 kN | CE EN 566, EN 12275 | |
| GATE OPENING (STRAIGHT): | | UIAA 121 (Carabiners) | |
| ◀ ◯ ▶ | 23 mm | GATE OPENING (BENT): | |
| ◀ ◯ ▶ | | ◀ ◯ ▶ 23 mm | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 16 cm | single pack | 04708 |
| pink | 16 cm | single pack | 04708 |
| blue | 12 cm | 6-pack | 04709 |
| pink | 12 cm | 6-pack | 04709 |

RAVEN QD BIO-DYN-RING 15 mm




High-end quickdraw set with large ergonomic carabiners and lightweight webbing for sport climbing. Ideal for on-sighting, flashing and redpointing hard routes.

- Forged gates for improved strength, better ergonomics and distinct design
- Unrivalled open gate and minor axis strength for extra safety
- Large carabiner openings and spacious baskets for easy clipping
- Lightweight bio-based dyneema webbing with unique construction
- Rubber biner fix



only 6-pack

| STRENGTH: | | WEIGHT: | |
|--------------------------|---------|--|-------|
| ◀ ◯ ▶ | 24 kN | 102 g / 100 g | |
| ◀ ◯ ▶ | 10 kN | TYPE: | |
| ◀ ◯ ▶ | 11 kN | CE EN 566, EN 12275 | |
| GATE OPENING (STRAIGHT): | | UIAA 121 (Carabiners) | |
| ◀ ◯ ▶ | 23 mm |  BIO-BASED | |
| ◀ ◯ ▶ | 23 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 05310 |
| blue | 10 cm | 6-pack | 05311 |
| pink | 10 cm | 6-pack | 05311 |

FALCON QD ZOOM PA 15/22 mm



only 5-pack

The best choice for red point climbing and training.

- Top Falcon Straight carabiner (with Keylock) for easy protection clipping
- Zoom QD (15/22 mm) Polyamide webbing of ergonomic shape with high durability
- Bottom Falcon Bent carabiner (with Keylock) for easy rope clipping
- Rubber Biner fix keeps the lower carabiner in the correct position

| STRENGTH: | | WEIGHT: | |
|--------------------------|---------|---|-------|
| ▶ ◀ | 25 kN | 115 g / 108 g | |
| ◀ ▶ | 9 kN | TYPE: CE EN 566, EN 12275 UIAA 121 (Carabiners) | |
| ◀ ▶ | 9 kN | | |
| GATE OPENING (STRAIGHT): | | GATE OPENING (BENT): | |
| ◀ ▶ | 20 mm | ◀ ▶ | 24 mm |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 16 cm | single pack | 04068 |
| blue | 12 cm | 5-pack | 04069 |
| green | 12 cm | 5-pack | 04069 |

FALCON QD PA 16 mm



only 5-pack

Best for sport routes.

- Top Falcon Straight carabiner (with Keylock) for easy protection clipping
- 16 mm Polyamide webbing with perfect durability
- Bottom Falcon Bent carabiner (with Keylock) for easy rope clipping
- Rubber Biner fix keeps the lower carabiner in the correct position

| STRENGTH: | | WEIGHT: | |
|--------------------------|---------|---|-------|
| ▶ ◀ | 25 kN | 113 g / 108 g | |
| ◀ ▶ | 9 kN | TYPE: CE EN 566, EN 12275 UIAA 121 (Carabiners) | |
| ◀ ▶ | 9 kN | | |
| GATE OPENING (STRAIGHT): | | GATE OPENING (BENT): | |
| ◀ ▶ | 20 mm | ◀ ▶ | 24 mm |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 04070 |
| blue | 10 cm | 5-pack | 04071 |
| green | 10 cm | 5-pack | 04071 |

HAWK QD ZOOM PA 15/22 mm



- Set ideal for red point climbing and frequent training.
- Hawk Straight top carabiner (with straight keylock for easy clipping in)
 - Zoom QD (15/22 mm) Polyamide webbing of ergonomic shape with high durability
 - Hawk Bent bottom carabiner (with keylock for easy clipping of the rope)
 - The Biner Fix rubber loop holds the bottom carabiner in the correct position



only 6-pack

| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | WEIGHT: | |
| ◀ O ▶ | 24 kN | 99 g / 93 g | |
| ◀ O ▶ | 9 kN | TYPE: | |
| ◀ O ▶ | 9 kN | CE EN 566, EN 12275 | |
| GATE OPENING (STRAIGHT): | | UIAA 121 (Carabiners) | |
| ◀ O ▶ | 16 mm | GATE OPENING (BENT): | |
| ◀ O ▶ | | 19 mm | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 16 cm | single pack | 04072 |
| red | 16 cm | single pack | 04072 |
| blue | 12 cm | 6-pack | 05340 |
| red | 12 cm | 6-pack | 05340 |

HAWK QD COMBI PA 16 mm

- Especially recommended for multipitch climbing
- Top Hawk Straight carabiner (with Keylock) for easy clipping
 - 16 mm Polyamide webbing with perfect durability
 - Bottom Hawk Wire carabiner for easy rope clipping and elimination of gate flutter and freezing
 - Rubber Biner fix keeps the lower carabiner in the correct position



only 5-pack

| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | WEIGHT: | |
| ◀ O ▶ | 24 kN | 91 g / 88 g | |
| ◀ O ▶ | 8 kN | TYPE: | |
| ◀ O ▶ | 9 kN | CE EN 566, EN 12275 | |
| GATE OPENING (STRAIGHT): | | UIAA 121 (Carabiners) | |
| ◀ O ▶ | 16 mm | GATE OPENING (WIRE): | |
| ◀ O ▶ | | 25 mm | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 04074 |
| blue | 10 cm | 5-pack | 04075 |
| green | 10 cm | 5-pack | 04075 |

HAWK QD COMBI DYN 11



only 5-pack

- Recommended for multi-pitch and alpine climbing
- Top Hawk Straight carabiner (with Keylock) for easy clipping
 - 11 mm light Dyneema® webbing with high durability
 - Bottom Hawk Wire carabiner for easy rope clipping and elimination of gate flutter and freezing
 - Rubber Biner fix keeps the lower carabiner in the correct position

| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | WEIGHT: | |
| ◀ O ▶ | 24 kN | 83 g / 81 g | |
| ◀ O ▶ | 8 kN | TYPE: | |
| ◀ O ▶ | 9 kN | CE EN 566, EN 12275 | |
| GATE OPENING (STRAIGHT): | | UIAA 121 (Carabiners) | |
| O 16 mm | | GATE OPENING (WIRE): | |
| | | O 25 mm | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 04076 |
| blue | 10 cm | 5-pack | 04077 |
| green | 10 cm | 5-pack | 04077 |

HAWK QD WIRE DYN 11



only 5-pack

- This set is suitable especially for multi-pitch and alpine conditions
- Top and bottom Hawk Wire carabiner for easy clipping and elimination of gate flutter and freezing
 - 11 mm light Dyneema® webbing with high durability
 - Rubber Biner fix keeps the lower carabiner in the correct position

| | | | |
|---------------|---------|-----------------------|-------|
| STRENGTH: | | WEIGHT: | |
| ◀ O ▶ | 24 kN | 78 g / 76 g | |
| ◀ O ▶ | 8 kN | TYPE: | |
| ◀ O ▶ | 9 kN | CE EN 566, EN 12275 | |
| GATE OPENING: | | UIAA 121 (Carabiners) | |
| O 25 mm | | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | 5-pack | 04081 |
| red | 10 cm | 5-pack | 04080 |

HAWK QD WIRE ECO-PES 16 mm



Recommended for sport and alpine climbing, good value for money.

- Top and bottom Hawk Wire carabiner for easy clipping and elimination of gate flutter and freezing
- 16 mm Polyamide webbing with high durability
- Rubber Biner fix keeps the lower carabiner in the correct position



only 6-pack

| | | | |
|---------------|---------|-----------------------|-------|
| STRENGTH: | | WEIGHT: | |
| ↶↷ | 24 kN | 83 g / 76 g | |
| ↶↷ | 8 kN | TYPE: | |
| ↶↷ | 9 kN | CE EN 566, EN 12275 | |
| GATE OPENING: | | UIAA 121 (Carabiners) | |
| ↶↷ | 25 mm | 50% RECYCLED MATERIAL | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 05341 |
| red | 10 cm | 6-pack | 05342 |
| green | 10 cm | 6-pack | 05342 |

HAWK QD COMBI BIO-DYN-RING 15 mm



Lighter, safer and also sustainable! The combination of lightweight carabiners with revolutionary Bio-based Dyneema® sling creates a perfect quickdraw for multipitch climbing.

- Bio-based Dyneema® is extraordinarily strong and highly resistant to abrasion, chemicals and UV radiation
- Top Hawk Straight carabiner (with Keylock) for easy clipping
- Bottom Hawk Wire carabiner for easy rope clipping and elimination of gate flutter and freezing
- Rubber Biner fix keeps the lower carabiner in the correct position



only 6-pack

| | | | |
|--------------------------|---------|-----------------------|-------|
| STRENGTH: | | WEIGHT: | |
| ↶↷ | 24 kN | 85 g / 81 g | |
| ↶↷ | 8 kN | TYPE: | |
| ↶↷ | 9 kN | CE EN 566, EN 12275 | |
| GATE OPENING (STRAIGHT): | | UIAA 121 (Carabiners) | |
| ↶↷ | 16 mm | BIO-BASED | |
| GATE OPENING (WIRE): | | | |
| ↶↷ | 25 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| blue | 15 cm | single pack | 05038 |
| blue | 10 cm | 6-pack | 05343 |
| red | 10 cm | 6-pack | 05343 |
| green | 10 cm | 6-pack | 05343 |

HAWK QD WIRE BIO-DYN-RING 15 mm



only 6-pack



Amazing combination of lightness, safety and sustainability. These quickdraws suit well to alpine and multipitch climbing.

- The lightest quickdraw of this size
- Bio-based Dyneema® is extraordinarily strong and highly resistant to abrasion, chemicals and UV
- Top and bottom Hawk Wire carabiner for easy clipping and elimination of gate flutter and freezing
- Rubber Biner fix keeps the lower carabiner in the correct position

| | | | |
|---------------|---------|-----------------------|-------|
| STRENGTH: | | WEIGHT: | |
| ◀ O ▶ | 24 kN | 83 g / 81 g / 77 g | |
| ◀ O ▶ | 8 kN | TYPE: | |
| ◀ O ▶ | 9 kN | CE EN 566, EN 12275 | |
| GATE OPENING: | | UIAA 121 (Carabiners) | |
| ◀ O ▶ | 25 mm | BIO-BASED | |
| COLOR: | LENGTH: | PACK: | ART. |
| orange | 20 cm | 6-pack | 05350 |
| blue | 15 cm | 6-pack | 05349 |
| green | 10 cm | 6-pack | 05344 |
| red | 10 cm | 6-pack | 05344 |

HAWK WIRE ST-SLING SET DYN 12 mm



Lightweight quickdraws suitable for multipitch and trad climbing

- Innovative and lightweight SINGLE TECH (ST) Dyneema® SLING
- Comfortable handling
- Less volume of the webbing than standard O-slings
- Top and bottom Hawk Wire carabiner for easy clipping and elimination of gate flutter and freezing
- Rubber Biner fix keeps the lower carabiner in the correct position

| | | | |
|---------------|---------|-----------------------|-------|
| STRENGTH: | | WEIGHT: | |
| ◀ O ▶ | 24 kN | 96 g / 91 g / 78 g | |
| ◀ O ▶ | 8 kN | TYPE: | |
| ◀ O ▶ | 9 kN | CE EN 566, EN 12275 | |
| GATE OPENING: | | UIAA 121 (Carabiners) | |
| ◀ O ▶ | 25 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| green | 80 cm | single pack | 05002 |
| orange | 60 cm | single pack | 05001 |
| red | 40 cm | single pack | 05000 |

KESTREL QD BIO-DYN-RING 15 mm



- For every climb, where you want to go fast, lightweight and safe! These quickdraws suit well to trad, multipitch and alpine climbing.
- The lightest quickdraw of this size
 - Bio-based Dyneema®is extraordinarily strong and highly resistant to abrasion, chemicals and UV radiation
 - Top and bottom Kestrel carabiner for easy clipping and elimination of gate flutter and freezing
 - Rubber Biner fix keeps the lower carabiner in the correct position

| | | | |
|---------------|---------|-----------------------|-------|
| STRENGTH: | | WEIGHT: | |
| ◀ 0 ▶ | 23 kN | 65 g / 63 g / 60 g | |
| ◀ 0 ▶ | 8 kN | TYPE: | |
| ◀ 0 ▶ | 7 kN | CE EN 566, EN 12275 | |
| GATE OPENING: | | UIAA 121 (Carabiners) | |
| 0 | 20 mm | BIO-BASED | |
| COLOR: | LENGTH: | PACK: | ART. |
| orange | 20 cm | 6-pack | 05352 |
| blue | 15 cm | 6-pack | 05351 |
| red | 10 cm | 6-pack | 05345 |



only 6-pack

KESTREL O-SLING DYN 8 mm



- Ultra-lightweight QD set
- Lightweight Kestrel carabiners with wire gate
 - 8 mm lightweight Dyneema® webbing with high durability

| | | | |
|---------------|---------|-----------------------|-------|
| STRENGTH: | | WEIGHT: | |
| ◀ 0 ▶ | 23 kN | 71 g | |
| ◀ 0 ▶ | 8 kN | TYPE: | |
| ◀ 0 ▶ | 7 kN | CE EN 566, EN 12275 | |
| GATE OPENING: | | UIAA 121 (Carabiners) | |
| 0 | 20 mm | | |
| COLOR: | LENGTH: | PACK: | ART. |
| orange | 60 cm | single pack | 04082 |

KESTREL ST-SLING SET DYN 12 mm




Revolution among trad quickdraw sets

QD Set combining our super lightweight KESTREL carabiner and innovative SINGLE TECH (ST) Dyneema® SLING.

- Less volume of the webbing than standard O-slings
- Easier and safer clip-in assembly thanks to ST-SLING
- Lightweight KESTREL carabiners
- Durable and super strong 12 mm Dyneema® webbing
- Adjustable length allows protecting in various terrains

| | | | |
|---------------|---------|-----------------------|-------|
| STRENGTH: | | WEIGHT: | |
| ◀ O ▶ | 23 kN | 80 g / 75 g / 70 g | |
| ◀ O ▶ | 8 kN | TYPE: | |
| ◀ O ▶ | 7 kN | CE EN 566, EN 12275 | |
| GATE OPENING: | | UIAA 121 (Carabiners) | |
| O | | 20 mm | |
| COLOR: | LENGTH: | PACK: | ART. |
| green | 80 cm | single pack | 04584 |
| orange | 60 cm | single pack | 04583 |
| red | 40 cm | single pack | 04710 |



EASY CHECK SET 16 mm



QD set for climbing gyms

- Polyamide webbing 16 mm wide, steel wire carabiner and a quick link
- Rubber Biner fix keeps the lower carabiner in the correct position
- The core of the sling is made of orange fibres, which appear, when the outer protective layer is worn out to the 2/3 of its strength. Thanks to this indicator, it is easy to recognize the right time to change the sling.

| | | | |
|-----------|-------|---------------------|--|
| STRENGTH: | | GATE OPENING: | |
| ◀ O ▶ | 40 kN | O | |
| ◀ O ▶ | 12 kN | 29 mm | |
| ◀ O ▶ | 16 kN | TYPE: | |
| LENGTH: | | CE EN 566, EN 12275 | |
| 30 cm | 227 g | ART. | |
| 15 cm | 217 g | 02953 | |
| | | 02952 | |

| Model | | Standard | Types of gates and locks | Weight | | | Gate opening:  | Strength | | |
|--|---|---------------------|--------------------------|--------|-------|-----|--|---|---|---|
| | | | | | | | |  |  |  |
| RAVEN QD ZOOM PA 15/22 mm ART. 04708 / 04709 |  | EN 566, EN 12275 | STRAIGHT BENT | 110g | 105 g | | 23 mm / 23 mm | 24 kN | 10 kN | 11 kN |
| RAVEN QD BIO-DYN-RING 15 mm ART. 05310 / 05311 |  | EN 566, EN 12275 | STRAIGHT BENT | 102g | 100 g | | 23 mm / 23 mm | 24 kN | 10 kN | 11 kN |
| FALCON QD ZOOM PA 15/22 mm ART. 04068 / 04069 | | EN 566, EN 12275 | STRAIGHT BENT | 115 g | 108 g | | 20 mm / 24 mm | 25 kN | 9 kN | 9 kN |
| FALCON QD PA 16 mm ART. 04070 / 04071 | | EN 566, EN 12275 | STRAIGHT BENT | 113g | 108 g | | 20 mm / 24 mm | 25 kN | 9 kN | 9 kN |
| HAWK QD ZOOM PA 15/22 mm ART. 04072 / 05340 |  | EN 566, EN 12275 | STRAIGHT BENT | 99 g | 93 g | | 16 mm / 19 mm | 24 kN | 9 kN | 9 kN |
| HAWK QD COMBI PA 16 mm ART. 04074 / 04075 | | EN 566, EN 12275 | STRAIGHT WIRE | 91 g | 88 g | | 16 mm / 25 mm | 24 kN | 8 kN | 9 kN |
| HAWK QD COMBI DYN 11 ART. 04076 / 04077 | | EN 566, EN 12275 | STRAIGHT WIRE | 83 g | 81 g | | 16 mm / 25 mm | 24 kN | 8 kN | 9 kN |
| HAWK QD WIRE DYN 11 ART. 04081 / 04080 | | EN 566, EN 12275 | WIRE WIRE | 78 g | 76 g | | 25 mm / 25 mm | 24 kN | 8 kN | 9 kN |
| HAWK QD WIRE ECO-PES 16 mm ART. 05341 / 05342 |  | EN 566, EN 12275 | WIRE WIRE | 83 g | 76 g | | 25 mm / 25 mm | 24 kN | 8 kN | 9 kN |
| HAWK QD COMBI BIO-DYN-RING 15 mm ART. 05038 / 05343 |  | EN 566, EN 12275 | STRAIGHT WIRE | 85 g | 81 g | | 16 mm / 25 mm | 24 kN | 8 kN | 9 kN |
| HAWK QD WIRE BIO-DYN-RING 15 mm ART. 05344 / 05349 / 05350 |  | EN 566, EN 12275 | WIRE WIRE | 83g | 81g | 77g | 25 mm / 25 mm | 24 kN | 8 kN | 9 kN |
| HAWK WIRE ST-SLING SET DYN 12 mm ART. 05002 / 05001 / 05000 | | EN 566, EN 12275 | WIRE WIRE | 96g | 91g | 78g | 25 mm / 25 mm | 24 kN | 8 kN | 9 kN |
| KESTREL QD BIO-DYN-RING 15 mm ART. 05345 / 05351 / 05352 |  | EN 566, EN 12275 | WIRE WIRE | 60g | 63g | 65g | 20 mm / 20 mm | 23 kN | 8 kN | 7 kN |
| KESTREL O-SLING DYN 8 mm ART. 04082 | | EN 566, EN 12275 | WIRE WIRE | 71 g | | | 20 mm / 20 mm | 23 kN | 8 kN | 7 kN |
| KESTREL ST-SLING SET DYN 12 mm ART. 04584 / 04583 / 04710 | | EN 566, EN 12275 | WIRE WIRE | 80g | 75g | 70g | 20 mm / 20 mm | 23 kN | 8 kN | 7 kN |
| EASY CHECK SET 16 mm 02952 / 02953 | | EN 566 EN 12275 | QUICK LINK WIRE | 237 g | 226 g | | 29 mm / 29 mm | 40 kN | 12 kN | 16 kN |



Belay Devices





HABU
ART. 04712



HURRY
ART. 03277

BELAY SETS



BELAY SET
CONDOR Screw / HABU
ART. 04714



BELAY SET
EAGLE Screw / HABU
ART. 04715



BELAY SET
CONDOR Screw / HURRY
ART. 03276



BELAY SET
EAGLE Screw / HURRY
ART. 04628



BELAY SET
CONDOR Triple / HABU
ART. 04717



BELAY SET
EAGLE Triple / HABU
ART. 04718



BELAY SET
CONDOR TRIPLE / HURRY
ART. 04106



BELAY SET
EAGLE TRIPLE / HURRY
ART. 04107



HABU

Art. 04712




Innovative versatile belay and rappel device

- Autoblock mode for belaying the follower from anchor point
- Innovative lowering in autoblock mode – no release hole needed
- Optimized cavity shape keeps sharp edges from forming even after long-term use

| | |
|--------------------------|------------------------------|
| WEIGHT: | 68 g |
| COLORS: | Anthracite / Blue / Pink |
| SUITABLE ROPE DIAMETERS: | 8,5 – 10,5 mm (single ropes) |
| | 7,1 – 9,2 mm (half ropes) |
| | 7,0 – 9,2 mm (twin ropes) |

EN 15151-2 UIAA 129



HURRY

Art. 03277




Ultra-lightweight belay and rappel device

- Rope friendly braking grooves
- Optimized cavity shape keeps sharp edges from forming even after long-term use

| | |
|--------------------------|------------------------------------|
| WEIGHT: | 43 g |
| COLORS: | Red / Green / Blue |
| SUITABLE ROPE DIAMETERS: | 8,9 – 10,5 mm (single ropes) |
| | 7,8 – 9,5 mm (half and twin ropes) |

EN 15151-2

BELAY SETS



Convenient belay and rappel set consisting of belay device and HMS carabiner

- 8 options to fit your specific needs
- Versatile HABU for mountain, trad and multipitch climbing or lightweight HURRY for indoor and sport climbing
- Basic lightweight Eagle or Condor with internal wire gate that prevents cross-loading
- Classic manual Screw lock or ultrasafe automatic Triple lock
- **Recommended choice for beginners:** HABU + CONDOR Triple – universal and safe belay set

| | HABU | HURRY |
|--|--|--|
| SUITABLE ROPE DIAMETERS: | 8,5 – 10,5 mm (single ropes) 7,1 – 9,2 mm (half ropes) 7,0 – 9,2 mm (twin ropes) | 8,9 – 10,5 mm (single ropes) 7,8 – 9,5 mm (half and twin ropes) |
| EN 15151-2 (HURRY) EN 15151-2 UIAA 129 (HABU) CE EN 12275, EN 362, UIAA 121 (CARABINERS) | | |

| BELAY DEVICE: | CARABINER: | WEIGHT (g): | ART: |
|-----------------|---------------|-------------|-------|
| HABU Anthracite | CONDOR Screw | 153 g | 04714 |
| | EAGLE Screw | 141 g | 04715 |
| HABU Blue | CONDOR Triple | 157 g | 04717 |
| | EAGLE Triple | 147 g | 04718 |
| HURRY Red | CONDOR Screw | 128 g | 03276 |
| | EAGLE Screw | 116 g | 04628 |
| HURRY Blue | CONDOR Triple | 132 g | 04106 |
| | EAGLE Triple | 122 g | 04107 |

Ropes

A close-up, high-angle shot of several thick, braided ropes in various colors (blue, yellow, red, green, black) arranged in a curved, overlapping pattern. The ropes are set against a plain white background. The ropes are arranged in a series of parallel, slightly curved lines, creating a sense of depth and texture. The colors are vibrant and distinct, with some ropes showing a mix of colors in their braiding. The lighting is bright and even, highlighting the intricate details of the rope's construction.

VISION 9,1 mm

ART. 04590 - 50 m
04591 - 60 m
04592 - 70 m
04593 - 80 m



PURPLE/YELLOW



BLUE/PURPLE



SPIRIT 9,5 mm

ART. 04367 - 40m
04368 - 50 m
04369 - 60 m
04370 - 70 m
04371 - 80 m



BLUE/WHITE



RED/WHITE



CULT 9,8 mm

ART. 04372 - 40 m
04373 - 50 m
04374 - 60 m
04375 - 70 m
04376 - 80 m



BLUE/MARINE



GREEN/ICEMINT



Rope packaging



Our ropes are sold wound into a coil, so it is necessary to thoroughly unwind every new rope before initial use so that it does not kink. Each rope comes with a extra stickers to mark new end of the rope if the original marks fades or the rope is shortened.

Identification of year



| | | | |
|--|------|------|------|
| | 1998 | 2009 | 2022 |
| | 1999 | 2010 | 2023 |
| | 2000 | 2011 | 2024 |
| | 2001 | 2012 | 2025 |
| | 2002 | 2013 | 2026 |
| | 2003 | 2014 | 2027 |
| | 2004 | 2015 | 2028 |
| | 2005 | 2016 | 2029 |
| | 2006 | 2017 | 2030 |
| | 2007 | 2018 | 2031 |
| | 2008 | 2019 | 2032 |
| | | 2020 | 2033 |
| | | 2021 | 2034 |

Every rope we produce has one or two colored strands inside that make it easy to identify the year in which the given rope was produced. Every year the color changes and after 13 years the entire cycle of colors repeats, which is why the recommended lifetime of ropes is a maximum of 13 years. Of course, this all depends on the intensity of use.

Dynamic climbing rope



At Ocún we have specialized in dynamic ropes since 2000. We focus on the segment of dynamic ropes intended for sport and traditional climbing.

Our experts are well versed in both climbing and textile engineering. Our greatest advantage is that both of these disciplines enjoy traditions that reach back over a hundred years in the lands of former Czechoslovakia. It is no coincidence that Polyamide fiber from the Slovak town of Humenné is used by all international climbing rope manufacturers and we have an exceptional concentration of this industry here. These are the traditions, industrial base and manufacturing experience that we draw upon. Add to that our passion for climbing and the result is our outstanding line of OCÚN ropes.

A major advantage of our ropes is the fact that there is zero sheath slippage. We are the only manufacturer to achieve this without using a special layer to bind the core to the sheath. The perfect balance between core and sheath in our ropes is the result of strict control of all manufacturing processes.


Construction of dynamic ropes

Dynamic rope consists of a core and a braid – both made from Polyamide fibers. An identification strand that tells the year of manufacture runs through the core. The ends of the rope are melted and labeled with required information and serial number.

The braid is essentially a protective sheath protecting the load-bearing core. The braid of Ocún ropes is made from brightly colored Polyamide fibers that make the rope visible from a greater distance. The braid fibers are chemically and thermally treated to ensure optimal mechanical properties – specifically strength, abrasion resistance, elongation and elasticity. Treatment also prevents moisture and mechanical impurities from penetrating into the rope core. The resultant pliability and durability plays an important role when working with the rope and using protective equipment.

The core of the rope consists of several counter-spun strands that are heat-treated in advance to give the rope its important dynamic properties. The PA 6 Polyamide fiber we use to make Ocún ropes is outstanding at absorbing the energy generated during a fall. With its strength, elongation and elasticity, the core represents the central structural component of the rope that ensures safety during a fall.


■ CORE THERMAL TREATMENT



Individual strands of the core are heat treated to give the rope its dynamic and mechanical properties.

The individual strands of the core are chemically and thermally treated before weaving. This improves the interaction of core strands and its mechanical and dynamic properties.

■ HEAT SHEATH TREATMENT



Final heat treatment of the braid ensures compact flexibility and supple handling.

The final thermal treatment is a standard treatment applied to all Ocún ropes to ensure compact flexibility and pleasant handling properties.


■ DRY AND PROTECT SHEATH COATING



Twisted fibers of sheath give permanent protection and create a barrier against moisture and dirt.

Each of our ropes has a permanent PFC-Free protective layer that creates a barrier to prevent water and impurities from reaching the core. This protective treatment of fibers also reduces their friction and increases the mechanical resilience of the whole construction. As a result, the life span of the entire rope is extended. Does not contain Fluorocarbons C6 or C8 which are toxic and nondegradable in nature.


■ FULL DRY AND PROTECT COATING



Nature friendly coated core and sheath yarns, for full water and dirt protection.

All fibers of the sheath and core of our select ropes are treated with special PFC-free chemicals that protect the individual fibers from dirt and water. The process does not use any C6 or C8 fluorocarbons, which are non-degradable and cause many problems for the environment. Thanks to the development of this PFC-free protection, we are one of few to achieve rope water absorption of less than 5% in the UIAA water repellent test and can boast this certification.


■ MIDPOINT MARKING



Every Ocún rope has a colored band marking the midpoint to make descending easier.

Each Ocún rope has a colored band 6 cm long to mark the midpoint. The color used does not have a harmful effect on the braid materials nor does it change the mechanical properties of the rope.


■ SUPER TENSION CONTROL



Strict control of fiber tension during the manufacturing process ensures perfectly balanced tension throughout the entire cross-section of the rope and keeps the sheath from slipping.

Ocún devotes exceptional attention to checking fiber tension when processing and weaving strands. This technological discipline ensures that Ocún ropes perfectly balance tension throughout the entire cross-section, enabling the rope to attain excellent results when measuring normative parameters (weight, number of falls, impact force, zero sheath slip, etc.).


■ DOUBLE END MARKING



The ends of all ropes have different color codes to easily distinguish them from one another and ensure uniform use.

Both ends of the rope are fitted with a durable, multi-layer label with required information (manufacturer, standard, certification, year of manufacture, type, model, diameter and length) and a hidden serial number to trace the origins of the rope. Each end has a different color making them easier to identify, that way you can alternate the active end of the rope to ensure even wear of both.

■ UNIQUE NUMBER



Each individual rope has its own unique serial number.

This number is not dependent on the length or type of rope. Thanks to this number, which is always recorded during production, it is possible to track the history of all materials and machinery used to manufacture the rope. If the history of a particular rope needs to be tracked, the serial number makes this possible. The number is listed on the package, in the instructions and also at both ends of the rope.

VISION 9,1 mm



BLUE/PURPLE



PURPLE/YELLOW



- Designed for the most demanding sport climbing: on sight, flash, red point
- Ideal for multi-pitch routes
- Lightweight
- Easy to handle
- PFC Free UIAA water repellent

| | |
|---|---------------------------------------|
| DIAMETER: 9,1 mm | TYPE OF ROPE: ① |
| WEIGHT: 56 g/m | MAX. IMPACT FORCE: 8,3 kN |
| NUMBER OF UIAA FALLS: 6 | SHEATH SLIPPAGE: 0 mm |
| STATIC ELONGATION: 6,3 % | DYNAMIC ELONGATION: 35 % |
| SHEATH PROPORTION: 38 % | KNOTABILITY: 0,8 |
| NUMBER OF CARRIERS: 40 | TYPE: CE EN 892+A1 UIAA 101 |
| COLOR: Blue/Purple, Purple/Yellow | |
| LENGTH (m): 50 | ART.: 04590 |
| 60 | 04591 |
| 70 | 04592 |
| 80 | 04593 |

SPIRIT 9,5 mm



BLUE/WHITE



RED/WHITE



- Designed for rock climbing in the summer and ice climbing in the winter
- Ideal for competition climbers
- Lightweight, small diameter, easy to handle
- Excellent parameters in its category
- PFC Free UIAA water repellent

| | |
|--|---------------------------------------|
| DIAMETER: 9,5 mm | TYPE OF ROPE: ① |
| WEIGHT: 60 g/m | MAX. IMPACT FORCE: 7,4 kN |
| NUMBER OF UIAA FALLS: 9 | SHEATH SLIPPAGE: 0 mm |
| STATIC ELONGATION: 5,7 % | DYNAMIC ELONGATION: 38 % |
| SHEATH PROPORTION: 36 % | KNOTABILITY: 0,8 |
| NUMBER OF CARRIERS: 40 | TYPE: CE EN 892+A1 UIAA 101 |
| COLOR: Blue/White, Red/White | |
| LENGTH (m): 40 | ART.: 04367 |
| 50 | 04368 |
| 60 | 04369 |
| 70 | 04370 |
| 80 | 04371 |

CULT 9,8 mm



BLUE/MARINE



GREEN/ICEMINT



- Designed for demanding sport climbing and training
- Ideal for the all-around climber
- Low impact force ensures a feeling of perfect comfort while climbing
- Very comfortable to handle
- PFC Free UIAA water repellent

| | |
|----------------------------|-----------------------|
| DIAMETER: | TYPE OF ROPE: |
| 9,8 mm | ① |
| WEIGHT: | MAX. IMPACT FORCE: |
| 62 g/m | 9,5 kN |
| NUMBER OF UIAA FALLS: | SHEATH SLIPPAGE: |
| 6 | 0 mm |
| STATIC ELONGATION: | DYNAMIC ELONGATION: |
| 5,6 % | 32 % |
| SHEATH PROPORTION: | KNOTABILITY: |
| 38 % | 0,8 |
| NUMBER OF CARRIERS: | TYPE: |
| 40 | CE EN 892+A1 UIAA 101 |
| COLOR: | |
| Blue/Marine, Green/Icemint | |
| LENGTH (m): | ART.: |
| 40 | 04372 |
| 50 | 04373 |
| 60 | 04374 |
| 70 | 04375 |
| 80 | 04376 |

Slings





ST-SLING DYN 12 mm

| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 12 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 60 cm | orange | 21 g | 04595 |
| 80 cm | green | 26 g | 04596 |
| 100 cm | red | 30 g | 04597 |
| 120 cm | blue | 35 g | 04598 |

CE EN 566



SBEA ADJUST 20-100 cm



| DIAMETER: | | | |
|--------------|------------|---------|-------|
| 9,5 - 9,8 mm | | | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 20-100 cm | Red/White | 130 g | 05266 |
| 20-100 cm | Blue/White | 130 g | 05266 |

CE EN 17520



SBEA ADJUST TWIN 40/20-100 cm



| DIAMETER: | | | |
|--------------|------------|---------|-------|
| 9,5 - 9,8 mm | | | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 40/20-100 cm | Red/White | 160 g | 05267 |
| 40/20-100 cm | Blue/White | 160 g | 05267 |

CE EN 17520



SBEA LANYARD



| DIAMETER: | | STRENGTH: | |
|--------------|-------------------|-----------|-------|
| 9,5 - 9,8 mm | | 15 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 40 cm | 9,8 Blue-Marine | 63 g | 04632 |
| 40 cm | 9,8 Green-Icemint | 63 g | 04632 |
| 40 cm | 9,8 Red | 63 g | 04632 |
| 75 cm | 9,5 Red-White | 87 g | 04633 |
| 75 cm | 9,8 Green-Icemint | 87 g | 04633 |
| 75 cm | 9,8 Blue | 87 g | 04633 |

CE EN 17520, UIAA 109



SBEA TWIN LANYARD



| DIAMETER: | | STRENGTH: | |
|--------------|-------------------|-----------|-------|
| 9,5 - 9,8 mm | | 15 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 40/75 cm | 9,5 Blue-White | 120 g | 04635 |
| 40/75 cm | 9,8 Green-Icemint | 120 g | 04635 |
| 40/75 cm | 9,5 Purple | 120 g | 04635 |
| 40/75 cm | 9,8 Red | 120 g | 04635 |

CE EN 17520, UIAA 109



TIE-IN SLING PA 20 mm

ART. 04600

| WIDTH: | COLOR: |
|-----------|--------|
| 20 mm | green |
| LENGTH: | |
| 41 cm | 48 g |
| STRENGTH: | |
| 22 kN | 9 kN |

CE EN 566

O-SLINGS



O-SLING BIO-DYN 8 mm



| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 8 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 30 cm | red | 12 g | 05268 |
| 60 cm | orange | 23 g | 05269 |
| 80 cm | green | 30 g | 05270 |
| 120 cm | blue | 45 g | 05271 |
| 240 cm | red | 66 g | 05272 |

CE EN 566



O-SLING BIO-DYN 11 mm



| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 11 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 30 cm | red | 14 g | 05273 |
| 60 cm | orange | 26 g | 05274 |
| 80 cm | green | 36 g | 05275 |
| 120 cm | blue | 52 g | 05276 |

CE EN 566



O-SLING ECO-PES 16 mm



| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 16 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 30 cm | red | 27 g | 05277 |
| 60 cm | orange | 49 g | 05278 |
| 80 cm | green | 69 g | 05279 |
| 100 cm | red | 78 g | 05280 |
| 120 cm | blue | 93 g | 05281 |
| 240 cm | red | 181 g | 05282 |

CE EN 566



O-SLING PA 20 mm TUBULAR

| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 20 mm | | 30 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 30 cm | blue | 30 g | 04126 |
| 60 cm | orange | 56 g | 04127 |
| 80 cm | green | 78 g | 04128 |
| 120 cm | blue | 108 g | 04129 |

CE EN 566


**QUICKDRAW
BIO-DYN 8 mm**


| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 8 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 15 cm | red | 6 g | 05283 |
| 15 cm | blue | 6 g | 05283 |

CE EN 566


**QUICKDRAW
BIO-DYN 11 mm**


| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 11 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 10 cm | red | 7 g | 05284 |
| 15 cm | blue | 9 g | 05285 |
| 20 cm | green | 12 g | 05286 |

CE EN 566


**QUICKDRAW
ECO-PES 16 mm**


| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 16 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 10 cm | red | 13 g | 05287 |
| 15 cm | blue | 16 g | 05288 |
| 20 cm | green | 20 g | 05289 |

CE EN 566


**QUICKDRAW
PA 20 mm TUBULAR**

| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 20 mm | | 25 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 10 cm | green | 15 g | 04120 |
| 15 cm | blue | 19 g | 04121 |
| 20 cm | orange | 23 g | 04122 |

CE EN 566


**QUICKDRAW RING
BIO-DYN 15 mm**


| WIDTH: | | STRENGTH: | |
|---------|--------------|-----------|-------|
| 15 mm | | 25 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 10 cm | white/red | 6,7 g | 04841 |
| 15 cm | white/blue | 9 g | 04842 |
| 20 cm | white/orange | 11,5 g | 04843 |

CE EN 566


**QUICKDRAW
ZOOM PA 15/22 mm**

| WIDTH: | | STRENGTH: | |
|----------|--------|-----------|-------|
| 15/22 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 12 cm | red | 13 g | 04124 |
| 16 cm | blue | 16 g | 04125 |

CE EN 566


**ULTICHAIN
BIO-DYN 12 mm**



| WIDTH: | STRENGTH: | STRENGTH (LOOPS): | |
|---------|------------|-------------------|-------|
| 12 mm | 22 kN | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 90 cm | Red/White | 70 g | 05290 |
| 120 cm | Blue/White | 97 g | 05291 |

CE EN 566


**DAISYCHAIN
BIO-DYN 11 mm**


| WIDTH: | STRENGTH: | STRENGTH (LOOPS): | |
|---------|-----------|-------------------|-------|
| 11 mm | 22 kN | 3,5 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 115 cm | orange | 58 g | 05292 |
| 135 cm | green | 68 g | 05293 |

CE EN 566


**DAISYCHAIN
ECO-PES 16 mm**


| WIDTH: | STRENGTH: | STRENGTH (LOOPS): | |
|---------|------------|-------------------|-------|
| 16 mm | 22 kN | 3,5 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 115 cm | Red/White | 106 g | 05294 |
| 135 cm | Blue/White | 125 g | 05295 |

CE EN 566


PA 20 mm TUBULAR TAPE
ART. 04601 - 100 m

| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 20 mm | | 20 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 100 m | orange | 47 g | 04601 |
| 100 m | green | 47 g | 04601 |
| 100 m | blue | 47 g | 04601 |

CE EN 565


BINER FIX 10-PACK


| WIDTH: | COLOR: | ART.: |
|--------|--------|-------|
| 11 mm | red | 04341 |
| 11 mm | green | 04341 |
| 11 mm | blue | 04341 |
| 11 mm | white | 04341 |
| 16 mm | red | 04342 |
| 16 mm | green | 04342 |
| 16 mm | blue | 04342 |
| 16 mm | white | 04342 |



**QUICKDRAW
EASY CHECK PA 16 mm**

| WIDTH: | STRENGTH: | |
|---------|-----------|-------|
| 16 mm | 22 kN | |
| LENGTH: | WEIGHT: | ART.: |
| 15 cm | 15 g | 03017 |
| 30 cm | 27 g | 03018 |

CE EN 566


LADDER D STEP

| LENGTH: | WEIGHT: | ART.: |
|---------|---------|-------|
| 155 cm | 180 g | 02004 |


LADDER H STEP

| LENGTH: | WEIGHT: | ART.: |
|---------|---------|-------|
| 181 cm | 275 g | 02465 |

Polyamide vs. Dyneema® and Bio-Based Dyneema®

ECO-PES

ECO-PES contains at least 50 % of recycled polyester. The recycled part is sourced as waste from other production. ECO-PES meets the requirements of Global Recycled Standard (GRS), the aim of this certification is to increase sustainability in the textile industry.

- 16 mm wide ECO-PES slings

BIO-BASED DYNEEMA®

This new fiber is manufactured in accordance with procedures of sustainable economy and yet it has exactly the same properties as conventional Dyneema®.

Bio-Based Dyneema® is extraordinarily strong and highly resistant to cut, abrasion, chemicals and UV radiation.

- 8 mm wide Bio-Based Dyneema® slings
- 11 mm wide Bio-Based Dyneema® slings
- 12 mm wide Bio-Based Dyneema® slings
- 15 mm wide Bio-Based Dyneema® slings

DYNEEMA®

Dyneema® is a trademark of polyethylene fiber with extraordinary strength. It is manufactured by DMS company in Netherlands, USA and Japan since 1990.

Dyneema® fibers have extremely high strength (15x stronger than steel of the same weight) and very good resistance to most chemicals, microorganisms and UV radiation.


- 12 mm wide Dyneema® slings

POLYAMIDE

Characteristic features of polyamide fibers

- high strength, when the fiber is dry
- high abrasion resistance
- high biological resistance (non-moldy)
- very good colorability

- 16 and 20 mm wide polyamide slings
- Polyamide slings with variable width 15/22 mm
- Dynamic polyamide ropes
(SBEA LANYARD, SBEA TWIN LANYARD)





BIO-BASED FIBER

Sustainably sourced, same incredible performance

Bio-Based Dyneema® is made of fibers sourced exclusively in accordance with strict standards of circular economy. Raw material used for its manufacturing is by-product from timber and pulp industry. We decrease our dependence on fossil sources thanks to Bio-based Dyneema®. Its technical properties are exactly the same as those of conventional Dyneema® - it is extremely strong and highly resistant to abrasion, chemicals and UV radiation. The use of Bio-Based Dyneema® in our slings is our contribution to the sustainable future.

Quality and safety

All of Ocún slings and straps meet the requirements of European EN norms. We test the compliance with them for every batch by following the standard procedure. Every single product is subject to thorough quality check. Products certified according to EN 566 norm have minimal static strength 22 kN.



Products SELF-BELAY LANYARD are certified in accordance with EN 17520 European norm and meet the requirements of UIAA 109 standard. They have minimal static strength 15 kN and the capacity to absorb dynamic energy of climber's fall. We test the capacity of absorbing the fall energy with 80 kg weight placed to the highest point above the fixed point (this height is defined by the length of the sling). The product must withstand three dynamic tests in a row without tearing.


Significant advantage of SELF-BELAY LANYARD when compared to standard slings is its higher capacity to absorb dynamic energy of fall. The impact force affecting the climber is much lower and the fall is softer and safer.

Tying the knots

Tying the knots on slings significantly decreases their strength.

Every knot creates sharp bends and friction areas, in which the fibers of individual slings are being damaged.

The strength can be decreased about 30 - 80 % depending on the kind of knot and material used for manufacturing the sling. Don't tie more knots on your sling than is absolutely necessary.



ST-SLING DYN 12 mm




Single Tech (ST) Sling

- Durable, lightweight Dyneema® webbing
- Less volume of the webbing than standard O-slings
- Weight reduction on longer lengths
- Pack of 5 pcs (5-pack)

| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 12 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 60 cm | orange | 21 g | 04595 |
| 80 cm | green | 26 g | 04596 |
| 100 cm | red | 30 g | 04597 |
| 120 cm | blue | 35 g | 04598 |

CE EN 566



TIE-IN SLING PA 20 mm


Art. 04600

The safest connection between
sit and chest harness

- Self belay sling option while putting the chest harness on or off
- Guaranteed 22 kN tensile strength for the whole sling in every loop
- Re-inforced tie-in points with Cordura® fabric
- Durable tubular Polyamide webbing 20 mm

| WIDTH: | COLOR: | STRENGTH: | STRENGTH (LOOPS): |
|--------------|--------------|--------------|-------------------|
| 20 mm | green | 22 kN | 9 kN |
| LENGTH: | WEIGHT: | | |
| 41 cm | 48 g | | |

CE EN 566



Middle of the TIE-IN sling
goes through main tie-in
loop on your sit harness

Carabiner is clipped
into the tie-in points
of the CHEST harness

Tie in points on the TIE-IN
sling are marked by green
re-inforcing Cordura®
fabric

SBEA ADJUST 20-100 cm




Self Belay Energy Absorbtion (SBEA) Adjustable Lanyard

- The safest sling/lanyard for self belay situation
- Made from durable dynamic rope
- Fall impact factor 2 absorbtion
- Integrated brake for optimal length adjustment

| DIAMETER: | | | |
|--------------|------------|---------|-------|
| 9,5 - 9,8 mm | | | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 20-100 cm | Red/White | 130 g | 05266 |
| 20-100 cm | Blue/White | 130 g | 05266 |

CE EN 17520



SBEA ADJUST TWIN 40/20-100 cm



Twin Self Belay Energy Absorbtion (SBEA) Adjustable Lanyard

- The safest sling/lanyard for self belay situation
- Shorter arm for more comfortable rappelling
- Made from durable dynamic rope
- Fall impact factor 2 absorbtion
- Rubber biner fix for proper carabiner fixation
- Integrated brake for optimal length adjustment

| DIAMETER: | | | |
|--------------|------------|---------|-------|
| 9,5 - 9,8 mm | | | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 40/20-100 cm | Red/White | 160 g | 05267 |
| 40/20-100 cm | Blue/White | 160 g | 05267 |

CE EN 17520

SBEA LANYARD



Self Belay Energy Absorbtion (SBEA) Lanyard

- The safest sling/lanyard for self belay situation
- Made from durable dynamic rope
- Fall impact factor 2 absorbtion
- Rubber biner fix for proper carabiner fixation

| DIAMETER: | | STRENGTH: | |
|--------------|-------------------|-----------|-------|
| 9,5 - 9,8 mm | | 15 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART: |
| 40 cm | 9,8 Blue-Marine | 63 g | 04632 |
| 40 cm | 9,8 Green-Icemint | 63 g | 04632 |
| 40 cm | 9,8 Red | 63 g | 04632 |
| 75 cm | 9,5 Red-White | 87 g | 04633 |
| 75 cm | 9,8 Green-Icemint | 87 g | 04633 |
| 75 cm | 9,8 Blue | 87 g | 04633 |

CE EN 17520, UIAA 109

SBEA TWIN LANYARD



Twin Self Belay Energy Absorbtion (SBEA) Lanyard

- The safest sling/lanyard for self belay situation
- Shorter arm for more comfortable rappelling
- Made from durable dynamic rope
- Fall impact factor 2 absorbtion
- Rubber biner fix for proper carabiner fixation

| DIAMETER: | | STRENGTH: | |
|--------------|-------------------|-----------|-------|
| 9,5 - 9,8 mm | | 15 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART: |
| 40/75 cm | 9,5 Blue-White | 120 g | 04635 |
| 40/75 cm | 9,8 Green-Icemint | 120 g | 04635 |
| 40/75 cm | 9,8 Purple | 120 g | 04635 |
| 40/75 cm | 9,8 Red | 120 g | 04635 |

CE EN 17520, UIAA 109

O-SLING BIO-DYN 8 mm



- Bio-Based Dyneema® webbing
- Pack of 5 pcs (5-pack)



| WIDTH: | | STRENGTH: | |
|-------------|--------|--------------|-------|
| 8 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART: |
| 30 cm | red | 12 g | 05268 |
| 60 cm | orange | 23 g | 05269 |
| 80 cm | green | 30 g | 05270 |
| 120 cm | blue | 45 g | 05271 |
| 240 cm | red | 66 g | 05272 |

CE EN 566



BIO-BASED

O-SLING BIO-DYN 11 mm



- Bio-Based Dyneema® webbing
- Pack of 5 pcs (5-pack)



| WIDTH: | | STRENGTH: | |
|--------------|--------|--------------|-------|
| 11 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART: |
| 30 cm | red | 14 g | 05273 |
| 60 cm | orange | 26 g | 05274 |
| 80 cm | green | 36 g | 05275 |
| 120 cm | blue | 52 g | 05276 |

CE EN 566



BIO-BASED

O-SLING ECO-PES 16 mm



- Recycled polyester webbing
- Pack of 5 pcs (5-pack)



| WIDTH: | | STRENGTH: | |
|--------------|--------|--------------|-------|
| 16 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART: |
| 30 cm | red | 27 g | 05277 |
| 60 cm | orange | 49 g | 05278 |
| 80 cm | green | 69 g | 05279 |
| 100 cm | red | 78 g | 05280 |
| 120 cm | blue | 93 g | 05281 |
| 240 cm | red | 181 g | 05282 |

CE EN 566



RECYCLED MATERIAL

O-SLING PA 20 mm TUBULAR

- Tubular high strength polyamide webbing
- Pack of 5 pcs (5-pack)



| WIDTH: | | STRENGTH: | |
|--------------|--------|--------------|-------|
| 20 mm | | 30 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART: |
| 30 cm | blue | 30 g | 04126 |
| 60 cm | orange | 56 g | 04127 |
| 80 cm | green | 78 g | 04128 |
| 120 cm | blue | 108 g | 04129 |

CE EN 566

QUICKDRAW BIO-DYN 8 mm



- Bio-Based Dyneema® webbing
- Pack of 5 pcs (5-pack)



| WIDTH: | | STRENGTH: | |
|--------------|-------------|--------------|--------------|
| 8 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 15 cm | red | 6 g | 05283 |
| 15 cm | blue | 6 g | 05283 |

CE EN 566



BIO-BASED

QUICKDRAW BIO-DYN 11 mm



- Bio-Based Dyneema® webbing
- Pack of 5 pcs (5-pack)



| WIDTH: | | STRENGTH: | |
|--------------|--------------|--------------|--------------|
| 11 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 10 cm | red | 7 g | 05284 |
| 15 cm | blue | 9 g | 05285 |
| 20 cm | green | 12 g | 05286 |

CE EN 566



BIO-BASED

QUICKDRAW ECO-PES 16 mm



- Recycled polyester webbing
- Pack of 5 pcs (5-pack)




| WIDTH: | | STRENGTH: | |
|--------------|--------------|--------------|--------------|
| 16 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART.: |
| 10 cm | red | 13 g | 05287 |
| 15 cm | blue | 16 g | 05288 |
| 20 cm | green | 20 g | 05289 |

CE EN 566



RECYCLED MATERIAL

QUICKDRAW RING BIO-DYN 15 mm



Long lasting, feather lightweight quickdraw


- Bio-Based Dyneema® webbing is extraordinarily strong and highly resistant to abrasion, chemicals and UV
- Unique 2 layers construction increases the safety and lifespan
- Pack of 5 pcs (5-pack)

| WIDTH: | | STRENGTH: | |
|--------------|---------------------|---------------|--------------|
| 15 mm | | 25 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART: |
| 10 cm | white/red | 6,7 g | 04841 |
| 15 cm | white/blue | 9 g | 04842 |
| 20 cm | white/orange | 11,5 g | 04843 |

CE EN 566



BIO-BASED



QUICKDRAW PA 20 mm TUBULAR



- Tubular high strength polyamide webbing
- Pack of 5 pcs (5-pack)

| WIDTH: | | STRENGTH: | |
|--------------|---------------|--------------|--------------|
| 20 mm | | 25 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART: |
| 10 cm | green | 15 g | 04120 |
| 15 cm | blue | 19 g | 04121 |
| 20 cm | orange | 23 g | 04122 |

CE EN 566

QUICKDRAW ZOOM PA 15/22 mm



- Narrow-wide polyamide webbing
- Pack of 5 pcs (5-pack)

| WIDTH: | | STRENGTH: | |
|-----------------|-------------|--------------|--------------|
| 15/22 mm | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART: |
| 12 cm | red | 13 g | 04124 |
| 16 cm | blue | 16 g | 04125 |

CE EN 566

ULTICHAIN BIO-DYN 12 mm



- Bio-Based Dyneema® webbing
- Each loop has full tensile strength min. 22 kN



| WIDTH: | | STRENGTH: | | STRENGTH (LOOPS): | |
|---------------|-------------------|--------------|--|-------------------|--|
| 12 mm | | 22 kN | | 22 kN | |
| LENGTH: | COLOR: | WEIGHT: | | ART.: | |
| 90 cm | red/white | 70 g | | 05290 | |
| 120 cm | blue/white | 97 g | | 05291 | |

CE EN 566




BIO-BASED

DAISYCHAIN BIO-DYN 11 mm



- Bio-Based Dyneema® webbing



| WIDTH: | | STRENGTH: | | STRENGTH (LOOPS): | |
|---------------|---------------|--------------|--|-------------------|--|
| 11 mm | | 22 kN | | 3,5 kN | |
| LENGTH: | COLOR: | WEIGHT: | | ART.: | |
| 115 cm | orange | 58 g | | 05292 | |
| 135 cm | green | 68 g | | 05293 | |

CE EN 566




BIO-BASED

DAISYCHAIN ECO-PES 16 mm



- Recycled polyester webbing



| WIDTH: | | STRENGTH: | | STRENGTH (LOOPS): | |
|---------------|-------------------|--------------|--|-------------------|--|
| 16 mm | | 22 kN | | 3,5 kN | |
| LENGTH: | COLOR: | WEIGHT: | | ART.: | |
| 115 cm | red/white | 106 g | | 05294 | |
| 135 cm | blue/white | 125 g | | 05295 | |

CE EN 566



RECYCLED MATERIAL

PA 20 mm TUBULAR TAPE

• Package 100 m (one spool)

| WIDTH: | | STRENGTH: | |
|---------|--------|-----------|-------|
| 20 mm | | 20 kN | |
| LENGTH: | COLOR: | WEIGHT: | ART: |
| 100 m | orange | 47 g | 04601 |
| 100 m | green | 47 g | 04601 |
| 100 m | blue | 47 g | 04601 |

CE EN 565



BINER FIX 10-PACK

Biner Fix rubber inserts for fixation of the bottom carabiner to maintain correct position.

• Pack of 10 pcs (10-pack)

| WIDTH: | COLOR: | ART: |
|--------|--------|-------|
| 11 mm | red | 04341 |
| 11 mm | green | 04341 |
| 11 mm | blue | 04341 |
| 11 mm | white | 04341 |
| 16 mm | red | 04342 |
| 16 mm | green | 04342 |
| 16 mm | blue | 04342 |
| 16 mm | white | 04342 |



QUICKDRAW EASY CHECK PA 16 mm

- Polyamide webbing
- Pack of 5 pcs (5-pack)

| | | |
|--------------|--------------|--------------|
| WIDTH: | STRENGTH: | |
| 16 mm | 22 kN | |
| LENGTH: | WEIGHT: | ART.: |
| 15 cm | 15 g | 03017 |
| 30 cm | 27 g | 03018 |


CE EN 566



LADDER D STEP

- Lightweight ladder for technical aid climbing
- Suitable for climbing where every gram counts.
- 7 steps reinforced by plastic filling
 - Draw loop

| | | |
|---------------|--------------|--------------|
| LENGTH: | WEIGHT: | ART.: |
| 155 cm | 180 g | 02004 |



LADDER H STEP

- Heavy duty ladder with distance bar for heavy aid climbing
- Very durable construction
 - 6 steps reinforced by plastic filling
 - Draw loop

| | | |
|---------------|--------------|--------------|
| LENGTH: | WEIGHT: | ART.: |
| 181 cm | 275 g | 02465 |



[illegible]

Materials and technology

■ HONEYCOMB PATTERN



Unique 3D Honeycomb pattern in top part, for increased protection against penetration and better shock absorption.

■ ABS SHELL

Health-safe, highly heat resistant and colourfast Acrylonitrile butadiene styrene (ABS).

■ EPS INSERT

High density expanded polystyrene (EPS) fills the entire helmet for maximum protection.

■ VENTILATION

Large and spacious vents for the best airflow.

■ INNER PADS

Removable padding in two colors for your custom fit plus extra spare padding.

■ LIGHTWEIGHT FIT SYSTEM

Lightweight and ergonomic fit system with adjustable wheel.

■ STRAP DIVIDER

Fully adjustable divider, for ideal straps adjustment around the ears.


■ ULTRALIGHT STRAP

With the size of 0.85 mm it is one of the thinnest straps on climbing helmets.



Standards and protection

The Shard helmet gives you maximum protection that exceeds the requirements of EN 12492 and UIAA 106 standards. Especially in side impact protection.



SHARD

Art. 05301



Helmet for climbing and mountaineering

- Three clips for securing a headlamp to the helmet
- Large ventilation holes for optimal air circulation
- Spare padding

MATERIAL:
ABS shell
expanded polystyrene (EPS) liner
polyester webbing

TYPE:
CE EN 12492 (Helmet) UIAA 106

| SIZE: | HEAD CIRCUMFERENCE: | WEIGHT: : |
|-----------|---------------------|-----------|
| Universal | 54 - 62 cm | 320 g |



White



Petrol Mediterranea



Green Mint



Yellow





Via Ferrata





CAPTUR
ART. 04395



CAPTUR PRO
ART. 04719



CAPTUR PRO SWIVEL
ART. 04720



**VIA FERRATA TWIST TECH ECO
CAPTUR PRO SWIVEL SET**
ART. 05042



**VIA FERRATA TWIST TECH ECO
CAPTUR PRO SWIVEL SHARD SET**
ART. 05346



VIA FERRATA TWIST+CHEST SET
ART. 05043



VIA FERRATA TWIST+CHEST SHARD SET
ART. 05347



VIA FERRATA TWIST SET
ART. 04343



VIA FERRATA TWIST SHARD SET
ART. 05348



CAPTUR

Art. 04395



Shock absorber for via ferrata

- Recommended use:
- Via ferrata, rope centers
 - For users weighing 40 – 120 kg
 - Central loop for resting or for fixed belay point
 - Elastic lanyards with 50 to 100 cm prolongation
 - High abrasion resistant elastic webbing lanyards, cyclus test conform (50 000 cycles) with guaranteed tensile strength min. 12 kN

| | |
|---------|----------------------------------|
| WEIGHT: | TYPE: |
| 545 g | CE EN 958 UIAA 128 (Ferrata) |
| | CE EN12275 UIAA 121 (Carabiners) |


CARABINER STRENGTH:

◀ ◯ ▶ 30 kN ⬇ 8 kN ◀ ◯ ▶ 8 kN



CAPTUR PRO

Art. 04719




Shock absorber for via ferrata

- Recommended use:
- Via ferrata, rope centers
 - For users weighing 40 – 120 kg
 - Central loop for resting or for fixed belay point
 - Elastic lanyards with 50 to 100 cm prolongation
 - High abrasion resistant elastic webbing lanyards, cyclus test conform (50 000 cycles) with guaranteed tensile strength min. 12 kN
 - Lightweight and super strong carabiners with easy wide gate opening and an ergonomic grip

| | |
|---------|----------------------------------|
| WEIGHT: | TYPE: |
| 536 g | CE EN 958 UIAA 128 (Ferrata) |
| | CE EN12275 UIAA 121 (Carabiners) |


CARABINER STRENGTH:

◀ ◯ ▶ 33 kN ⬇ 7 kN ◀ ◯ ▶ 11 kN ↗ 10kN




CAPTUR PRO SWIVEL

Art. 04720



easy wide gate opening and an ergonomic grip



strength over an edge

Shock absorber for via ferrata with swivel which facilitates work with the elastic arms and avoids their tangling

Recommended use:

- Via ferrata, rope centers
- For users weighing 40 – 120 kg
- Central loop for resting or for fixed belay point
- Elastic lanyards with 50 to 100 cm prolongation
- High abrasion resistant elastic webbing lanyards, cyclus test conform (50 000 cycles) with guaranteed tensile strength min. 12kN
- Lightweight and super strong carabiners with easy wide gate opening and an ergonomic grip

WEIGHT:

596 g

TYPE:

CE EN 958 UIAA 128 (Ferrata)

CE EN12275 UIAA 121 (Carabiners)

CARABINER STRENGTH:

33 kN 7 kN 11 kN 10kN



VIA FERRATA TWIST TECH ECO CAPTUR PRO SWIVEL SET

Art. 05042



- TWIST TECH ECO (Art. 05264)
- CAPTUR PRO SWIVEL (Art. 04720)

CE EN 12277+A1 UIAA 105 (Harnesses)

CE EN 958 UIAA 128 (Ferrata)

CE EN 12275 UIAA 121 (Carabiners)

SIZE:

XS – M

M – L

L – XL



VIA FERRATA TWIST TECH ECO CAPTUR PRO SWIVEL SHARD SET

Art. 05346



- TWIST TECH ECO (Art. 05264)
- CAPTUR PRO SWIVEL (Art. 04720)
- SHARD (Art. 05301)

CE EN 12277+A1 UIAA 105 (Harnesses)

CE EN 958 UIAA 128 (Ferrata)

CE EN 12275 UIAA 121 (Carabiners)

CE EN 12492 (Helmets)

SIZE:

XS – M

M – L

L – XL



VIA FERRATA TWIST+CHEST SET

Art. 05043



- TWIST Grey Silver (Art. 04336)
- CAPTUR (Art. 04395)
- WEBEE CHEST LITE (Art. 04582)
- OSPREY TWIST (Art. 02632)
- TIE-IN SLING (Art. 04600)

CE EN 12277+A1 UIAA 105 (Harnesses)

CE EN 958 UIAA 128 (Ferrata)

CE EN 12275, EN 362, UIAA 121 (Carabiners)

CE EN 566 (Slings)

SIZE:

XS – M

M – XL

VIA FERRATA TWIST+CHEST SHARD SET

Art. 05347



- TWIST Grey Silver (Art. 04336)
- CAPTUR (Art. 04395)
- WEBEE CHEST LITE (Art. 04582)
- OSPREY TWIST (Art. 02632)
- TIE-IN SLING (Art. 04600)
- SHARD (Art. 05301)

CE EN 12277+A1 UIAA 105 (Harnesses)

CE EN 958 UIAA 128 (Ferrata)

CE EN 12275, EN 362, UIAA 121 (Carabiners)

CE EN 566 (Slings)

CE EN 12492 (Helmets)

SIZE:

XS – M

M – XL

VIA FERRATA TWIST SET

Art. 04343



- TWIST grey silver (Art. 04336)
- CAPTUR (Art. 04395)

- CE EN 12277+A1 UIAA 105 (Harnesses)
- CE EN 958 UIAA 128 (Ferrata)
- CE EN 12275 UIAA 121 (Carabiners)

SIZE:

XS - M

M - XL



VIA FERRATA TWIST SHARD SET

Art. 05348



- TWIST grey silver (Art. 04336)
- CAPTUR (Art. 04395)
- SHARD (Art. 05301)

- CE EN 12277+A1 UIAA 105 (Harnesses)
- CE EN 958 UIAA 128 (Ferrata)
- CE EN 12275 UIAA 121 (Carabiners)
- CE EN 12492 (Helmets)

SIZE:

XS - M

M - XL



Crash Pads





RED

INCUBATOR FTS

ART. 04721



| | |
|-----------------------|---------------------|
| WEIGHT: | THICKNESS: |
| 8,7 kg | 10 cm |
| SIZE: | SIZE „PACKED“: |
| 218x100 cm | 100x65x45 cm |
| CRITICAL FALL HEIGHT: | STANDARD: |
| HIC 400: 2,4 m | UIAA 161 |




YELLOW

DOMINATOR FTS

ART. 04722



| | |
|------------------------------|---------------------|
| WEIGHT: | THICKNESS: |
| 5,7 kg | 14,5 cm |
| SIZE: | SIZE „PACKED“: |
| 100x132 cm, 200x66 cm | 100x66x29 cm |
| CRITICAL FALL HEIGHT: | STANDARD: |
| HIC 400: 3,0 m | UIAA 161 |



GREEN

MOONWALK FTS

ART. 04723



| | |
|------------------------------|---------------------|
| WEIGHT: | THICKNESS: |
| 5,0 kg | 10 cm |
| SIZE: | SIZE „PACKED“: |
| 100x132 cm, 200x66 cm | 100x66x20 cm |
| CRITICAL FALL HEIGHT: | STANDARD: |
| HIC 400: 2,5 m | UIAA 161 |



PINK


BLUE

JOKER FTS

ART. 04724



| | |
|-----------------------------|---------------------|
| WEIGHT: | THICKNESS: |
| 4,0 kg | 10 cm |
| SIZE: | SIZE „PACKED“: |
| 100x94 cm, 200x47 cm | 100x47x20 cm |
| CRITICAL FALL HEIGHT: | STANDARD: |
| HIC 400: 2,2 m | UIAA 161 |





RED

SUNDANCE PAD
ART. 04734

| | |
|-----------------------|----------------|
| WEIGHT: | THICKNESS: |
| 4,8 kg | 9 cm |
| SIZE: | SIZE „PACKED“: |
| 100×120 cm, 200×60 cm | 100×60×18 cm |
| CRITICAL FALL HEIGHT: | STANDARD: |
| HIC 400: 2,2 m | UIAA 161 |




YELLOW

DARK BLUE

SITPAD
ART. 04725

| | |
|----------|----------------|
| WEIGHT: | THICKNESS: |
| 0,6 kg | 3 cm |
| SIZE: | SIZE „PACKED“: |
| 75×45 cm | 75×45×3 cm |



LIGHT BLUE

SITCASE PAD
ART. 04844

| | |
|--------------------------|----------------|
| WEIGHT: | THICKNESS: |
| 1,7 kg | 6 cm |
| SIZE: | SIZE „PACKED“: |
| 100×96×3 cm, 203×48×3 cm | 100×48×6 cm |
| CAPACITY: | |
| 5 kg | |



SHOULDER STRAP CRASHPAD
ART. 04726

| |
|---|
| WEIGHT: |
| 0,07 kg |
| MATERIALS: |
| Padding with PE foam, Polypropylene strap |

Materials and technology




HIC (Head injury criterion)

Climbers use crash pads to make their landings softer and safer. We measure their ability to reduce impact in accredited labs according to the UIAA standard 161. This involves dropping a 4.6 kg ball equipped with an accelerometer onto the pad from different heights, with the HIC (Head Injury Criterion) measured for each height. HIC = 400 is the critical height of fall that shouldn't be exceeded. Each crash pad reaches HIC = 400 for a different height, with the best performing ones allowing for higher drops. Other factors, like terrain shape, pad placement, and climber skill, also affect outdoor bouldering safety.

Example of measuring the critical fall height (HIC)

| CHF | test | HIC 400 |
|-----|------|---------|
| h 1 | 1 | 385 |
| h 1 | 2 | 392 |
| h 1 | 3 | 377 |
| h 1 | 4 | 388 |
| h 2 | 1 | 398 |
| h 2 | 2 | 397 |
| h 2 | 3 | 400 |
| h 2 | 4 | 399 |
| h 3 | 1 | 431 |
| h 3 | 2 | 422 |
| h 3 | 3 | 425 |
| h 3 | 4 | 428 |




HIC 400 = h2

CHF - critical fall height

HIC - head injury criterion

M - aluminum ball (160 mm, 4,6 kg) equipped with accelerometer

FTS Technology (FOAM TUBE SUSPENSION)



Ocún's FTS Absorption Block® is a unique solution introduced in 2011 that combines suspension and absorption. It uses a special construction block that deforms the combination of foams to lessen the impact of a climber's fall. The pad is made up of three layers: a stiff polyethylene foam upper layer, a polyurethane foam template middle layer filled with polyethylene tubes, and a polyethylene foam bottom layer that prevents deformation from higher falls. FTS is more efficient than traditional horizontal layer construction, and the pad remains stable over time without collapsing in the middle.

INNER PADDING:


- 1** PE foam
- 2** FTS Absorption Block (PE + PU)
- 3** PE foam

COVER:

- 4** Polyamide fabric
- 5** Cordura® Ballistic

2 in 1 System


High quality YKK zippers on two sides of the pad allow for two options of unfolding. The lengthwise variant is useful under traverses or when you want to take a nap after a long day of trying hard.



Buckles




Solid buckles are made of 6061 T6 aluminium with elox coating. Ergonomic shape, allows for easy adjustment of the straps.




Durable plastic buckle. Ergonomic shape, easy to close and open.

Carrying systems




Breathable WeBee shoulder straps

The basic carrying system. Shoulder straps are made of WeBee foam, highly breathable and easily washable. Adjustable length and aluminum buckles.



Padded shoulder straps

Durable and comfortable carrying system with padding. Adjustable length and aluminum buckles.



Padded shoulder straps + waist belt

Durable and comfortable carrying system with padding. Adjustable length and aluminum buckles. Padded waist belt with durable plastic buckles that allow for adjustment.

Materials

The cover layer is usually subject to challenging conditions - it has to withstand mud, rocks and lots of manipulating on uneven surfaces. We designed the corners to be round to endure more. All the edges are carefully manufactured from highly durable CORDURA® Ballistic material. The fibres of this material ensure outstanding mechanical durability. All the other parts of the cover are made of highly durable polyamide fabric.

INCUBATOR FTS

Art. 04721



The most compact giant crash pad on the market

A large crash pad with an area over 2.0 m² for demanding boulderers with optimal transport size.

- FTS (foam tube suspension) ABSORPTION BLOCK
- Aluminium hook buckles
- Integrated carpet
- Padded shoulder straps
- Padded waist belt
- Carrying system can be folded towards the pad and kept clean

| | |
|-----------------------|---------------------|
| WEIGHT: | THICKNESS: |
| 8,7 kg | 10 cm |
| SIZE: | SIZE „PACKED“: |
| 218x100x 10 cm | 100x65x45 cm |
| CRITICAL FALL HEIGHT: | STANDARD: |
| HIC 400: 2,4 m | UIAA 161 |

CRITICAL FALL HEIGHT

FTS ABSORPTION BLOCK

SHOULDER STRAPS + WAIST BELT

SHOULDER STRAP OPTION


INTEGRATED CARPET

CARRY HANDLE

CORDURA BALLISTIC

RECYCLED PACKAGING

MATERIALS:



INNER PADDING:

- 1 20 mm PE foam**
- 2 FTS Absorption Block 70 mm (PE + PU)**
(middle parts)
FTS Absorption Block 50 mm (PE + PU)
(side parts)
- 3 15mm PE foam** (middle parts)
30mm PE foam (side parts)


Unique design of the absorption block ensures efficient absorption even at the edges of the pad enabling adjustment of the absorption effect.

COVER:


- 4 Polyamide fabric**
- 5 Cordura® Ballistic**

CONSTRUCTION AND PACKING:

4-piece pad with 4 foldable pieces



CARRYING SYSTEM:



In combination with
SHOULDER STRAP
CRASHPAD

DOMINATOR FTS

Art. 04722




The crashpad with the highest absorption effect in the world

The Dominator is designed to absorb falls when highballing. It is filled with the thickest FTS absorption block 145 mm.

- FTS (foam tube suspension) ABSORPTION BLOCK
- Aluminium hook buckles
- Integrated carpet
- 2 locking Velcro straps
- Padded shoulder straps
- Padded waist belt
- 1+1 system to carry 2 pads together

MATERIALS:



INNER PADDING:

- 1** 20 mm PE foam
- 2** FTS Absorption Block 110 mm (PE + PU)
- 3** 15mm PE foam

Unique design of the absorption block ensures efficient absorption even at the edges of the pad enabling adjustment of the absorption effect.

COVER:


- 4** Polyamide fabric
- 5** Cordura® Ballistic

CONSTRUCTION AND PACKING:


2-piece, two-way opening
– Two in One SIZE*

ORIGINAL INVENTOR
2000

YKK zippers on the long and short sides of the mattress allow both classic and long layout



CARRYING SYSTEM:



In combination with
SHOULDER STRAP
CRASHPAD

1+1 system to carry
2 pads together

| | |
|------------------------------|---------------------|
| WEIGHT: | THICKNESS: |
| 5,7 kg | 14,5 cm |
| SIZE: | SIZE „PACKED“: |
| 100×132 cm, 200×66 cm | 100×66×29 cm |
| CRITICAL FALL HEIGHT: | STANDARD: |
| HIC 400: 3,0 m | UIAA 161 |



CRITICAL
FALL HEIGHT



FTS
ABSORPTION
BLOCK



2 in 1
SYSTEM



1+1
SYSTEM



INTEGRATED
CARPET



SHOULDER
STRAPS +
WAIST BELT



SHOULDER
STRAP
OPTION



3 CARRY
HANDLES



CORDURA
BALLISTIC



RECYCLED
PACKAGING

MOONWALK FTS

Art. 04723



Perfect universal crashpad with the best size/volume/weight ratio

This crashpad is recommended for all types of bouldering, mainly for those with long up-hill hike.


- FTS (foam tube suspension) ABSORPTION BLOCK
- Aluminium hook buckles
- Integrated carpet
- 2 locking Velcro straps
- Padded shoulder straps
- 1+1 system to carry 2 pads together

| | |
|-------------------|---------------------|
| WEIGHT: | THICKNESS: |
| 5,0 kg | 10 cm |
| SIZE: | SIZE „PACKED“: |
| 100x132 cm | 100x66x20 cm |
| 200x66 cm | |

| | |
|-----------------------|-----------------|
| CRITICAL FALL HEIGHT: | STANDARD: |
| HIC 400: 2,5 m | UIAA 161 |

| | | | | |
|----------------------|-----------------------|-----------------|-------------------|--------------------|
| | | | | |
| CRITICAL FALL HEIGHT | FTS ABSORPTION BLOCK | 2 in 1 SYSTEM | 1+1 SYSTEM | INTEGRATED CARPET |
| | | | | |
| SHOULDER STRAPS | SHOULDER STRAP OPTION | 3 CARRY HANDLES | CORDURA BALLISTIC | RECYCLED PACKAGING |

MATERIALS:



INNER PADDING:

- 1 20 mm PE foam**
- 2 FTS Absorption Block 70 mm (PE + PU)**
- 3 15mm PE foam**

Unique design of the absorption block ensures efficient absorption even at the edges of the pad enabling adjustment of the absorption effect.

COVER:


- 4 Polyamide fabric**
- 5 Cordura® Ballistic**

CONSTRUCTION AND PACKING:


2-piece, two-way opening
– Two in One SIZE®

YKK zippers on the long and short sides of the mattress allow both classic and long layout

ORIGINAL INVENTION 2000



CARRYING SYSTEM:



In combination with SHOULDER STRAP CRASHPAD

1+1 system to carry 2 pads together

JOKER FTS

Art. 04724




Compact and super lightweight crash pad

Perfect for young climbers and those who cannot carry too much weight.

- FTS (foam tube suspension) ABSORPTION BLOCK
- Aluminium hook buckles
- 2 locking Velcro straps
- Integrated carpet
- Padded shoulder straps
- 1+1 system to carry 2 pads together

MATERIALS:



INNER PADDING:

- 1** 20 mm PE foam
- 2** FTS Absorption Block 70 / 50 mm (PE + PU)
- 3** 15 / 30 mm PE foam

COVER:


- 4** Polyamide fabric
- 5** Cordura® Ballistic

CONSTRUCTION AND PACKING:


2-piece, two-way opening
– Two in One SIZE®

YKK zippers on the long and short sides of the mattress allow both classic and long layout

ORIGINAL INVENTOR 2000



CARRYING SYSTEM:



| | |
|-----------------------|---------------------|
| WEIGHT: | THICKNESS: |
| 4,0 kg | 10 cm |
| SIZE: | SIZE „PACKED“: |
| 100x94 cm | 100x47x20 cm |
| 200x47 cm | |
| CRITICAL FALL HEIGHT: | STANDARD: |
| HIC 400: 2,2 m | UIAA 161 |



CRITICAL FALL HEIGHT



FTS ABSORPTION BLOCK



2 in 1 SYSTEM



1+1 SYSTEM



INTEGRATED CARPET



SHOULDER STRAPS



SHOULDER STRAP OPTION



3 CARRY HANDLES



CORDURA BALLISTIC



RECYCLED PACKAGING

SUNDANCE PAD

Art. 04734



Conveniently, fully-fledged, compact crashpad


Basic crashpad with standard foam absorption technology. Ideal for beginners and less demanding boulderers.

- Aluminium hook buckles
- Breathable WeBee shoulder straps
- 1+1 system to carry 2 pads together

| | |
|---------------------------------------|---------------------|
| WEIGHT: | THICKNESS: |
| 4,8 kg | 9 cm |
| SIZE: | SIZE „PACKED“: |
| 100x120 cm 200x60 cm | 100x60x18 cm |
| CRITICAL FALL HEIGHT: | STANDARD: |
| HIC 400: 2,2 m | UIAA 161 |

| | | | |
|----------------------|---------------------------|-----------------|--------------------|
| | | | |
| CRITICAL FALL HEIGHT | 2 LAYERS ABSORPTION BLOCK | 2 in 1 SYSTEM | 1+1 SYSTEM |
| | | | |
| SHOULDER STRAPS | SHOULDER STRAP OPTION | 2 CARRY HANDLES | RECYCLED PACKAGING |

MATERIALS:



INNER PADDING:

- 1** 40mm PE foam
- 2** 50mm PU foam

COVER:


- 3** Polyamide fabric
- 4** Polyester fabric
- 5** Polyester fabric (coated)

CONSTRUCTION AND PACKING:


2-piece, two-way opening
– Two in One SIZE*

ORIGINAL
DESIGNER
2000

YKK zippers on the long and short sides of the mattress allow both classic and long layout



CARRYING SYSTEM:



In combination with
SHOULDER STRAP
CRASHPAD

1+1 system to carry
2 pads together

SITPAD





Art. 04725





Perfect sit-start pad with option to clean your climbing shoes

- Integrated carpet
- Compact and lightweight
- Easy to insert into the standard folded crashpad

| | |
|-----------------|-------------------|
| WEIGHT: | THICKNESS: |
| 0,6 kg | 3 cm |
| SIZE: | SIZE „PACKED“: |
| 75×45 cm | 75×45×3 cm |

| | | | |
|---|---|---|---|
|  |  |  |  |
| FOAM ABSORPTION BLOCK | INTEGRATED CARPET | CARRY HANDLE | RECYCLED PACKAGING |



| | |
|---------------------------|--|
| INNER PADDING: | CARRYING SYSTEM: |
| 1 30 mm PE foam |  |
| COVER: | |
| 2 Polyamide fabric | |
| 3 Polyamide fabric | |

SHOULDER STRAP CRASHPAD

Art. 04726



Comfortable shoulder strap to add on any of our crashpad

- Aluminium hook buckles

| |
|--|
| WEIGHT: |
| 0,07 kg |
| MATERIALS: |
| Padding with PE foam, Polypropylene strap |



SITCASE PAD

Art. 04844




Quality sit-starter 3 in 1 size

Compact, multi-purpose crash pad intended primarily for sit starts. Also serves as an accessory to large crash pads.

- Three sizes in one
- Two other ways to lay it out
- Serves as a sleeping pad when laid out lengthwise
- Can be used as a carry bag to transport other equipment
- Can be inserted into every OCÚN Crashpad
- Integrated carpet

| | |
|--------------------|--------------------|
| WEIGHT: | THICKNESS: |
| 1,7 kg | 6 cm |
| SIZE: | SIZE „PACKED“: |
| 100×96×3 cm | 100×48×6 cm |
| 203×48×3 cm | |
| CAPACITY: | |
| 5 kg | |

MATERIALS:



INNER PADDING:

1 30 mm PE foam


COVER:

2 Polyamide fabric



CONSTRUCTION AND PACKING:

2-piece, two-way opening
– Two in One SIZE*

YKK zippers on the long and short sides of the mattress allow both classic and long layout



CARRYING SYSTEM:



| Model | Format | Size "unfolded" (cm) | The way of packing | Size „packed“ (cm) | Weight (kg) | Thickness | Number of foam layers | Critical fall height HIC:400 | 2-in-1 carry system | 1+1 fastener system | Waist belt | Carpet | Carrying system: |
|--|---|----------------------------------|---|-----------------------|----------------|----------------|--------------------------|--|------------------------|---------------------|---|---|--|
|  INCUBATOR FTS 04721 |  | 218 x 100 |  | 100 x 65 x 45 | 8,7 kg | 10 cm | FTS |  2,4 m | | |  |  |   |
|  DOMINATOR FTS 04722 |  | 100 x 132 200 x 66 |  | 100 x 66 x 29 | 5,7 kg | 14,5 cm | FTS |  3,0 m | | |  |  |   |
|  MOONWALK FTS 04723 |  | 100 x 132 200 x 66 |  | 100 x 66 x 20 | 5,0 kg | 10 cm | FTS |  2,5 m | | | |  |   |
|  JOKER FTS 04724 |  | 100 x 94 200 x 47 |  | 100 x 47 x 20 | 4,0 kg | 10 cm | FTS |  2,2 m | | | |  |   |
|  SUNDANCE PAD 04734 |  | 100 x 120 200 x 60 |  | 100 x 60 x 18 | 4,8 kg | 9 cm | 2 |  2,2 m | | | | |   |
|  SITPAD 04725 |  | 75 x 45 |  | 75 x 45 x 3 | 0,6 kg | 3 cm | 1 | | | | |  |  |
|  SITCASE PAD 04844 |  | 100 x 48 100 x 96 203 x 48 |  | 100 x 48 x 6 | 1,7 kg | 6 cm / 3 cm | 1 |  | | | |  |   |

[illegible]



HOT CHALK 250
ART. 04611

HOT CHALK blend developed and tested for warm conditions above 10°C. Provides more friction and efficiency if you have sweaty fingertips.

- Resealable bag

WEIGHT:
250 g



COOL CHALK 250
ART. 04612

COOL CHALK blend developed and tested for cold and dry days in temperature below 10°C. Preferable choice for climbers with dry skin.

- Resealable bag

WEIGHT:
250 g

CHALK AND TAPES



CHALK CUBE 56
ART. 04608

Chalk specially designed for climbing. Quickly absorbs sweat from your hands, improving climbing performance.

WEIGHT:
56 g



CHALK CONTAINER 125
ART. 04609

Crushed chalk specially designed for climbing. It has been used during the climbing world cup and on the hardest routes. It is supplied in a practical plastic jar with a screw cap and second inner lid to minimize the risk of spillage.

WEIGHT:
125 g



CHALK CRUSHED 250
ART. 04610

Crushed chalk specially designed for climbing. Quickly absorbs sweat from your hands and provides maximum friction throughout your climb.

- Resealable bag

WEIGHT:
250 g



CHALK CRUSHED 2000
ART. 04613

Chalk economy pack

Durable re-sealable pouch enables longterm storage. Includes measuring cup for easy handling.

WEIGHT:
2000 g



CHALK BALL BOX 30 x 35
ART. 04616

A practical box of chalk balls

OneTouch technology. With fine mesh fabrics and top quality chalk, you need only one touch and gentle squeeze to completely dry your sweaty hands.

VOLUME – BALLS:
30 x 35 g



CHALK LIQUID
100 | 200 ml
ART. 04614
04615

Liquid chalk of the new generation is ideal for indoor and outdoor climbing. Lasts up to twice as long as normal chalk.

| VOLUME: | |
|---------|-------|
| 100 ml | 04614 |
| 200 ml | 04615 |



TAPE BOX
ART. 03552
03553

Premium quality athletic tape for protection of your fingers.

- Excellent adhesion
- Material: 100% cotton

| WIDTHS x SIZE: | WEIGHT: | PACKAGE: | ART.: |
|----------------|---------|----------|-------|
| 25 mm x 10 m | 56 g | 8 pcs | 03552 |
| 50 mm x 10 m | 112 g | 4 pcs | 03553 |

FINGER BOARD



FINGER BOARD
ART. 02453

CLIMBING HOLDS



HOLDS SET 1 PINCHES
ART. 00164



HOLDS SET 2 SLOPERS
ART. 00165



HOLDS SET 3 MODULARS
ART. 00166

Training board for home use and climbing centers

- Wide range of grips, sizes and shapes
- Made from super strong polyurethane resin
- Gently textured surface saving your fingers and skin
- Wall mounting set included



HOLDS SET 4 EDGES
ART. 00167



HOLDS SET 5 JUGS
ART. 02695



FOOTHOLDS SET 1 BOLT-ON
ART. 02696

DIMENSIONS:
64 x 18 x 5,5 cm

WEIGHT:
1,35 kg

COLORS:
Red, Blue, Black, Yellow

PACKAGE CONTENTS:
10 pcs. / 2x XS, 2x S, 2x M, 2x L, 2x XL

MATERIAL:
Polyester

Crushed chalk developed specifically for sport climbing

We have focused to be most environment friendly in production of our chalk and we proudly declare that our chalk is REACH compliant through the whole production process, and it has been certified by the Czech ministry of health.

We get the crude magnesite from European resources in Slovakia, than it takes the super short transport route to our partner factory in Czechia, where the final product is made and packed according to EU directives for production of cosmetic products.

We know that people have different preferences and types of skin structure which means they also have different needs. Over 2 years, we have developed and tested two special blends which improve the grip during different conditions. Our HOT blend is perfect for hot sunny days and we recommend to use it in temperature above 10°C. The COOL blend on the other side is a must have chalk for cold and dry days while the temperature is below 10°C. The name of the chalk blend could help you as a recommendation when to use it, but we still recommend trying them yourself to find the best one for you. Even its combination can lead to find the most suitable assistant against bad friction.

HOT CHALK



If you climb in warm environment and your skin is sweaty even though you haven't touched the rock yet, the HOT blend is a great fit. We designed this chalk blend to warm condition. It is finer than the other blends.

REGULAR CHALK

Verified by years of using is the REGULAR blend which links COOL and HOT blends. It is suitable for every condition and use.

COOL CHALK



This blend was created for cooler and drier conditions where it helps to make your experience as smooth as possible. Nevertheless it is not usable only in such conditions. This chalk blend is a great option for those who have drier skin and do not sweat too much.



HOT CHALK 250

Art. 04611



Chalk blend developed and tested for warm conditions above 10°C

- Provides more friction and efficiency if you have sweaty fingertips
- Resealable bag

WEIGHT:
250 g

COOL CHALK 250

Art. 04612



Chalk blend developed and tested for cold and dry days in temperature below 10°C

- Preferable choice for climbers with dry skin
- Resealable bag

WEIGHT:
250 g

CHALK CUBE 56

Art. 04608



Chalk specially designed for climbing. Quickly absorbs sweat from your hands, improving climbing performance.

WEIGHT:
56 g

CHALK BOX BALLS 30x35

Art. 04616



A practical box of chalk balls

OneTouch technology. With fine mesh fabrics and top quality chalk, you need only one touch and gentle squeeze to completely dry your sweaty hands.

VOLUME – BALLS:
30 x 35 g



CHALK CRUSHED 250

Art. 04610



Crushed chalk specially designed for climbing. Quickly absorbs sweat from your hands and provides maximum friction throughout your climb.

- Resealable bag

WEIGHT:
250 g

CHALK CRUSHED 2000

Art. 04613



Chalk economy pack

Durable re-sealable pouch enables longterm storage. Includes measuring cup for easy handling.

WEIGHT:
2000 g

CHALK CONTAINER 125

Art. 04609



Crushed chalk specially designed for climbing. It has been used during the climbing world cup and on the hardest routes. It is supplied in a practical plastic jar with a screw cap and second inner lid to minimize the risk of spillage.

WEIGHT:
125 g

CHALK LIQUID



Liquid chalk of the new generation is ideal for indoor and outdoor climbing. Lasts up to twice as long as normal chalk.

VOLUME:

| | |
|--------|-------|
| 100 ml | 04614 |
| 200 ml | 04615 |

TAPE BOX



Premium quality athletic tape for protection of your fingers.

- Excellent adhesion
- Material: 100% cotton

| WIDTHS x SIZE: | WEIGHT: | PACKAGE: | ART.: |
|----------------|---------|----------|-------|
| 25 mm x 10 m | 56 g | 8 pcs | 03552 |
| 50 mm x 10 m | 112 g | 4 pcs | 03553 |

FINGER BOARD

Art. 02453

Training board for home use
and climbing centers


- Wide range of grips, sizes and shapes
- Made from super strong polyurethane resin
- Gently textured surface saving your fingers and skin
- Wall mounting set included

DIMENSIONS:

64 × 18 × 5,5 cm

WEIGHT:

1,35 kg



HOLDS SET 1 PINCHES

Art. 00164



HOLDS SET 2 SLOPERS

Art. 00165



HOLDS SET 3 MODULARS

Art. 00166



HOLDS SET 4 EDGES

Art. 00167



HOLDS SET 5 JUGS

Art. 02695



FOOTHOLDS SET 1 BOLT-ON


Art. 02696



COLORS:
Red, Blue, Black, Yellow

PACKAGE CONTENTS:
10 pcs. / 2× XS, 2× S, 2× M, 2× L, 2× XL

MATERIAL:
Polyester



Accessories





Grey/Blue



Grey/Red



Grey/Green



Red Twist



Ice mint Twist



Flower White



Up Blue



Grades Black



Frog Pink



Blue Twist



Pink Twist



Flower Colors



Hexagon Yellow



Abstract Blue



Frog Blue



Green Medium Twist



Grey Silver Twist



Drops Yellow



Mountain Green



Leafs Colors

DUSTY ECO + BELT

ART. 05300



PUSH + BELT

ART. 04448



LUCKY + BELT

ART. 05047



LUCKY KID + BELT

ART. 04606



CHALK BAG BELT

ART. 04346



BOULDER BAG

ART. 04845



**BOULDER BRUSH
10-pack**

ART. 05296



**BOULDER BRUSH
24-pack**

ART. 04727



ROPEMAT

ART. 05003



BELT SB 28 mm

ART. 04345



OCUN BELT 44 mm

ART. 04607



**THINK VERTICAL CAP
5-pack**

ART. 04559



MINI CARABINERS 180-PACK

ART. 04586



MINI CONDOR 50-PACK

ART. 04587



MINI HARPY 50-PACK

ART. 04588



MINI HEX 20-PACK

ART. 05297



MINI CONDOR 20-PACK

ART. 05298



MINI HARPY 20-PACK

ART. 05299



DUSTY ECO + BELT

Art. 05300



Chalk bag fully made from recycled materials ideal for big wall climbing

- 2 Big zipper pockets for phone, topo and snack
- Brush holder
- Chalk bag belt included
- Fully made from recycled materials



Grey/Blue



Grey/Red



Grey/Green

MATERIAL – OUTSIDE:
Recycled Polyethylene

MATERIAL – INSIDE:
Recycled Polyester

PUSH + BELT

Art. 04448



Chalk bag as a fashion accessory to Ocún harness

- Practical pocket on the back + 2 brush holders
- Chalk bag belt included



Red Twist



Ice mint Twist



Blue Twist



Pink Twist



Green Medium Twist



Grey Silver Twist

MATERIAL:
Polyamide

LUCKY + BELT

Art. 05047



Chalk bags in wide variety of fresh design patterns for those, who like to be different

- Integrated brush holder
- Chalk bag belt included



Flower White



Up Blue



Grades Black



Hexagon Yellow



Abstract Blue



Flower Colors



Drops Yellow



Mountain Green



Leafs Colors

MATERIAL:
Polyester

LUCKY KID + BELT

Art. 04606



Frog Pink

Frog Blue

Chalk bag for little climbers

- Integrated brush holder
- Chalk bag belt included

MATERIAL:
Polyester

CHALK BAG BELT 5-pack

Art. 04346



- Polyester webbing, width: 16 mm
- Adjustable length, snap DURAFLEX buckle
- Pack of 5 pcs

BOULDER BAG

Art. 04845



Green



Blue Caribbean

High-capacity chalk bag for bouldering

- Roll-down closure with plastic snap and buckle
- Brush holders on the side
- Zippered front pocket
- Fleece fabric for more comfortable chalking inside

MATERIAL:
Polyamide, Polyester



BOULDER BRUSH 10-pack

Art. 05296



- Boar bristles
- Great stiffnes
- Asymmetric shape 16 - 14 mm
- 1 colors in one paper box
- Pack of 10pcs



MATERIAL:
100% Polyamide with fiber glass
Boar bristles


BOULDER BRUSH 24-pack

Art. 04727



- Boar bristles
- Great stiffnes
- Asymmetric shape 16 - 14 mm
- 3 colors in one Jar
- Pack of 24pcs

MATERIAL:
Polyamide with fiber glass
Boar bristles



ROPEMAT

Art. 05003



Mat for long lasting, clean and safe rope

- Easy close-up by included carabiner
- Small to transfer, big for use
- 4 corner loops for rope ends
- Loops in corners for easy transport to the crag

MATERIAL:
Polyester

BELT SB 28 mm 5-pack

Art. 04345



- Adjustable length up to 110cm / 43,3"
- Pack of 5 pcs (5-pack)

MATERIAL:

Polyamide webbing
Stainless steel buckles SS-420J2

BELT 44 mm 5-pack

Art. 04607




- Adjustable length up to 120cm / 47"
- Pack of 5 pcs (5-pack)

MATERIAL:

Polyamide webbing
Aluminium buckle

THINK VERTICAL CAP 5-pack

Art. 04559



High quality cap for those who want to be part of the Think Vertical family

- One size 54-59 cm
- Pack of 5 pcs (5-pack)


MATERIAL:

100% Cotton



MINI CARABINERS 180-pack

Art. 04586



- Cute mini carabiner for your keys or other lightweight accessories
- Five bright colors
- Three distinctive shapes
- No PPE (Personal protective equipment)
- Pack of 180 pcs (180-pack)

MATERIAL:
Aluminium



MINI CONDOR 50-pack

Art. 04587



- Mini version of our Condor carabiner
- Five bright colors
- No PPE (Personal protective equipment)
- Pack of 50 pcs (50-pack)

MATERIAL:
Aluminium

MINI HARPY 50-pack

Art. 04588



- Mini version of our Harpy carabiner
- Five bright colors
- No PPE (Personal protective equipment)
- Pack of 50 pcs (50-pack)

MATERIAL:
Aluminium

MINI HEX 20-pack

Art. 05297



- Cute mini carabiner for your keys or other lightweight accessories
- Two bright colors
- No PPE (Personal protective equipment)
- Pack of 20 blue/red pcs (20-pack)

MATERIAL:
Aluminium

MINI CONDOR 20-pack

Art. 05298



- Cute mini carabiner for your keys or other lightweight accessories
- Two bright colors
- No PPE (Personal protective equipment)
- Pack of 20 blue/red pcs (20-pack)

MATERIAL:
Aluminium

MINI HARPY 20-pack

Art. 05299



- Cute mini carabiner for your keys or other lightweight accessories
- Two bright colors
- No PPE (Personal protective equipment)
- Pack of 20 blue/red pcs (20-pack)

MATERIAL:
Aluminium





Men's Climbing Apparel



RAVAGE JEANS

ART. 03816



DARK BLUE
WASHED LOOK



2way
stretch



YKK zip



3D fit



Phone/topo
pocket



Recycled
packaging

MATERIAL:

70% Cotton
19% Polyester
10% Viscose (Rayon)
1% Elastane

SIZES:

S-M-L-XL-XXL

TYPHOON JEANS

ART. 05239



DARK BLUE
WASHED LOOK



2way
stretch



YKK zip



Slim fit



Recycled
packaging

MATERIAL:

70% Cotton
19% Polyester
10% Viscose (Rayon)
1% Elastane

SIZES:

S-M-L-XL-XXL

HURRIKAN JEANS

ART. 03815



MIDDLE BLUE
WASHED LOOK



2way
stretch



YKK zip



3D fit



Waist
buckle



Toothbrush
pocket



Recycled
packaging

MATERIAL:

70% Cotton
19% Polyester
10% Viscose (Rayon)
1% Elastane

SIZES:

S-M-L-XL-XXL

CRONOS pants

ART. 04565



BROWN
BREEN

GREY
EXCALIBUR

DARK
GREY INDIA
INK

BROWN
CHOCOLATE
PLUM



2way
stretch



3D fit



High abrasion
resistance fabric



Toothbrush
pocket



Phone/
topo
pocket



YKK zipper



Slim fit



Recycled
packaging

MATERIAL:

69% Cotton
23% Lyocell (Tencel)
5% Linen
3% Elastane

SIZES:

S-M-L-XL-XXL

CRONOS shorts

ART. 04566



BROWN
BREEN

GREY
EXCALIBUR



DARK GREY INDIA
INK

BROWN
CHOCOLATE PLUM



2way
stretch



3D fit



Phone/topo
pocket



High
abrasion
resistance
fabric



Toothbrush
pocket



YKK zipper



Recycled
packaging

MATERIAL:

69% Cotton
23% Lyocell (Tencel)
5% Linen
3% Elastane

SIZES:

S-M-L-XL-XXL

HONK pants

ART. 04347



BLUE OPAL

ANTHRACITE
EBONY

GREY STORMY
WEATHER



2way
stretch



3D fit



Phone/topo
pocket

MATERIAL:

95% Cotton
5% Elastane

SIZES:

S-M-L-XL-XXL



High abrasion
resistance fabric



YKK zipper



Waist
buckle



Recycled
packaging



Toothbrush
pocket



Recycled
packaging

SIZES WITH SHORTER LEGS:

COLOR: BLUE OPAL

**S-short, M-short,
L-short, XL-short,
XXL-short**

SIZES WITH LONGER LEGS:

COLOR: BLUE OPAL

**S-tall, M-tall, L-tall,
XL-tall, XXL-tall**

DRAGO ORGANIC pants

ART. 05004



ANTHRACITE
DARK NAVY

BLUE
SARGASSO
SEA

GREEN
PERIDOT

WINE
SYRAH



Organic
cotton



2way
stretch



3D fit



YKK
zipper



Toothbrush
loop



Cord lock
adjustab-
le bottom
hem



Recycled
packaging

MATERIAL:

97% Organic Cotton
3% Elastane

SIZES:

S-M-L-XL-XXL

MÁNIA
JEANS pants
ART. 04115

MÁNIA
JEANS shorts
ART. 04116



2way stretch



Quick dry



3D fit



Elastic waist band



Cord lock adjustable bottom hem (only pants)



Toothbrush pocket



Recycled packaging

MATERIAL:

65% Cotton
24% Polyester
10% Viscose (Rayon)
1% Elastane

MATERIAL – ELASTIC WAIST:

100% Polyamide

SIZES:

XS-S-M-L-XL-XXL



DARK BLUE
WASHED LOOK



DARK BLUE
WASHED LOOK

MÁNIA ECO pants
ART. 05005



CARAMEL
CAFE

ANTHRACITE
DARK NAVY

BLUE
OPAL

TURQUOISE
DEEP LAGOON



2way stretch



Breathable



Quick dry



Lightweight



3D fit



Elastic waist band



Recycled material



Toothbrush pocket



Cord lock adjustable bottom hem (only pants)



Recycled packaging

MATERIAL:

55% Recycled Polyamide,
38% Polyamide
7% Elastane

MATERIAL – ELASTIC WAIST:

100% Polyamide

SIZES:

S-M-L-XL-XXL

MÁNIA ECO shorts
ART. 05006



CARAMEL
CAFE

ANTHRACITE
DARK NAVY

BLUE
OPAL

TURQUOISE
DEEP LAGOON

MÁNIA pants
ART. 02938



ANTHRACITE
OBSIDIAN

BLUE
MIDNIGHT II

GREEN
LIME II

ORANGE
POINCIANA

WINE
MERLOT

PANTS:

SIZES WITH SHORTER LEGS:

COLOR: ANTHRACITE OBSIDIAN

XS-short, S-short, M-short,
L-short, XL-short, XXL-short

SIZES WITH LONGER LEGS:

COLOR: ANTHRACITE OBSIDIAN

XS-tall, S-tall, M-tall, L-tall,
XL-tall, XXL-tall

MÁNIA shorts
ART. 02940



ANTHRACITE
OBSIDIAN

BLUE
MIDNIGHT II

GREEN
LIME II



ORANGE
POINCIANA

WINE
MERLOT



2way stretch



Breathable



Quick dry



Lightweight



3D fit



Elastic waist band



Toothbrush pocket



Cord lock adjustable bottom hem (only pants)



Recycled packaging

MATERIAL:

93% Polyamide
7% Elastane

MATERIAL – ELASTIC WAIST:

100% Polyamide

SIZES:

XS-S-M-L-XL-XXL

JAWS pants
ART. 04349



BROWN
BRONZE

GREEN
SPINDLE
TREE

BLUE
DRESS

BROWN
BRANDY

JAWS 3/4 pants
ART. 04350



BROWN
BRONZE

GREEN
SPINDLE
TREE

BLUE
DRESS

BROWN
BRANDY



2way stretch



3D fit



Elastic waist band



Toothbrush loop



Elastic band in bottom hem (only pants)



Recycled packaging

MATERIAL:

95% Cotton
5% Elastane

SIZES:

S-M-L-XL-XXL

RAVAGE JEANS

Art. 03816



DARK BLUE DENIM, WASHED LOOK

Men's jeans for climbing or the town

In Ravage jeans you can go straight from the crag to the town.

- Ergonomic design
- Practically placed inside pockets
- Side pocket for your phone
- Flexible medium-weight denim pleasant to the touch
- Embossed logo



2way stretch



YKK zip



3D fit



Phone/topo pocket



Recycled packaging

WEIGHT (SIZE M):
650 g

MATERIAL:
70% Cotton
19% Polyester
10% Viscose (Rayon)
1% Elastane

SIZES:
S-M-L-XL-XXL

HURRIKAN JEANS

Art. 03815



MIDDLE BLUE DENIM, WASHED LOOK

Men's climbing jeans

Men's Hurrikan climbing jeans are custom designed for competition climbers. And you can even wear them around town.

- Ergonomic design
- Good for bouldering and climbing
- Embossed logo on the back pocket knees.
- Flexible medium-weight denim pleasant to the touch



2way stretch



YKK zip



3D fit



Toothbrush pocket



Waist buckle



Recycled packaging

WEIGHT (SIZE M):
660 g

MATERIAL:
70% Cotton
19% Polyester
10% Viscose (Rayon)
1% Elastane

SIZES:
S-M-L-XL-XXL

TYPHOON JEANS

Art. 05239



DARK BLUE DENIM, WASHED LOOK

Men's leisure time jeans

Simple design is fashionable and that is why expanded our jeans collection with Typhoon. Suitable for climbing and also good for casual wear.

- Good for bouldering and climbing
- Embossed logo on the back of the knee part
- Flexible medium-weight denim pleasant to the touch

| | | | |
|---------------------------------|---------|--|--------------------|
| | | | |
| 2way stretch | YKK zip | Slim fit | Recycled packaging |
| WEIGHT (SIZE M): 590g | | MATERIAL: 70% Cotton 19% Polyester 10% Viscose (Rayon) 1% Elastane | |
| SIZES: S-M-L-XL-XXL | | | |

DETAILS:



CRONOS pants

Art. 04565



Men's leisure time pants

Ergonomic slim cut pants for perfect comfort at any time.

- Highly durable, stretchable and breathable material
- Side toothbrush/pen pocket
- Jeans style loops for belt
- Pocket edges are strengthened with rivets
- Mobile phone/Climbing topo pocket on the right thigh



| | | | |
|-----------------------|----------------|-------------------------------------|------------------------|
| 2way stretch | 3D fit | High abrasion resistance fabric | Toothbrush pocket |
| Phone/topo pocket | YKK zipper | Slim fit | Recycled packaging |

WEIGHT (SIZE M):
500 g

MATERIAL:
69% Cotton
23% Lyocell (Tencel)
5% Linen
3% Elastane

SIZES:
S-M-L-XL-XXL

COLORS:



BROWN BREEN



GREY EXCALIBUR




DARK GREY INDIA INK



BROWN CHOCOLATE PLUM

DETAILS:



CRONOS shorts

Art. 04566



Men's leisure time shorts

Ergonomic slim cut shorts for perfect comfort at any time.

- Highly durable, stretchable and breathable material
- Side toothbrush/pen pocket
- Jeans style loops for belt
- Pocket edges are strengthened with rivets
- Mobile phone/Climbing topo pocket on the right thigh



2way stretch



3D fit



High abrasion resistance fabric



Toothbrush pocket



Phone/topo pocket



YKK zipper



Recycled packaging

WEIGHT (SIZE M):
350 g

MATERIAL:
69% Cotton
23% Lyocell (Tencel)
5% Linen
3% Elastane

SIZES:
S-M-L-XL-XXL

COLORS:



BROWN BREEN



GREY EXCALIBUR



DARK GREY INDIA INK



BROWN CHOCOLATE PLUM

DETAILS:



HONK pants









Art. 04347



Men's technical pants for climbing and daily wear

Honks are climbing pants that are particularly suitable for colder times of the year.

- Improved cut that is wider around the hips and thus more comfortable for climbing
- Ergonomic design for unrestricted movement
- Durable yet flexible material
- Breathable and pleasant to the touch
- Heavier weight fabric
- Work appearance emphasized with strong thread stitching
- Exposed areas reinforced with bar tack seams

| | | | |
|---|--|---|---|
|  2way stretch |  High abrasion resistance fabric |  3D fit |  YKK zipper |
|  Toothbrush pocket |  Phone/topo pocket |  Waist buckle |  Recycled packaging |

| | |
|----------------------------------|--|
| WEIGHT (SIZE M): 640 g | MATERIAL: 95% Cotton 5% Elastane |
|----------------------------------|--|

SIZES: **S-M-L-XL-XXL**

SIZES WITH SHORTER LEGS:
S-short, M-short, L-short, XL-short, XXL-short

SIZES WITH LONGER LEGS:
S-tall, M-tall, L-tall, XL-tall, XXL-tall



THESE COLORS VARIANTS:



BLUE OPAL



ANTHRACITE EBONY



GREY STORMY WEATHER

DETAILS:



DRAGO ORGANIC pants

Art. 05004



Men's climbing pants

Drago men's climbing pants are made of comfortable organic cotton.

- OCS certified manufacture
- Ergonomic design for maximum movement
- Highly breathable
- Elastic waistband and roll-up legs
- Functional zipper
- Flexible material pleasant to the touch



Organic cotton



2way stretch



YKK zipper



3D fit



Toothbrush loop



Cord lock adjustable bottom hem



Recycled packaging

WEIGHT (SIZE M):
350 g

MATERIAL:
**97% Organic Cotton
3% Elastane**

SIZES: **S-M-L-XL-XXL**

THESE COLORS VARIANTS:



ANTHRACITE
DARK NAVY



BLUE
SARGASSO SEA



GREEN
PERIDOT



WINE
SYRAH

DETAILS:



MÁNIA JEANS pants

Art. 04115



DARK BLUE DENIM, WASHED LOOK

Lightweight men's climbing jeans

Popular MÁNIA climbing pants in a stylish denim version.

- Highly stretchable and durable fabric
- Lightweight and breathable
- Comfortable elastic waist band
- Toothbrush/pen pocket

| | | | |
|---------------------------|---------------------------------|--|--------------------|
| | | | |
| 2way stretch | Quick dry | 3D fit | Elastic waist band |
| | | | |
| Toothbrush pocket | Cord lock adjustable bottom hem | Recycled packaging | |
| WEIGHT (SIZE M): 400 g | | MATERIAL: 65% Cotton 24% Polyester 10% Viscose (Rayon) 1% Elastane | |
| SIZES: XS-S-M-L-XL-XXL | | MATERIAL – ELASTIC WAIST: 100% Polyamide | |

MÁNIA JEANS shorts

Art. 04116



DARK BLUE DENIM, WASHED LOOK

Lightweight men's climbing jeans

Popular MÁNIA climbing shorts in a stylish denim version.

- Highly stretchable and durable fabric
- Lightweight and breathable
- Comfortable elastic waist band
- Toothbrush/pen pocket

| | | | |
|---------------------------|--------------------|--|--------------------|
| | | | |
| 2way stretch | Quick dry | 3D fit | Elastic waist band |
| | | | |
| Toothbrush pocket | Recycled packaging | | |
| WEIGHT (SIZE M): 290 g | | MATERIAL: 65% Cotton 24% Polyester 10% Viscose (Rayon) 1% Elastane | |
| SIZES: XS-S-M-L-XL-XXL | | MATERIAL – ELASTIC WAIST: 100% Polyamide | |



MÁNIA ECO pants

Art. 05005



Men's lightweight climbing pants

Popular lightweight climbing pants are made of 55 % recycled material.

- Ergonomic cut for unlimited movement
- Highly flexible, quick-drying fabric
- Comfortable elastic waistband
- Extra side pocket for brush



2way stretch



Breathable



Quick dry



Lightweight



3D fit



Recycled material



Elastic waist band



Toothbrush pocket



Cord lock adjustable bottom hem



Recycled packaging

WEIGHT (SIZE M):
270 g

MATERIAL:
**55% Recycled Polyamide,
38% Polyamide
7% Elastane**

MATERIAL - ELASTIC WAIST:
100% Polyamide

SIZES:
S-M-L-XL-XXL

COLORS:



CARAMEL CAFE



ANTHRACITE DARK NAVY



BLUE OPAL



TURQUOISE DEEP LAGOON

DETAILS:



MÁNIA ECO shorts

Art. 05006



Men's lightweight climbing shorts

Popular lightweight climbing shorts are made of 55 % recycled material.

- Ergonomic cut for unlimited movement
- Highly flexible, quick-drying fabric
- Comfortable elastic waistband
- Extra side pocket for brush



2way stretch



Breathable



Quick dry



Lightweight



3D fit



Recycled material



Elastic waist band



Toothbrush pocket



Recycled packaging

WEIGHT (SIZE M):
210 g

MATERIAL:
**55% Recycled Polyamide,
38% Polyamide
7% Elastane**

MATERIAL - ELASTIC WAIST:
100% Polyamide

SIZES:
S-M-L-XL-XXL

COLORS:



CARAMEL CAFE



ANTHRACITE DARK NAVY



BLUE OPAL



TURQUOISE DEEP LAGOON

DETAILS:



MÁNIA pants

Art. 02938



Men's lightweight climbing pants

Ergonomic cut for un-limited movement in any activity.

- Super flexible, quick-drying fabric
- Lightweight and breathable
- Comfortable elastic waist band
- Toothbrush/pen pocket



2way stretch



Breathable



Quick dry



Lightweight



3D fit



Elastic waist band



Toothbrush pocket



Cord lock adjustable bottom hem



Recycled packaging

WEIGHT (SIZE M):
270 g

MATERIAL:
**93% Polyamide
7% Elastane**

MATERIAL – ELASTIC WAIST:
100% Polyamide

SIZES:
XS-S-M-L-XL-XXL

SIZES WITH SHORTER LEGS:
**XS-short, S-short, M-short,
L-short, XL-short, XXL-short**

SIZES WITH LONGER LEGS:
**XS-tall, S-tall, M-tall, L-tall,
XL-tall, XXL-tall**



-5 cm
than regular size



+5 cm
than regular size

ANTHRACITE OBSIDIAN

ANTHRACITE OBSIDIAN

COLORS:



ANTHRACITE OBSIDIAN



BLUE MIDNIGHT II



GREEN LIME II




WINE MERLOT



ORANGE POINCIANA

DETAILS:



MÁNIA shorts

Art. 02940



Men's lightweight climbing shorts

Ergonomic cut for unlimited movement in any activity.

- Super flexible, quick-drying fabric
- Lightweight and breathable
- Comfortable elastic waist band
- Toothbrush/pen pocket



2way stretch



Breathable



Quick dry



Lightweight



3D fit



Elastic waist band



Toothbrush pocket



Recycled packaging

WEIGHT (SIZE M):
210 g

MATERIAL:
**93% Polyamide
7% Elastane**

MATERIAL – ELASTIC WAIST:
100% Polyamide

SIZES:
XS-S-M-L-XL-XXL

COLORS:



ANTHRACITE OBSIDIAN

BLUE MIDNIGHT II

GREEN LIME II

WINE MERLOT

ORANGE POINCIANA

DETAILS:



JAWS pants

Art. 04349



Men's climbing pants

- Ergonomic design
- Two brush loops
- Highly breathable
- Elastic waistband
- Logo motif on back pocket
- Flexible material pleasant to the touch
- Leg loops and flexible cuffs



2way stretch



3D fit



Elastic waist band



Toothbrush loop



Elastic band in bottom hem



Recycled packaging

WEIGHT (SIZE M):
350 g

MATERIAL:
**95% Cotton
5% Elastane**

SIZES: **S-M-L-XL-XXL**

THESE COLORS VARIANTS:



BROWN BRONZE

GREEN SPINDLE TREE

BLUE DRESS

BROWN BRANDY

DETAILS:



JAWS 3/4

Art. 04350



Men's 3/4 climbing pants

Shortened version of the Jaws climbing pants ideal for summer days and indoor walls.

- Ergonomic design
- Two brush loops
- Highly breathable
- Elastic waistband
- Logo motif on back pocket
- Flexible material pleasant to the touch



2way stretch



3D fit



Elastic waist band



Toothbrush loop



Recycled packaging

WEIGHT (SIZE M):
265 g

MATERIAL:
95% Cotton
5% Elastane

SIZES: **S-M-L-XL-XXL**



THESE COLORS VARIANTS:



BROWN BRONZE



GREEN SPINDLE TREE




BLUE DRESS



BROWN BRANDY

DETAILS:



BAMBOO T Blossom Men
ART. 04351



WINE MERLOT



BLUE OPAL



DARK GREY INDIA INK

CLASSIC T ORGANIC Men
Rainbow Rocket
ART. 05027



BLUESTONE

CLASSIC T ORGANIC Men
Airwolf
ART. 05028



WINE SYRAH

CLASSIC T ORGANIC Men
EFC
ART. 05029



ANTHRACITE EBONY

CLASSIC T ORGANIC Men
Magic Bus
ART. 05030



GREEN DUCK

CLASSIC T Men
Moonwalk
ART. 05240



ANTHRACITE
OBSIDIAN

CLASSIC T Men
Sigma-Shoe
ART. 05241



BLUE MOONLIT
OCEAN

CLASSIC T Men
Bus-Stone
ART. 05242



BLUE
HYDRO

CLASSIC T Men
Stoneman
ART. 05243



BROWN
BRONZE

CLASSIC T Men
Fingerprint
ART. 05244



GREEN SPINDLE
TREE

PROMO T Men
ART. 04728



BLUE SARGASSO SEA

TSUNAMI ECO Men
ART. 05035



BLACK BEAUTY /
IRON GATE



BLUE OPAL /
IRON GATE



RED SCARLET SAGE /
IRON GATE

HOODIE MEN
ART. 05141



BLUE OPAL /
GREY EXCALIBUR



GREY PALOMA /
GREY EXCALIBUR

HOODIE ZIPPER MEN
ART. 05142



BLUE OPAL /
GREY EXCALIBUR



GREY PALOMA /
GREY EXCALIBUR

BAMBOO T Blossom Men

Art. 04351



DARK GREY INDIA INK

Men's functional T-shirt

The combination of bamboo fibers with other materials lend the Bamboo T-shirt perfect functional attributes.

- Highly functional material
- Form-fitting slim cut
- Flat stitching



4way stretch



Quick dry



Bamboo



Breathable



Antibacterial



Recycled packaging

WEIGHT (SIZE M):
180 g

MATERIAL:
65% Bamboo viscose
30% Viscose (Rayon)
5% Elastane

SIZES:
S-M-L-XL-XXL



WINE MERLOT



BLUE OPAL

CLASSIC T ORGANIC Men



Men's climbing T-shirt

Comfortable T-shirt made of organic cotton, good choice for climbing or daily wear.

- GOTS and OCS certified manufacture
- Climbing motif
- Pleasant to the touch



2way stretch



Organic cotton



Recycled packaging

WEIGHT (SIZE M):

120 g

MATERIAL:

100% Organic Cotton

SIZES:

S-M-L-XL-XXL



CLASSIC T ORGANIC Men Rainbow Rocket

ART. 05027



BLUESTONE

CLASSIC T ORGANIC Men Airwolf

ART. 05028



WINE SYRAH

CLASSIC T ORGANIC Men EFC

ART. 05029



ANTHRACITE EBONY

CLASSIC T ORGANIC Men Magic Bus

ART. 05030



GREEN DUCK

DETAILS:



CLASSIC T Men



Men's climbing T-shirt

Comfortable cotton T-shirt with climbing motif ideal for climbing or daily wear.

- High-quality cotton with pleasant touch
- Print on front



2way stretch



Comfortable cotton touch



Recycled packaging

WEIGHT (SIZE M):

160 g

MATERIAL:

100% Cotton

SIZES:

S-M-L-XL-XXL

CLASSIC T Men
Moonwalk

ART. 05240



ANTHRACITE OBSIDIAN

CLASSIC T Men
Sigma-Shoe

ART. 05241



BLUE MOONLIT OCEAN

CLASSIC T Men
Bus-Stone

ART. 05242



BLUE HYDRO

CLASSIC T Men
Stoneman

ART. 05243



BROWN BRONZE

CLASSIC T Men
Fingerprint

ART. 05244



GREEN SPINDLE TREE

DETAILS:



HOODIE MEN

Art. 05141



Men's climbing Hoodie

- Comfortable fit with a slightly longer back
- Hood with front crossing
- Rope-like design of the hood cords
- Kangaroo style pocket with small inner zipper pocket
- Lower hem and sleeve ends with an elastic cuff and thumb holes on sleeves



2way stretch



Ergonomic hoody



YKK zipper



Thumb sleeve hole



Headphones hole

WEIGHT (SIZE M):
690g

MATERIAL - MAIN:
80% Cotton, 20% Polyester

MATERIAL - INNER HOODY:
100% Cotton

MATERIAL - HEM:
78% Cotton, 17% Polyester, 5% Elastane

SIZES:
S-M-L-XL-XXL

COLORS:



BLUE OPAL /
GREY EXCALIBUR



GREY PALOMA /
GREY EXCALIBUR

DETAILS:



HOODIE ZIPPER MEN






Art. 05142



Men's climbing Hoodie

Men's zipped hoodie perfected to the last detail. Comfortable material ensures excellent wearing comfort.

- Comfortable fit with a slightly longer back
- Hood with a stand-up collar
- Rope-like design of the hood cords
- Two front zipper pockets
- Lower hem and sleeve ends with an elastic cuff and thumb holes on sleeves
- Two-way YKK front zipper with two zipper sliders

| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| 2way stretch | YKK zipper | Reversible zipper | Ergonomic hoody | Thumb sleeve hole |
| WEIGHT (SIZE M): 690 g | | MATERIAL - MAIN: 80% Cotton, 20% Polyester | | |
| | | MATERIAL - INNER HOODY: 100% Cotton | | |
| | | MATERIAL - HEM: 78% Cotton, 17% Polyester, 5% Elastane | | |
| SIZES: S-M-L-XL-XXL | | | | |

COLORS:



BLUE OPAL /
GREY EXCALIBUR



GREY PALOMA /
GREY EXCALIBUR

DETAILS:



TSUNAMI ECO Men

Art. 05035



BLACK BEAUTY /
IRON GATE

BLUE OPAL /
IRON GATE

RED SCARLET SAGE /
IRON GATE

Men's lightweight down climbing jacket

- Lightweight ripstop material designed specifically for climbing apparel filled with down; it is now made of recycled polyamide
- High-density weave guarantees both durability and breathability
- High-loft down
- DWR technology (Durable Water Repellent) prevents moisture from reaching the down
- The jacket doesn't lose any down because the chambers are filled after stitching
- Ergonomic cut is perfectly suitable for climbers - extended body and longer sleeves with holes for thumbs
- Practical two-way zipper YKK
- Compress bag in the inside pocket
- Down has certified origin



Down



Reversible zipper



YKK zipper



3D fit



Lightweight



Ergonomic
hoody



Compress
pocket



Thumb
sleeve hole



Inner pocket
for climbing shoes



100%
Recycled
material



PACKAGING
Recycled
packaging

WEIGHT (SIZE M):

370 g

OUTER MATERIAL:

**100% Recycled Polyamide (DWR),
Rip-Stop**

INNER MATERIAL:

100% Recycled Polyamide (DWR)

FILLING:

Down 90/10, 650 cuin

SIZES:

S-M-L-XL-XXL

DETAILS:



You can pack
the jacket
into compress bag
in the inner pocket.



Women's Climbing Apparel

MEDEA JEANS

ART. 03817



MIDDLE BLUE
WASHED LOOK



2way
stretch



YKK zipper



3D fit



Recycled
packaging

MATERIAL:

70% Cotton
19% Polyester
10% Viscose (Rayon)
1% Elastane

SIZES: **XS-S-M-L-XL**

INGA JEANS

ART. 03818



LIGHT BLUE
WASHED LOOK



2way
stretch



YKK zipper



3D fit



Recycled
packaging

MATERIAL:

65% Cotton
24% Polyester
10% Viscose (Rayon)
1% Elastane (Spandex)

SIZES: **XXS-XS-S-M-L-XL**

KAIRA pants

ART. 04567



BROWN
BREEN

BROWN
CHOCOLATE PLUM

DARK GREY
INDIA INK

BLUE
SKIPPER



2way
stretch



3D fit



High abrasion
resistance
fabric



YKK zipper



Slim fit



Toothbrush
pocket



Recycled
packaging

MATERIAL:

69% Cotton
23% Lyocell (Tencel)
5% Linen
3% Elastane

SIZES:

XS-S-M-L-XL

PANTERA ORGANIC pants

ART. 05007



ANTHRACITE
DARK
NAVY

BLUE
SARGASSO
SEA

GREEN
PERIDOT

WINE
SYRAH

PANTERA ORGANIC shorts

ART. 05008



ANTHRACITE
DARK
NAVY

BLUE
SARGASSO
SEA

GREEN
PERIDOT

WINE
SYRAH



2way
stretch



3D fit



Elastic
waist band



Toothbrush
pocket



Cord lock
bottom hem
(only pants)



Organic
Cotton



Recycled
packaging

MATERIAL:

97% Organic Cotton
3% Elastane

MATERIAL – ELASTIC WAIST:

100% Polyamide

SIZES:

XS-S-M-L-XL

SANSA pants

ART. 04569



BLUE
MOONLIT
OCEAN

GREEN
DEEP
TEAL

ROSE
MESA

YELLOW
ANTIQU
MOSS

SANSA shorts

ART. 04570



BLUE
MOONLIT
OCEAN

GREEN
DEEP
TEAL

ROSE
MESA

YELLOW
ANTIQU
MOSS



2way
stretch



3D fit



Elastic waist



Toothbrush
loop



Elastic band
in bottom hem
(only pants)



Recycled
packaging

MATERIAL – PANTS:

97% Cotton
3% Elastane

MATERIAL – ELASTIC WAIST:

87% Polyester
13% Elastane

SIZES:

XS-S-M-L-XL

SIZES WITH SHORTER LEGS:

COLOR: BLUE MOONLIT OCEAN

**XS-short, S-short, M-short,
L-short, XL-short**

SIZES WITH LONGER LEGS:

COLOR: BLUE MOONLIT OCEAN

**XS-tall, S-tall, M-tall,
L-tall, XL-tall**

NOYA JEANS pants
ART. 04117



MIDDLE BLUE
WASHED LOOK

NOYA JEANS shorts
ART. 04118



MIDDLE BLUE
WASHED LOOK



2way
stretch



Quick dry



3D fit



Stretchy
roll-over
waist



Toothbrush
pocket



Cord lock
adjustable
bottom hem
(only pants)



Recycled
packaging

MATERIAL – PANTS:

65% Cotton
24% Polyester
10% Viscosse (Rayon)
1% Elastane

MATERIAL – ELASTIC WAIST:

85% Polyester
15% Elastane

SIZES:

XXS-XS-S-M-L-XL

NOYA ECO pants
ART. 05009



CARAMEL
CAFE ANTHRACITE
DARK NAVY BLUE
OPAL TURQUOISE
DEEP LAGOON

NOYA ECO shorts
ART. 05010



CARAMEL
CAFE ANTHRACITE
DARK NAVY BLUE
OPAL TURQUOISE
DEEP LAGOON



2way
stretch



Quick dry



3D fit



Breathable



Breathable



Lightweight



Recycled
material



Stretchy
roll-over
waist



Toothbrush
pocket



Cord lock
adjustable
bottom hem
(only pants)



Recycled
packaging

MATERIAL – PANTS:

55% Recycled Polyamide,
38% Polyamide,
7% Elastane

MATERIAL – ELASTIC WAIST:

85% Recycled Polyester
15% Elastane

SIZES:

XS-S-M-L-XL

NOYA pants
ART. 02939



ANTHRACITE
OBSIDIAN WINE
RHODODENDRON MIDNIGHT ORANGE
POINCIANA BLUE DEEP
PEACOCK

NOYA shorts
ART. 02941



ANTHRACITE
OBSIDIAN WINE
RHODODENDRON MIDNIGHT ORANGE
POINCIANA BLUE DEEP
PEACOCK



2way
stretch



Quick dry



3D fit



Breathable



Lightweight



Stretchy
roll-over waist



Toothbrush
pocket



Cord lock
adjustable
bottom hem
(only pants)



Recycled
packaging

MATERIAL – PANTS:

93% Polyamide
7% Elastane

MATERIAL – ELASTIC WAIST:

85% Polyester
15% Elastane

SIZES:

XXS-XS-S-M-L-XL

SIZES WITH SHORTER LEGS:

COLOR: ANTHRACITE OBSIDIAN
XXS-short, XS-short,
S-short, M-short, L-short,
XL-short

SIZES WITH LONGER LEGS:

COLOR: ANTHRACITE OBSIDIAN
XXS-tall, XS-tall,
S-tall, M-tall,
L-tall, XL-tall

MEDEA JEANS

Art. 03817



MIDDLE BLUE DENIM, WASHED LOOK

Women's jeans for climbing and the city life

While great for climbing, Medea jeans are stylish enough to wear around town.

- Ergonomic design
- Lower front waist for greater comfort
- Medium-weight flexible denim with pleasant touch
- Embossed logo



2way stretch



YKK zipper



3D fit



Recycled packaging

WEIGHT (SIZE S):
530 g

MATERIAL:
70% Cotton
19% Polyester
10% Viscose (Rayon)
1% Elastane

SIZES:
XS-S-M-L-XL

DETAILS:



INGA JEANS

Art. 03818



LIGHT BLUE, WASHED LOOK

Women's lightweight climbing jeans

Inga women's jeans are made of lightweight denim ideal for summer weather.

- Ergonomic cut designed especially for women
- Elastic waistband for greater comfort
- Fashionable design with appealing details
- Light material pleasant to the touch
- Perfect for summer climbing trips



4way stretch



YKK zipper



3D fit



Recycled packaging

WEIGHT (SIZE S):

350 g

MATERIAL:

65% Cotton
24% Polyester
10% Viscose (Rayon)
1% Elastane (Spandex)

SIZES:

XXS-XS-S-M-L-XL

DETAILS:



NOYA JEANS Pants

Art. 04117



MIDDLE BLUE DENIM, WASHED LOOK

Lightweight women's climbing jeans

Popular Noya climbing jeans with numerous functional features in a stylish denim version.

- Flexible material
- Stable shape
- Lightweight, breathable denim
- Elastic waistband of extremely flexible, breathable material
- Practical details like brush pockets



2way stretch



Quick dry



3D fit



Stretchy roll-over waist



Toothbrush pocket



Cord lock adjustable bottom hem



Recycled packaging

WEIGHT (SIZE S):

345 g

MATERIAL – PANTS:

65% Cotton
24% Polyester
10% Viscose (Rayon)
1% Elastane

MATERIAL – ELASTIC WAIST:

85% Polyester
15% Elastane

SIZES:

XXS-XS-S-M-L-XL

NOYA JEANS Shorts

Art. 04118



MIDDLE BLUE DENIM, WASHED LOOK

3/4 version of our Noya climbing pants

Climbing 3/4 pants made from ultralight, breathable denim – highly functional and stylish.

- Flexible material
- Stable shape
- Lightweight, breathable denim
- Elastic waistband of extremely flexible, breathable material
- Practical details like brush pockets



2way stretch



Quick dry



3D fit



Stretchy roll-over waist



Toothbrush pocket



Recycled packaging

WEIGHT (SIZE S):

285 g

MATERIAL – PANTS:

65% Cotton
24% Polyester
10% Viscose (Rayon)
1% Elastane

MATERIAL – ELASTIC WAIST:

85% Polyester
15% Elastane

SIZES:

XXS-XS-S-M-L-XL

KAIRA Pants

Art. 04567



Women's leisure time pants

Ergonomic slim cut pants for perfect comfort at any time.

- Highly durable, stretchable and breathable material
- Side brush/pen pocket
- Jeans style loops for belt
- Pocket edges strengthened with rivets



2way stretch



3D fit



High abrasion resistance fabric



Toothbrush pocket



YKK zipper



Slim fit



Recycled packaging

WEIGHT (SIZE S):
420 g

MATERIAL:
69% Cotton
23% Lyocell (Tencel)
5% Linen
3% Elastane

SIZES:
XS-S-M-L-XL

COLORS:



BROWN BREEN



BROWN CHOCOLATE PLUM



DARK GREY INDIA INK



BLUE SKIPPER

DETAILS:



PANTERA ORGANIC Pants

Art. 05007



Women's climbing pants

Pantera women's climbing pants are made of comfortable lightweight organic cotton.

- OCS certified manufacture
- Ergonomic design for maximum movement
- Elastic waistband with woven logos
- Flexible material pleasant to the touch
- Decorative stitching



2way stretch



3D fit



Elastic waist band



Organic cotton



Toothbrush pocket



Cord lock bottom hem



Recycled packaging

WEIGHT (SIZE S):

290 g

MATERIAL:

**97% Organic Cotton
3% Elastane**

MATERIAL - ELASTIC WAIST:
100% Polyamide

SIZES:

XS-S-M-L-XL

THESE COLORS VARIANTS:



ANTHRACITE
DARK NAVY



BLUE
SARGASSO SEA




GREEN
PERIDOT



WINE
SYRAH

DETAILS:



PANTERA ORGANIC Shorts

Art. 05008



Women's climbing shorts

These climbing shorts are made of comfortable lightweight organic cotton. Perfect for hot summer days or year-round gym training.

- GOTS certified manufacture
- Ergonomic design for maximum movement
- Elastic waistband with woven logos
- Flexible material pleasant to the touch
- Decorative stitching



2way stretch



3D fit



Elastic waist band



Organic cotton



Recycled packaging

WEIGHT (SIZE S):
150 g

MATERIAL:
97% Organic Cotton
3% Elastane

MATERIAL - ELASTIC WAIST:
100% Polyamide

SIZES:
XS-S-M-L-XL

THESE COLORS VARIANTS:



ANTHRACITE
DARK NAVY



BLUE
SARGASSO SEA



GREEN
PERIDOT



WINE
SYRAH



DETAILS:

SANSA Pants

Art. 04569



Women's super comfortable climbing pants

Narrow comfortable cut for joy in every movement.

- Lightweight, breathable cotton fabric
- Highly elastic waist with fancy all over print
- Leg loops with flexible cuffs
- 2 front pockets
- Toothbrush loop



2way stretch



3D fit



Elastic waist



Elastic band in bottom hem



Toothbrush loop



Recycled packaging

WEIGHT (SIZE S):
300 g

MATERIAL - PANTS:
97% Cotton
3% Elastane

MATERIAL - ELASTIC WAIST:
87% Polyester
13% Elastane

SIZES:
XS-S-M-L-XL

SIZES WITH SHORTER LEGS:
XS-short, S-short, M-short, L-short, XL-short



BLUE MOONLIT OCEAN

SIZES WITH LONGER LEGS:
XS-tall, S-tall, M-tall, L-tall, XL-tall



BLUE MOONLIT OCEAN

COLORS:



BLUE MOONLIT OCEAN



GREEN DEEP TEAL




ROSE MESA



YELLOW ANTIQUE MOSS

DETAILS:



SANSA Shorts

Art. 04570



Women's super comfortable climbing shorts

Narrow comfortable cut for joy in every movement.

- Lightweight, breathable cotton fabric
- Highly elastic waist with fancy all over print
- 2 front pockets
- Toothbrush loop



2way stretch



3D fit



Elastic waist



Toothbrush loop



Recycled packaging

WEIGHT (SIZE S):
180 g

MATERIAL - PANTS:
97% Cotton
3% Elastane

MATERIAL - ELASTIC WAIST:
87% Polyester
13% Elastane

SIZES:
XS-S-M-L-XL

COLORS:



BLUE MOONLIT
OCEAN



GREEN DEEP
TEAL



ROSE MESA



YELLOW ANTIQUE
MOSS

DETAILS:



NOYA ECO Pants

Art. 05009



Women's lightweight climbing pants

Popular lightweight climbing pants are made of 55 % recycled material; they are still packed with outstanding features.

- Ergonomic cut for unlimited movement
- Highly flexible, quick-drying fabric
- Antiwrinkle material, easy maintenance, stable shape
- Extremely flexible elastic waistband made of breathable material
- Extra side pocket for brush

| | | | | |
|-----------------------|--------------------------|--------------------|---------------------------------|--------------------|
| | | | | |
| 2way stretch | Quick dry | 3D fit | Breathable | Lightweight |
| | | | | |
| Recycled material 55% | Stretchy roll-over waist | Too-thbrush pocket | Cord lock adjustable bottom hem | Recycled packaging |

WEIGHT (SIZE S):
250 g

MATERIAL – PANTS:
55% Recycled Polyamide, 38% Polyamide, 7% Elastane

MATERIAL – ELASTIC WAIST:
85% Recycled Polyester, 15% Elastane

SIZES: **XS-S-M-L-XL**

THESE COLORS VARIANTS:



CARAMEL
CAFE

ANTHRACITE
DARK NAVY

BLUE
OPAL

TURQUOISE
DEEP LAGOON

DETAILS:



NOYA ECO Shorts

Art. 05010



Women's 3/4 climbing pants

Shortened version of lightweight ECO climbing pants; ideal for warmer days and indoor training.

- Ergonomic cut for unlimited movement
- Highly flexible, quick-drying fabric
- Antiwrinkle material, easy maintenance, stable shape
- Extremely flexible elastic waistband made of breathable material
- Extra side pocket for brush
- Made of 55 % recycled material



2way stretch



Quick dry



3D fit



Breathable



Lightweight



Recycled material



Stretchy roll-over waist



Toothbrush pocket



Recycled packaging

WEIGHT (SIZE S):
240 g

MATERIAL - PANTS:
**55% Recycled Polyamide,
38% Polyamide, 7% Elastane**

MATERIAL - ELASTIC WAIST:
85% Recycled Polyester, 15% Elastane

SIZES: **XS-S-M-L-XL**

THESE COLORS VARIANTS:



CARAMEL
CAFE



ANTHRACITE
DARK NAVY




BLUE
OPAL



TURQUOISE
DEEP LAGOON

DETAILS:



NOYA Pants

Art. 02939



Women's lightweight climbing pants

Noya are lightweight women's climbing pants packed with outstanding features.

- Flexible, fast-drying material
- Stable shape
- Highly breathable
- Wrinkle-free and easy to maintain
- Elastic waistband of extremely flexible, breathable material
- Practical details like brush pockets



| | | | |
|------------------|------------------------------|-----------------------|-------------------------------------|
| 2way stretch | Quick dry | 3D fit | Breathable |
| Lightweight | Stretchy roll-over waist | Toothbrush pocket | Cord lock adjustable bottom hem |



Recycled packaging

WEIGHT (SIZE S):
250 g

MATERIAL – PANTS:
93% Polyamide, 7% Elastane

MATERIAL – ELASTIC WAIST:
85% Polyester, 15% Elastane

SIZES: **XXS-XS-S-M-L-XL**

SIZES WITH SHORTER LEGS:
XXS-short, XS-short, S-short, M-short, L-short, XL-short

SIZES WITH LONGER LEGS:
XXS-tall, XS-tall, S-tall, M-tall, L-tall, XL-tall

-5 cm
than regular size

ANTHRACITE OBSIDIAN

+5 cm
than regular size

ANTHRACITE OBSIDIAN

THESE COLORS VARIANTS:



ANTHRACITE
OBSIDIAN

WINE
RHODODENDRON

MIDNIGHT

ORANGE
POINCIANA

BLUE DEEP
PEACOCK

DETAILS:



NOYA Shorts

Art. 02941



Women's 3/4 climbing pants

Shortened version of the Noya women's lightweight pants with all the features, ideal for warm weather and indoor walls.

- Flexible, fast-drying material
- Stable shape
- Highly breathable
- Wrinkle-free and easy to maintain
- Elastic waistband made of extremely flexible, breathable material
- Practical details like brush pockets

| | | | |
|--------------|--------------------------|-------------------|--------------------|
| | | | |
| 2way stretch | Quick dry | 3D fit | Breathable |
| | | | |
| Lightweight | Stretchy roll-over waist | Toothbrush pocket | Recycled packaging |

| | |
|----------------------------------|---|
| WEIGHT (SIZE S): 240 g | MATERIAL - PANTS: 93% Polyamide, 7% Elastane |
| | MATERIAL - ELASTIC WAIST: 85% Polyester, 15% Elastane |
| SIZES: XXS-XS-S-M-L-XL | |

THESE COLORS VARIANTS:



ANTHRACITE
OBSIDIAN


WINE
RHODODENDRON

MIDNIGHT

ORANGE
POINCIANA

BLUE DEEP
PEACOCK

DETAILS:



CORONA Top

ART. 03538

ANTHRACITE
OBSIDIANWINE
RHODODENDRONBLUE DEEP
PEACOCK**FIONNA Top**

ART. 04575

WINE
RHODODENDRON

PERISCOPE

BLUE DEEP
PEACOCKYELLOW ANTIQUE
MOSS**ARISTA Top**

ART. 04573

GREEN DEEP
TEALWINE
RHODODENDRONBLACK
CAVIARBLUE SARGASSO
SEAGREEN
PORCELAINWINE
MERLOT**MISTY Bra**

ART. 04574

GREEN DEEP
TEALWINE
RHODODENDRONBLACK
CAVIARBLUE SARGASSO
SEAGREEN
PORCELAINWINE
MERLOT**RHEA Leggings**

ART. 04571

GREEN DEEP
TEALWINE
RHODODENDRONBLACK
CAVIARBLUE SARGASSO
SEAGREEN
PORCELAINWINE
MERLOT**RHEA Leggings 3/4**

ART. 04572

GREEN DEEP
TEALWINE
RHODODENDRONBLACK
CAVIARBLUE SARGASSO
SEAGREEN
PORCELAINWINE
MERLOT

CORONA Top

Art. 03538



COLORS:



ANTHRACITE
OBSIDIAN



WINE
RHODODENDRON



BLUE DEEP
PEACOCK



Women's lightweight climbing top

Super comfortable top, perfect for endurance activities.

- Highly elastic lightweight material
- Quick-drying and breathable
- Simple integrated bra



4way stretch



Quick dry



Breathable



Lightweight



Integrated
bra



Recycled
packaging

WEIGHT (SIZE S):

110 g

MATERIAL:

**85% Polyester
15% Elastane**

SIZES:

XS-S-M-L-XL

FIONNA Top

Art. 04575



COLORS:



WINE
RHODODENDRON



PERISCOPE



BLUE DEEP
PEACOCK



YELLOW ANTIQUE
MOSS



Women's ultra lightweight climbing top

Loose cut for ultimate freedom in any activity.

- Super thin almost mesh like material
- Ultra lightweight material
- Quick-drying and breathable
- Need to combine it with sport bra



4way
stretch



Quick dry



Breathable



Lightweight



Recycled
packaging

WEIGHT (SIZE S):

80 g

MATERIAL:

**65% Polyester
35% Viscose (Rayon)**

SIZES:

XS-S-M-L-XL

ARISTA Top

Art. 04573



Women's fancy climbing top

Stylish, ergonomic cut for comfortable movements in any activity.

- Super highly elastic lightweight material
- Comfortable flat stitching
- Breathable inner lining material
- Integrated bra



4way stretch



Breathable



Integrated bra



Recycled packaging

WEIGHT (SIZE S):

135 g

MATERIAL TOP:

**87% Polyester
13% Elastane**

MATERIAL INNER BRA:

**91% Polyester
9% Elastane**

SIZES:

XS-S-M-L-XL

COLORS:



ANTHRACITE
OBSIDIAN



WINE
RHODODENDRON



BLACK CAVIAR



BLUE SARGASSO SEA



GREEN PORCELAIN



WINE MERLOT

DETAILS:



MISTY Bra

Art. 04574



Women's fancy climbing bra

Stylish, ergonomic cut for comfortable movements in any activity.

- Super highly elastic lightweight material
- Comfortable flat stitching
- Breathable inner lining material
- Integrated pockets for bra pad inserts



4way stretch



Breathable



Ready for bra
pad inserts



Recycled
packaging

WEIGHT (SIZE S):

80 g

MATERIAL TOP:

**87% Polyester
13% Elastane**

MATERIAL INNER BRA:

**91% Polyester
9% Elastane**

SIZES:

XS-S-M-L-XL

COLORS:



ANTHRACITE
OBSIDIAN

WINE
RHODODENDRON

BLACK CAVIAR

BLUE SARGASSO SEA

GREEN PORCELAIN

WINE MERLOT

DETAILS:



RHEA Leggings

Art. 04571



Women's fancy climbing leggings

Stylish, ergonomic cut for unlimited movement in any activity.

- Super highly elastic lightweight material
- Combination of standard and durable flat stitching
- Integrated small waist pocket



4way stretch



3D fit



Breathable



Inner waist pocket



Recycled packaging

WEIGHT (SIZE S):

200g

MATERIAL TOP:

**87% Polyester
13% Elastane**

SIZES:

XS-S-M-L-XL



COLORS:



ANTHRACITE
OBSIDIAN



WINE
RHODODENDRON



BLACK CAVIAR



BLUE SARGASSO SEA



GREEN PORCELAIN



WINE MERLOT

DETAILS:



RHEA Leggings 3/4

Art. 04572



Women's fancy climbing leggings in 3/4 length

Stylish, ergonomic cut for unlimited movement in any activity.

- Super highly elastic lightweight material
- Combination of standard and durable flat stitching
- Integrated small waist pocket



4way stretch



3D fit



Breathable



Inner waist pocket



recycled packaging

WEIGHT (SIZE S):

170 g

MATERIAL TOP:

**87% Polyester
13% Elastane**

SIZES:

XS-S-M-L-XL

COLORS:



ANTHRACITE
OBSIDIAN



WINE
RHODODENDRON



BLACK CAVIAR



BLUE SARGASSO SEA



GREEN PORCELAIN



WINE MERLOT

DETAILS:



BAMBOO T Blossom Women

ART. 04355



WINE MERLOT BLUE OPAL DARK GREY INDIA INK

CLASSIC T ORGANIC Women
Flower

ART. 05031



GREEN DUCK

CLASSIC T ORGANIC Women
Rainbow Rocket

ART. 05032



BLUESTONE

CLASSIC T ORGANIC Women
Feather

ART. 05033



WINE SYRAH

CLASSIC T ORGANIC Women
EFC

ART. 05034



ANTHRACITE EBONY

CLASSIC T Women
LEAFS

ART. 05245



ANTHRACITE OBSIDIAN

CLASSIC T Women
FINGERPRINT

ART. 05246



BLUE MOONLIT OCEAN

CLASSIC T Women
BUS-STONE

ART. 05247



BLUE HYDRO

CLASSIC T Women
STONEMAN

ART. 05248



BROWN BRONZE

CLASSIC T Women
BLOSSOM-ART

ART. 05249



WINE RHODODENDRON

PROMO T Women

ART. 04729



BLUE SARGASSO SEA

TSUNAMI ECO Women

ART. 05036



ANTHRACITE EBONY /
SILVER SCONCE



GREEN FANFARE /
SILVER SCONCE



ROSE MAROON /
SILVER SCONCE

HOODIE Women

ART. 05143



BLUE OPAL /
GREY SILVER SCONCE

HOODIE ZIPPER Women

ART. 05144



BLUE OPAL /
GREY SILVER SCONCE



GREY PALOMA /
GREY SILVER SCONCE

BAMBOO T Blossom Women

Art. 04355



WINE MERLOT



DARK GREY INDIA INK



BLUE OPAL

Women's functional T-shirt

The combination of bamboo fibers with other materials lend the Bamboo T perfect functional attributes.

- Highly functional material
- Form-fitting slim cut
- Flat stitching
- Flower motif



4way stretch



Quick dry



Bamboo



Breathable



Antibacterial



recycled packaging

WEIGHT (SIZE S):
120 g

MATERIAL:
65% Bamboo viscose
30% Viscose (Rayon)
5% Elastane

SIZES:
XS-S-M-L-XL

CLASSIC T ORGANIC Women



Women's climbing T-shirt

Comfortable T-shirt made of organic cotton, good choice for climbing or daily wear.

- GOTS and OCS certified manufacture
- Climbing motif
- Pleasant to the touch



2way stretch



Organic cotton



Recycled packaging

| | |
|------------------|----------------------------|
| WEIGHT (SIZE S): | MATERIAL: |
| 120 g | 100% Organic Cotton |

SIZES:
XS-S-M-L-XL

CLASSIC T ORGANIC Women Flower

ART. 05031



GREEN DUCK

CLASSIC T ORGANIC Women Rainbow Rocket

ART. 05032



BLUESTONE

CLASSIC T ORGANIC Women Feather

ART. 05033



WINE SYRAH

CLASSIC T ORGANIC Women EFC

ART. 05034



ANTHRACITE EBONY

DETAILS:



CLASSIC T Women

Art. 04356



Women's climbing T-shirt

Comfortable cotton T-shirt with climbing motif ideal for climbing and daily wear.

- High-quality cotton with pleasant touch
- Print on front



2way stretch



Comfortable cotton touch



recycled packaging

WEIGHT (SIZE S):

120 g

MATERIAL:

100% Cotton

SIZES:

XS-S-M-L-XL



CLASSIC T Women Leafs

ART. 05245



ANTHRACITE OBSIDIAN

CLASSIC T Women Fingerprint

ART. 05246



BLUE MOONLIT OCEAN

CLASSIC T Women Bus-Stone

ART. 05247



BLUE HYDRO

CLASSIC T Women Stoneman

ART. 05248



BROWN BRONZE



CLASSIC T Women Blossom-Art

ART. 05249



WINE RHODODENDRON

DETAILS:



PROMO T Women

Art. 04729



BLUE SARGASSO SEA

Women's climbing T-shirt

Comfortable cotton T-shirt ideal for climbing or daily wear.

- High-quality cotton with pleasant touch
- Print on front and back



2way stretch



Comfortable cotton touch

WEIGHT (SIZE S):

120 g

MATERIAL:

100% Cotton

SIZES:

XS-S-M-L-XL



HOODIE WOMEN

Art. 05143



Women's climbing Hoodie

- Comfortable fit with a slightly longer back
- Hood with front crossing
- Rope-like design of the hood cords
- Kangaroo style pocket with small inner zipper pocket
- Lower hem and sleeve ends with an elastic cuff and thumb holes on sleeves

| | | | | |
|--------------|-----------------|------------|-------------------|-----------------|
| | | | | |
| 2way stretch | Ergonomic hoody | YKK zipper | Thumb sleeve hole | Headphones hole |

| | |
|----------------------------------|---|
| WEIGHT (SIZE M): 580 g | MATERIAL - MAIN: 80% Cotton, 20% Polyester MATERIAL - INNER HOODY: 100% Cotton MATERIAL - HEM: 78% Cotton, 17% Polyester, 5% Elastane |
|----------------------------------|---|

SIZES:
S-M-L-XL-XXL

COLORS:



BLUE OPAL /
GREY SILVER SCONCE



GREY PALOMA /
GREY SILVER SCONCE

DETAILS:



HOODIE ZIPPER WOMEN

Art. 05144



Women's climbing Hoodie

Women's zipped hoodie perfected to the last detail. Comfortable material ensures excellent wearing comfort.

- Comfortable fit with a slightly longer back
- Hood with a stand-up collar
- Rope-like design of the hood cords
- Two front zipper pockets
- Lower hem and sleeve ends with an elastic cuff and thumb holes on sleeves
- Two-way YKK front zipper with two zipper sliders



2way stretch



YKK zipper



Reversible zipper



Ergonomic hoody



Thumb sleeve hole

WEIGHT (SIZE S):
580 g

MATERIAL - MAIN:
80% Cotton, 20% Polyester

MATERIAL - INNER HOODY:
100% Cotton

MATERIAL - HEM:
78% Cotton, 17% Polyester, 5% Elastane

SIZES:
XS-S-M-L-XL

COLORS:



BLUE OPAL /
GREY SILVER SCONCE



GREY PALOMA /
GREY SILVER SCONCE

DETAILS:



TSUNAMI ECO Women

Art. 05036



ANTHRACITE EBONY /
SILVER SCONCE

GREEN FANFARE /
SILVER SCONCE

ROSE MAROON /
SILVER SCONCE

Women's lightweight down climbing jacket

- Lightweight ripstop material designed specifically for climbing apparel filled with down; it is now made of recycled polyamide
- High-density weave guarantees both durability and breathability
- High-loft down
- DWR technology (Durable Water Repellent) prevents moisture from reaching the down
- The jacket doesn't lose any down because the chambers are filled after stitching
- Ergonomic cut is perfectly suitable for climbers - extended body and longer sleeves with holes for thumbs
- Practical two-way zipper YKK
- Compress bag in the inside pocket
- Down has certified origin



Down



Reversible zipper



YKK zipper



3D fit



Lightweight



Ergonomic
hood



Compress
pocket



Thumb
sleeve hole



Inner pocket
for climbing shoes



100%
Recycled
material



PACKAGING
Recycled
packaging

WEIGHT (SIZE S):

330 g

OUTER MATERIAL:

**100% Recycled Polyamide (DWR),
Rip-Stop**

INNER MATERIAL:

100% Recycled Polyamide (DWR)

FILLING:

Down 90/10, 650 cuin

SIZES:

XS-S-M-L-XL

DETAILS:




You can pack
the jacket
into compress bag
in the inner pocket.

Sizing charts

Men – regular size (in cm)


| | XS | S | M | L | XL | XXL |
|--------------------------|---------|---------|---------|---------|---------|---------|
| Standard men's size (GE) | 44 | 44-46 | 46-48 | 50 | 52 | 54 |
| 1 Body height | 172-176 | 174-178 | 175-180 | 176-182 | 177-183 | 178-186 |
| 2 Chest | 88-91 | 92-95 | 96-99 | 100-104 | 104-107 | 108-112 |
| 3 Waist | 70-73 | 74-78 | 80-84 | 86-90 | 92-96 | 98-102 |
| 4 Hips | 86-89 | 90-94 | 96-100 | 101-104 | 105-107 | 108-111 |
| 5 Inseam | 76-78 | 78-80 | 80-82 | 82-84 | 83-85 | 84-86 |



Men – adapted sizes of pants (in cm)


| Short size | XS-short | S-short | M-short | L-short | XL-short | XXL-short |
|---------------|----------|---------|---------|---------|----------|-----------|
| 1 Body height | 166-172 | 168-173 | 169-174 | 170-175 | 171-176 | 172-177 |
| 5 Inseam | 70-72 | 72-74 | 75-77 | 77-79 | 78-80 | 79-81 |

| Tall size | XS-tall | S-tall | M-tall | L-tall | XL-tall | XXL-tall |
|---------------|---------|---------|---------|---------|---------|----------|
| 1 Body height | 178-183 | 180-185 | 181-186 | 182-187 | 183-188 | 186-196 |
| 5 Inseam | 81-84 | 82-85 | 83-86 | 84-87 | 85-88 | 86-90 |



Women – regular size (in cm)


| | XXS | XS | S | M | L | XL |
|----------------------------|---------|---------|---------|---------|---------|---------|
| Standard women's size (GE) | 32-34 | 34-36 | 36-38 | 38-40 | 40-42 | 42-44 |
| 1 Body height | 162-168 | 164-170 | 166-172 | 168-174 | 170-176 | 170-176 |
| 2 Chest | 78-82 | 82-86 | 86-90 | 90-94 | 96-100 | 102-106 |
| 3 Waist | 56-60 | 60-66 | 66-70 | 70-74 | 74-78 | 78-82 |
| 4 Hips | 80-84 | 84-88 | 90-94 | 94-98 | 100-104 | 106-108 |
| 5 Inseam | 77-78 | 78-79 | 79-80 | 80-81 | 81-82 | 82-83 |




Women – adapted sizes of pants (in cm)

| Short size | XXS-short | XS-short | S-short | M-short | L-short | XL-short |
|---------------|-----------|----------|---------|---------|---------|----------|
| 1 Body height | 157-159 | 159-161 | 161-163 | 161-163 | 164-166 | 164-166 |
| 5 Inseam | 73-75 | 74-76 | 75-77 | 75-77 | 76-78 | 77-79 |

| Tall size | XXS-tall | XS-tall | S-tall | M-tall | L-tall | XL-tall |
|---------------|----------|---------|---------|---------|---------|---------|
| 1 Body height | 172-174 | 173-175 | 174-176 | 175-177 | 177-179 | 178-182 |
| 5 Inseam | 80-82 | 81-83 | 82-85 | 83-86 | 84-87 | 85-88 |



- All sizes in the chart are in centimeters.
- Size designation of clothes correspond to the dimensions of the body according to the size of the table.
- We recommend trying out clothes personally, the basic dimensions of sizes are only indicative.
- Construction dimensions of finished garments also take into account the nature of the item of clothing and the potential elasticity of the fabric used.



A professional safety harness system, likely for industrial or construction use. The harness is primarily black with bright green accents on the straps and webbing. It features a central chest strap with a red label containing a white 'A' logo. The main body of the harness has a black mesh panel with white perforations. A large, silver-colored metal D-ring is attached to the front. The harness is shown against a white background.

Professional Safety Solution





THOR 4Q

ART. 03615

WEIGHT

1790 g (SIZE M-L)

LEGS



QB 28 mm

WAIST



QB 45 mm



THOR ACCESS 4Q

ART. 03617

WEIGHT

1940 g (SIZE M-L)

LEGS



QB 28 mm

WAIST



QB 45 mm

CHEST ASCENDER



THOR 2Q

ART. 03614

WEIGHT

1720 g (SIZE M-L)

LEGS



QB 28 mm

WAIST



SB 45 mm



THOR ACCESS 2Q

ART. 03616

WEIGHT

1870 g (SIZE M-L)

LEGS



QB 28 mm

WAIST



SB 45 mm

CHEST ASCENDER



THOR

ART. 03323

WEIGHT

1660 g (SIZE M-L)

LEGS



SB 28 mm

WAIST



SB 45 mm



THOR ACCESS

ART. 03473

WEIGHT

1810 g (SIZE M-L)

LEGS



QB 28 mm

WAIST



SB 45 mm

CHEST ASCENDER



EXPLANATIONS

4Q

LEGS



QB 28 mm

WAIST



QB 45mm

2Q

LEGS



QB 28 mm

WAIST



SB 45 mm

STANDARD

LEGS



SB 28 mm

WAIST



SB 45 mm

ACCESS

CHEST



Ascender

SEAT HARNESS



THOR SIT 4Q

ART. 03619

WEIGHT

1270 g (SIZE M-L)

LEGS



QB 28 mm

WAIST



QB 45 mm



THOR SIT 2Q

ART. 03618

WEIGHT

1200 g (SIZE M-L)

LEGS



QB 28 mm

WAIST



SB 45 mm



THOR SIT

ART. 03525

WEIGHT

1140 g (SIZE M-L)

LEGS



SB 28 mm

WAIST



SB 45 mm



FREY

ART. 03472

WEIGHT

1000 g (SIZE M-L)

LEGS



SB 28 mm

WAIST



SB 45 mm

TOPS



THOR TOP

ART. 03526

WEIGHT

520 g (SIZE M-L)



THOR ACCESS TOP

ART. 03476

WEIGHT

670 g (SIZE M-L)

CHEST ASCENDER



PADDING



PAD

ART. 03314

WEIGHT

190 g (SIZE M-L)



TOP PAD

ART. 03643

WEIGHT

25 g (SIZE UNI)

COLOUR

GREEN
BLACK

Unique Solution 4in1

A versatile full body harnesses, suitable for a wide range of activities. Applied technologies and constructional elements include the WeBee 3D foam, removable padding, compact connection system of the legs, PE reinforcement of the back section and much more, making harnesses extremely comfortable, breathable, washable, and very light. Thanks to the unique "sports" concept, our harnesses provide an unparalleled freedom of movement while maintaining a high resistance to wear and tear. Even the most demanding professionals will find their favorite within our wide range of seat and full-body harnesses. Harnesses are equipped with quick clips (QB), standard clips (SB) or a combination of both versions. With the 4-in-1 system, you can rebuild and refurbish your harness.

Norms:

- EN361:2002 Personal protective equipment against falls from a height - Full body harnesses
- EN813:2008 Personal fall protection equipment
- Sit harnesses,
- EN358:2018 Personal protective equipment for work positioning and prevention of falls from a height - Belts and lanyards for work positioning or restraint

CE 1019

| SIZE | S - M (cm) | M - L (cm) | L - XL (cm) |
|---------------|------------------|------------------|------------------|
| LEGS | 45 - 60 | 50 - 65 | 55 - 70 |
| WAIST | 60 - 80 | 70 - 110 | 80 - 130 |
| HEIGHT | 150 - 175 | 155 - 185 | 180 - 205 |

4in1 system



THOR FEATURES AND BENEFITS

1 Webee performance technology

Breathable 3D perforated PE EVA foam.
Easily washable without water and sweat absorption.

2 Compact padded leg loops connection

Ergonomic force distribution avoiding discomfort.

3 Self-locking buckle (SB)

A longstanding, convenient and safe solution.

4 Quick buckle (QB)

Super fast opening and closing.

5 Integrated chest ascender

Equipped on all ACCESS models.

6 Extra padded back

Increases the rigidity of stressed parts and ensures adequate support.

7 Specially shaped D components

Made of Al 7075 T6 hot forged with extra high durability.

8 Gear loops

Four gear loops with reinforced braiding, high abrasion resistance and load capacity up to 10 kg.

9 Dedicated attachment points to the seat

Two loops below the EN 813 central attachment point, transfer the force into the point.

10 Carabiner slots

Located in front and behind the adjustable D components.

11 Removable padding


For adjustment of comfort around the neck and lumbar part of the harness.

12 Double ended straps

Better grip while tightening the webbings, even when wearing gloves.

13 Contrast boarding webbing

More safety in the workplace thanks to integrated reflective tape.



14 Protected identification label


Durable cover/pocket for identification label necessary for regular PPE inspection.

15 Textile attachment point EN 361

A sufficiently large point for up to 3 carabiners.

Indoor Solutions




RENTAL
ART. 05339 



RIBBIT
ART. 04731



TWIST RENTAL 
ART. 04408




EASY CHECK SET
16 mm
ART. 02952 / 02953



QUICKDRAW EASY
CHECK PA 16 mm
ART. 03017 / 03018



BINER FIX 10-PACK 
ART. 04341 - 11 mm
04342 - 16 mm



HOT
CHALK 250
ART. 04611



COOL
CHALK 250
ART. 04612



CHALK
CRUSHED 2000
ART. 04613



CHALK
CRUSHED 250
ART. 04610



CHALK BALLS
BOX
ART. 04616



CHALK
CONTAINER 125
ART. 04609



CHALK
CUBE 56
ART. 04608



TAPE BOX
ART. 03552
03553



CHALK LIQUID
ART. 100 ml 04614
200 ml 04615



BOULDER BAG
ART. 04845



PUSH + BELT
ART. 04448



HOLDS SET 1 PINCHES
ART. 00164



HOLDS SET 2 SLOPERS
ART. 00165



HOLDS SET 3 MODULARS
ART. 00166



HOLDS SET 4 EDGES
ART. 00167



HOLDS SET 5 JUGS
ART. 02695



FOOTHOLDS SET 1 BOLT-ON
ART. 02696



FINGER BOARD
ART. 02453



1980s

Pavel Hendrych,

The founder of the company takes up climbing and starts improving climbing gear on the market.

1988 - The first harness



1992 - Sole over the heel




1994 - Seamless heel



1999 - Crack gloves



2000 - 2 in 1 system



2009 - 3 Force System



Ozone

2001 - Movable waist system



2011 - FTS System



Dominator crash pad

A circular inset image showing a close-up of a red and blue metal fitting, likely a valve or connector, with the 'HOT FORGED' logo prominently displayed below it. The logo consists of a red square with a white flame icon and the text 'HOT FORGED' in white, with a white arrow pointing to the right.



Thor - PSS



A pair of yellow and black sneakers is shown from a top-down perspective. The soles of the shoes are black and feature the 'cat rubber' and 'lin' logos. The 'cat rubber' logo consists of a black circle with the word 'cat' in white and 'rubber' in smaller white text below it. The 'lin' logo consists of a white circle with the word 'lin' in black. The shoes are set against a red circular background.





THINK
VERTICAL





RP Climbing s.r.o.

Hrnčířská 1557
295 01 Mnichovo Hradiště
Czech Republic
T +420 326 211 716
E info@ocun.com

OCUN NA, LLC

#1062
1601 29th St. Suite 1292
Boulder, CO 80301
E orders@ocun.com

ocun.com



EUROPEAN UNION
European Regional Development Fund
Operational Programme Enterprise
and Innovations for Competitiveness