

WORK

ENGLISH VERSION

Cœurant

36 bd. de l'industrie • 49000 angers • France
Tel : +33 (0)2 41 27 28 00 • Fax : +33 (0)2 41 27 28 09
contact@mycourant.com
mycourant.com

DCWG-EN-V2



Cœurant
VERTICAL LIVING



SHARING EXPERIENCE

Since the start of our company in 1850, innovation, research and creation have guided our projects to the development of products that make doing your job easier.

Our customers have always been at the heart of our approach whether it be professional sailors in 1930, soldiers in 1939, or professionals working at height as of 1970.

With a conquering spirit, we have always accompanied them as we still do today, towards the most daring experiences.

Take for example the Tyrolean traverse of Millau and its 2700 m single rope.

Our company has remained family-owned From generation to generation, we pass down our passion for work. Historically, located in Angers (49), our factory manufactures its ropes in France, a guarantee of quality and safety.

Our motto: develop increasingly superior products for one purpose, to offer you the best of safety.

Today, Courant is taking a new step and is offering you a complete line of personal protective equipment, dedicated to verticality.

NICOLAS COURANT, CEO of Courant, vertical living

// OUR CUSTOMERS ARE AT THE CENTER OF OUR DEVELOPMENT //

YOUR PROFESSION, OUR INSPIRATION

WORK AT HEIGHT

For 25 years Courant has developed work at height products but 2017 marks a turning point within this range.

Step by step we are significantly developing new products to meet the requirements & demands from professional world-wide users.


SEBASTIAN SOLOGUREN JAMETTE

Sebastian is from Chile South America who as a young boy always loved verticality and eventually became quite legendary within the sports climbing world in South America.

In 1998 he created his own Rope Access company in Santiago where next to focussing on demanding work at height jobs he continuously tests & reviews new products for a few specific European brands.

In 2011 he opened the National Rope Access Academy in Chile and started traveling over the South American continent to instruct & train Rope Access technicians and share his knowledge and experience with starting users. For us he is a great teammate and proud user & product promotor for the Courant brand in South America!





OUR FUNDAMENTALS

CREATE

Innovating, surprising, searching and inventing... what has not yet been done. Since 1850, we have created new products, new ranges with always the same experience in safety and reliability.

EXPERIENCE

Trying, testing, discovering, sharing, training... All the stages in the life of a product guide our inspiration, again and again.

Experience allows us to go further in designing new products. This quest for perfection is, for us, a real passion!

ADVENTURE

Surpassing oneself, transgressing, fighting, surviving... Our products today and tomorrow are and often will be faced with extreme situations.

So many challenges that we strive to take on in the manufacturing stages of our products.

**// OUR HISTORY
IS BUILT ON 3
CORNESTONES //**



CERTIFICATIONS AND LABELS

ISO 9000

This management and process standard guarantees you an optimal human organization and for which the fundamental values are at the heart of our organization. The total commitment of our teams and the beneficial partnerships with our suppliers have enabled us to obtain this label.

LIVING HERITAGE COMPANIES

This label distinguishes handicraft companies and industries of excellence. It is the hallmark of manufacturers committed to high performance and state-of-the-art technologies made in France. It is an honor for Courant.

CE MARKING

This is our commitment. We certify that all our products are manufactured in compliance with all legal obligations. Our internal requirements often lead us well beyond these rules.

DID YOU KNOW?

French manufacturing provides you with a reactive and qualitative customization of your products. It also offers the possibility of a strong interaction between the end user and the manufacturer. For Courant, the customer experience is one of the cornerstones of the research and development process.

**// THEY GUIDE
US TO OFFER
YOU THE BEST //**

PPE

Full-body harness	P. 12-13
Accessories	P. 14-15
Semi-static ropes & dynamic ropes	P. 18-19
Cords & slings	P. 20-21
Lanyards	P. 22-23
Hardware	P. 24-29
Tool lanyards	P. 36-37
Workwear	P. 38-43
Mycourant	P. 44-45

PERSONAL PROTECTION EQUIPMENT



FULL-BODY HARNESS



KOALA WORK

To create the new Koala Work harness we took the already proven functionality & design of the Koala Tree harness which came to market in 2015. Thanks to a blend of foams (memory foam), innovative fabrics, a finely adjusted balance and the best available metal parts this new Koala Work harness offers you unrivaled comfort, support and free movement during demanding access & rescue projects at height.

We also adapted the attachment bridge into the harness system because more and more industrial climbers like the improved flexibility of attachment and movement during intense climb and work procedures. Good breathable but flexible and firm ther-

mo-regulated SmartFoam back padding and fitted with ergonomic semi-rigid padded leg straps for optimal comfort. All metal parts are made from lightweight but strong aluminium and stainless steel.

ADVANTAGES

- The integrated and quickly removable high quality chest ascender makes ascent more easy
- The Koala harness is compatible with the SK8 seat and other relevant accessories to upgrade its functionality
- Specially designed for Arborists (but updated for Industrial users) which gives it more flexibility in attachment & movement
- It is both comfortable and lightweight for optimal use around the workplace (climbing, hanging, descending or just walking around...)

ADJUSTMENTS

- The 10 adjustment buckles make it easily adjustable to all body types & lengths
- Two openable connectors allow you to easily add, remove or replace the bridge or other accessories
- The lateral attachment points are compact but still simple to connect the lanyards hooks or karabiners

GEAR HOLDERS

- Carefully positioned and visible by their fluorescent color the tool holders will carry all your equipment
- 6 tool holders for karabiners, lanyards, slings, pulleys, knife...
- 2 tool holders on the leg straps
- 4 rings for hanging more heavy tools
- 4 loops for special tool holders
- 2 loops for connecting a First-Aid kit

CE EN 358 / EN 361 / EN 813 Certification

Available in 2 sizes

M-L (Koala Top bLock Size M) :

- Belt : 70 cm - 100 cm
- Thigh : 50 cm - 65 cm
- Weight : 1.3 Kg

Reference RTAOKBOM

L - XL (Koala Top bBlock size XL) :

- Belt : 80 cm - 115 cm
- Thigh : 60 cm - 75 cm
- Weight : 1.4 Kg

Reference RTAOKBOX



ACCESSO-RIES



Primary bridge

Olik

Atoll L

Secondary bridge

Atoll S



MILLO ATTACHMENT BRIDGE

Attachment bridge 9.5 mm diameter. Bridge made from polyester.

The design of its sheathing gives it good resistance to abrasion.

Available in 2 colors in order to distinguish two bridges mounted simultaneously.

- 25 cm : Primary / Weight 0.05 kg
Reference RELOPS25
Secondary / Weight 0.05 kg
Reference RELOPA25
- 30 cm : Primary / Weight 0.06 kg
Reference RELOPS30
Secondary / Weight 0.06 kg
Reference RELOPA30
- 35 cm : Primary / Weight 0.07 kg Reference RELOPS35
Secondary / Weight 0.07 kg
Reference RELOPA35

OLIK 2.0

We present you the fully new version of our easy openable connector which allows workers to use and attach a large number of fall arrest equipment items to create a safe work and/or rescue system. The closing is ensured by the already proven keylock system of the former model where the locking is now done by only 2 screws.

ADVANTAGES

- no force is extended onto the screws for maximum user safety
- thinner diameter but bigger in size which makes it maximum versatile

CE EN 362 Certification / Patented

- Ø exterior : 75 mm
- Ø interior : 47 mm
- Ø material : 14 mm
- opening : 30 mm
- Weight : 81 gram
- MBS : 25 kN
Reference RMQCA0V2

ATOLL RING

Ring made in Europe. Its aerospace quality gives very good resistance to strength and abrasion. Ideal as an attachment point on our Millo bridges.

EN 354 Certified

Strength 25 kn

- Atoll S :
- external : Ø 51 mm
- inside : Ø 27 mm

Reference RANI05BK

- Atoll L :
- external : Ø 70 mm
- inside : Ø 45 mm

Reference RANI04FL

SK8 SEAT

Seat adaptable to the climbing harness KOALA. It can be quickly attached and removed on the leg straps and openable carabiners.

It is compatible with most of the climbing harnesses on the market and connects perfectly to the climbing harness thanks to its quick attachment onto the leg straps. Its design and lightness will allow you to move in the tree like a dancer and remain very-comfortable...



Available in 2 sizes :


- M - L
Width 49 cm / Weight 450 gr.
Reference RELOSLML
- L - XL
Width 54 cm / Weight 500 gr.
Reference RELOSLXL

RESCUE KIT

Light and compact, you can keep this first-aid rescue kit with you during all tree climbing operation. In case of an emergency, you will have all essentials at hand to intervene quickly and efficiently.

- DESCRIPTIF**
- One hemostatic pad.
 - One pair of scissors capable of cutting a rope.
 - A tourniquet strap.

Reference RELOTRSE



STATIC &
DYNAMIC
ROPES



SQUIR



ULTIMA



BANDIT

SQUIR 2.0

New rope specially developed for access long distances because it's elongation is less than 2.0 % You'll spend a lot less energy in the ascension.

In case of a rescue situation, the high visible color is easily recognizable by rescue workers.

X-Braid Technology
CE EN 1891 Certification

ADVANTAGES

- Its low elongation gives it a very good performance in ascent

- The 2.0 version is more abrasion proof and has low sheet over core slippage but is still very supple in use

SPECIFICATIONS

- type : A / Ø 11 mm
- MBS 32 KN
- elongation 1.8%
- metric weight 79 gram
- sheath percentage 49%

PACKAGING

40 m / 60 m / 200 m
Reference MMS00SQ+

ULTIMA

The semi-static rope Ultima has the latest innovations. Veritable fusion between the core and the sheath, they stay together in case of break or tear, it always stays attached.

In order to preserve true flexibility over time, no glue is used. Meetic Technology was developed without UV treatment.

X-braid Technology and Meetic Technology
CE EN 1891 Certification

ADVANTAGES

- Extreme safety thanks to the fusion core / sheath.
- Increases the static effect.
- Reduces the force of impact in case of a fall.
- Great flexibility.

PACKAGING

40 m / 60 m / 200 m

Reference ø 8,5 MQG00UA+
Reference ø 9 MRG00UB+
Reference ø 9,5 MSG00XO+
Reference ø 10,5 MMG++UE
Reference ø 11 MLG++UF+

SPECIFICATIONS

• Diameter	8.5 mm	9 mm	9.5 mm	10.5 mm	11 mm
• Type	B	B	B	A	A
• MBS	2100 daN	2280 daN	2430 daN	3100 daN	3300 daN
• Metric weight	49,5 gr	55 gr	59 gr	69 gr	72 gr
• Sheath percentage	42%	47%	44%	43%	40%
• Elongation	4,4%	4,5%	4,7%	3%	3%

BANDIT

Bandit brings together all the know-how of our development team in close cooperation with cavers, GRIMP rescuers, technicians and access professionals.

Bandit was designed for a wide range of use. The treatment and quality of the used threads gives it great flexibility and knottability over time.

CE EN 1891 Certification

ADVANTAGES

- Spring effect almost non-existent in descent or in winning.

PACKAGING

40 m / 60 m / 200 m

ø 9 : Reference MR400BA+
ø 9,5 : Reference MS400BB+
ø 10 : Reference MP400BC+
ø 10,5 : Reference MM400BD+
ø 11 : Reference ML400BE+

SPECIFICATIONS

• Diameter	9 mm	9,5 mm	10 mm	10,5 mm	11 mm
• Type	B	B	A	A	A
• MBS	2300 daN	2600 daN	2800 daN	3200 daN	3500 daN
• Metric weight	50 gr	55 gr	59 gr	68 gr	73 gr
• Sheath percentage	41%	38%	42%	37%	34%
• Elongation	2,3%	2,5%	2,3%	2,3%	2,5%



SEMI
STATIC
ROPES



TRUCK

TRUCK

This A-type static rope is ideal for occasional use.

This rope gives good value for money and provides good resistance to abrasion thanks to its sheath thickness of 47%.

CE EN 1891 Certification

ADVANTAGES

- Great value.
- Resistance to abrasion.

SPECIFICATIONS

- | | |
|---------------------|----------|
| • Diameter | 10.5 mm |
| • Type | A |
| • MBS | 3100 daN |
| • Metric weight | 75 gr |
| • Sheath percentage | 47% |
| • Elongation | 3,5% |

PACKAGING

40m / 60m / 200m

ø 10,5 : Reference MM6++GA+



WILD

WILD

This rope has been developed for professionals working under destructive conditions (painting, sand-blasting...). This rope offers an excellent quality/price ratio for all working situations.

SPECIFICATIONS

- | | |
|-----------------------|-----------|
| • Type : A | / Ø 11 mm |
| • MBS : | 3400 daN |
| • Metric weight : | 76,7 gr |
| • Sheath percentage : | 33% |
| • Elongation : | 3,1% |

PACKAGING

100m / 200m / 900m

Reference MLV00WFC+

CE EN 1891 Certification

ADVANTAGES

- Good quality/price ratio



SPLINTER

New developed dynamic ropes for demanding users in work at height and rescue scenarios.

PACKAGING

100m / 200m

- Ø 10.5 mm
- Reference RDML00L+
- Ø 11 mm
- Reference NL400DNC+

CE EN 892 Certification

ADVANTAGES

- very good feel and highly supple even over longer time use
- excellent abrasion proof capabilities
- available in different high visible colour

SPECIFICATIONS


- | | | |
|---------------------|----------|----------|
| • Diameter | 10.5 mm | 11 mm |
| • Type | A | A |
| • MBS | 2500 daN | 3100 daN |
| • Metric weight | 69 gr | 74 gr |
| • Sheath percentage | % | 58% |
| • Elongation | 5% | 7,2% |



CORDS & SLINGS



AUXILIARY ROPES



ACCESSORY CORDS

A complete range of flexible and highly abrasion-resistant accessory ropes.

EN 564 Certification

- **Ø 2mm - 100m**
Resistance 100 daN
Reference MB1CHB00100
- **Ø 3mm - 100m**
Resistance 190 daN
Reference MA1CGB00100
- **Ø 4mm - 100m**
Resistance 420 daN
Reference MC1CAB00100
- **Ø 5mm - 100m**
Resistance 700 daN
Reference ME1CBB00100
- **Ø 6mm - 100m**
Resistance 910 daN
Reference MG1CCB00100
- **Ø 7mm - 100m**
Resistance 1210 daN
Reference MG1CCB00010
- **Ø 8mm - 100m**
Resistance 1770 daN
Reference MT1CDB00010

LEATHER ROPE PROTECTOR

Robust and economical, this rope protector is foreseen with a cord loop to fasten it to the rope with a Prussik knot.

Reference PPLSPC13

ELLIPSE WEB SLINGS

Made of a strap which is thicker, very high resistance, anti-UV treated and anti-abrasion. This ring enables creation of a very reliable fastening point.

EN 795 B, EN 566 Certification

Resistance 22 kN

- **60 cm / Orange.**
Reference PPLSAC06
- **80 cm / Blue.**
Reference PPLSAC08
- **120 cm / Yellow.**
Reference PPLSAC12
- **150 cm / Red.**
Reference PPLSAC15
- **200 cm / Black.**
Reference PPLSAC20


ELLIPSE ROPE SLINGS

A rope ring used for creation of anchoring points extremely resistant to abrasion with its aramid / PES sheath. A rope ring is easier to use (twisting impossible) and more reliable than a strap ring (the resistance is guaranteed by the rope core).

EN 795 B, EN 566 Certification

Resistance 22 kN

- **40 cm / Green.**
Reference PPLSAR04
- **60 cm / Orange.**
Reference PPLSAR06
- **80 cm / Blue.**
Reference PPLSAR08
- **120 cm / Yellow.**
Reference PPLSAR12
- **150 cm / Red.**
Reference PPLSAR15
- **200 cm / Black.**
Reference PPLSAR20



LANYARDS



ELIX-PRO

New developed lanyard with a special dynamic rope construction for safe and relative shock proof capabilities at use in different kind of access & rescue scenarios.

Also the eye protectors are totally new developed with a good grip, sleek design and maximum protection of the stitched eyes.

CE EN 354 Certification
• Elix pro, lth. 60 / 100 / 150 cm
Reference LDPR+++C



ELIX-Y

New developed asymmetric lanyard with a special dynamic rope construction for safe and relative shock proof capabilities at use in different kind of access & rescue scenarios.

Also the eye protectors are totally new developed with a good grip, sleek design and maximum protection of the stitched eyes.

CE EN 354 Certification
• Elix-Y, lth. 35-65 cm
Reference LDY3565C



ELIX-8

New developed 8-knot lanyard with a special dynamic rope construction for safe and relative shock proof capabilities at use in different kind of access & rescue scenarios.

Also the eye protectors are totally new developed with a good grip and sleek design and maximum protection of the stitched eyes.

CE EN 354 Certification
• Elix-8, lth. 160 cm
Reference LD8160C



RAD ADJUSTABLE LANYARD

This new adjustable lanyard is used as a work positioning systems where the RAD adjuster has an extra lever to descent when the system is under tension.

AVAILABLE LENGTHS
2 m, 3 m, 4 m and 5 m.

The length can be easy and precisely adjusted as necessary for comfortable positioning at the work station. Depending on the configuration and the Rad adjuster is certified as a descender as well.

CE EN 358 Certification



HARDWARE



OLIK 2.0

We present you the fully new version of our easy openable connector which allows workers to use and attach a large number of fall arrest equipment items to create a safe work and/or rescue system.

CE EN 362 Certification / Patented

- Ø exterior : 75 mm
- Ø interior : 47 mm
- Ø material : 14 mm
- opening : 30 mm
- Weight : 81 gram
- MBS : 25 kN

Reference RMQCA0V2

The closing is ensured by the already proven keylock system of the former model where the locking is now done by only 2 screws.

ADVANTAGES

- no force is extended onto the screws for maximum user safety
- thinner diameter but bigger in size which makes it maximum versatile



MOKA

Attaching carabiner it enables linking of two anchorage points on a harness. Its shape has been specially designed to allow the rope to position itself naturally in the correct axis.

CE EN 362 Certification

- Triplelock / Keylock.
- MBS: 2,000 daN.
- L : 113.5 mm / W : 75 mm.
- Opening : 18 mm.
- Weight : 130 gr.

Reference RMQCMOKA

CORE

Side Swing gate Carabiner for a larger opening. Key Lock.

CE EN 362 Certification

- triplelock / Keylock.
- MBS 60 kN.
- L : 128 mm / w : 71mm.
- Opening : 31 mm.
- Weight : 321 gr.

Reference RMQU2198



VICTO

Equal D steel Triple lock carabiner. Key lock. High strength. Ideal for anchors and rigging.

CE EN 362 Certification

- triplelock / Keylock.
- MBS 50 kN.
- L : 110 mm / w : 67mm.
- Opening : 21 mm.
- Weight : 234 gr.

Reference RMQUS958



VECTOR

HMS Carabiner, has a large opening.

CE EN 362 Certification

- Triplelock / Keylock.
- MBS 22 kN.
- L : 113 mm / w : 74 mm.
- Opening : 23 mm.
- Weight : 97gram.

Reference RMQK786C



ouvert

fermé



AXXIS

Zicral oval carabiner with its new innovative design, and light weight is a very populair choice. The screwgate version is fitted with a locked indicator.

CE EN 362 Certification

- Keylock.
- MBS 24 kN.
- L : 110 mm / w : 62mm.
- Opening : 21 mm.
- Weight : 75 gram.

Reference PPLSMQSY

AXXIS TL

Zicral oval carabiner with its new innovative design and light weight is a very populair choice.

CE EN 362 Certification

- Triplelock / Keylock.
- MBS 24 kN.
- L : 110 mm / w : 62mm.
- Opening : 21 mm.
- Weight : 82 gram.

Reference RMQUAXTL

OVE

Simple and economical oval steel carabiner.

CE EN 362 Certification

- L : 107 mm / W : 57 mm.
- Opening : 18 mm.
- Weight : 165 gr.

Reference RMQUSTOV

• MBS : 2,500 daN.

TANGO

Keylock trigger carabiner. Opening system with palm pressure.

CE EN 362 Certification

- Blue Reference RMQU223B
- Red Reference RMQU223R

- Keylock.
- MBS : 3,300 daN.
- L : 136 mm / W : 70 mm.
- Opening : 26 mm.
- Weight : 123 gr.



ORBIT 22

Small light pulley with fixed flanges.

EN 12278 Certification

- L 85 / W : 44.
- Max rope diameter : 13 mm.
- Ideal for haulings.
- MBS 22 kN.

Reference PPLSPLJF



MOVA

Small light pulley with mobile flanges.

CE EN 12278 Certification

- Small light pulley, with mobile flanges.
- Max rope diameter : 11 mm.
- Ideal for haulings.
- MBS 20 kN.

Reference RPL92142



SINGLE PROGRESS CAPTURE PULLEY

Single blocking pulley suitable for hauling heavy loads. High yield (97%) thanks to its pulley of 51 mm.

CE EN 12278 Certification

Reference RPLIPCP1BK



MINI ROPEGRAB

Cam lock with removable shaft. Used on ropes 10.5 mm to 13 mm.

CE EN 352-2 / EN 358 Certification

Reference RBLI03BK



FIGURE OF 8

Aluminium figure of 8.

- Weight : 120 gr.

Reference PPLSHT00



RIGGING PLATES

Enables creation of a multiple lashing system

The carabiner ring passes through the holes.

CE EN 0120 Certification

- Small Black (3 holes)
Reference RANI01BK
- Medium Black (5 holes)
Reference RANI02BK
- Large Black (8 holes)
Reference RANI03BK

ROCKER ADJUSTER

The Rocker offers permanent protection against falling and/or slipping. This mobile anti-fall on rope is easily moved up and down on the rope without the need for a manual intervention.

- Designed for use without an energy absorber.
- Does not damage the ropes.
- Adapts to the weight of two people.
- May be used as an adjuster on a lanyard EN 358.

Reference RBLI00BK



CE EN 353-2 / EN 358
EN 12841-A Certification

D4 DESCENDER

The D4 is an innovative self-braking descender which offers precise control in case of fast or slow decent. It is equipped with an anti-panic system and enables lowering of heavy loads. It is renowned for its robustness.

- Multi-function grip allows the user to keep his/her hands free.
- Easy movement on an inclined or horizontal plane.
- Positioning of the work station without stop keys.
- Anti-panic function.
- Ergonomic locking system with button for easy installation, passage of fractioning and limits the risk of losing the D4.
- The swivel cam enables easy take up of the slack strand of a rope and climbing of the rope using an ascender.

CE EN 12841-C Certification

Reference RDEI01BK



A-B DESCENDER


This descender has been designed for people working with ropes, special forces and rescue teams. It can bear the weight of two people. It is possible to switch from 1-person mode to 2-person mode without opening the device and without unhooking the harness. This fact renders it ideal for rescue operations.

It is equipped with an anti-panic system. Used on ropes 10.5 to 12.5 mm.

CE EN 12841-C Certification

Reference RDEI02BK





BAGS



CROSS PRO XL

After huge international demand we have developed a new bag based on the revolutionary Cross Pro design but in larger size! It transforms into a material station and gives you an overall view on all your equipment in just a matter of seconds.

This version has an a packing size of 75 liter which gives users enough space to store the most extensive equipment kits and also comes with some new and very functional pockets & compartments. Last but not least its made in a high visible color for easy recognition around the work place.

TECHNICAL DESCRIPTION

- Pack size : 75 L
- High-resistance fabric 1680 D

INTERIOR

- 6 modular mesh compartments at the sides
- Identification of pockets by logotype labels
- 1 pocket accessible from the exterior without opening the bag
- 1 pocket to protect fragile items like glasses
- 20 attachment points for karabiners
- 2 transverse straps for holding the rope or the climbing harness
- 1 storage space made of crossed elastic bands
- 2 semi-transparent pockets for documents

EXTERIOR

- 2 folding pockets with elastic straps for a bottle or other items
- 6 attachment points for karabiners
- 4 high-resistance retainers (including two on the straps)
- very durable YKK zippers
- 1 transparent pocket for identification
- 1 fastening kit for the helmet
- Comfortable and adjustable back and straps

PORTABILITY

- Comfortable and adjustable back and straps
- Two side handles (200 kg guaranteed)
- Two central handles (200 kg guaranteed)
- One back handle (200 kg guaranteed)

- 1 Helicopter hoisting and winching strap (300 kg guaranteed)
- 2 handles (up and down) to carry it for 2 persons

ADVANTAGES

- Saves time
- Maximum equipment protection
- Less loss of precious materials
- Comfortable and very durable
- Bags from the Cross range (Cross Rope & Host) can be attached on the straps for ventral portability

color : Red

Reference PSCPRDB

CROSS PRO (OPEN) IN DETAIL



CROSS PRO

The Cross Pro bag is the first backpack that transforms into a material station. It gives you an overall view on all your equipment in just a matter of seconds.

The Cross Pro can contain all the safety material you'll need. On a demanding job, you can easily access all the inner pockets and attach all your carabiners and accessories so they are well organized.

TECHNICAL DESCRIPTION

- Pack size : 56 L.
- High-resistance fabric 1680 D.

INTERIOR

- 6 modular mesh compartments on the sides.
- Identification of pockets by logotype labels.
- 1 pocket accessible from the exterior without opening the bag.
- 20 attachment points for carabiners.
- 2 transverse straps for holding the rope or the climbing harness.
- 1 storage space made of crossed elastic bands.
- 2 semi-transparent pockets for documents.

EXTERIOR

- 6 attachment points for carabiners.
- 4 high-resistance retainers (including two on the straps).
- YKK zip closure.
- 1 transparent pocket for identification.
- 1 fastening kit for the helmet.
- Comfortable and adjustable back and straps.

PORTABILITY

- Comfortable and adjustable back and straps.
- Two side handles (200 kg guaranteed).
- Two central handles (200 kg guaranteed).
- One back handle (200 kg guaranteed).
- 1 helihoisting and winching strap (300 kg guaranteed).

ADVANTAGES

- Saves time.
- Equipment protection.
- Less loss of material.
- Comfortable and solid.
- Bags from the Cross range can be attached on the straps for ventral portability.

COLORS:

- Flash Lemon
Reference PSCPYA
- Rescue Red
Reference PSCPRDA
- Blue Horizon
Reference PSCPBLA
- Tactical Black
Reference PSCPFBA



CROSS ROPE

The Cross Rope bag is a new concept in bags. Its size adapts to the volume of the packed rope.

- 1 rope passage in the flap.
- 1 rope-end fastening strap at the bottom of the bag.
- 23 L to 36 L.

You can wear it on your back (classic and comfortable portability) or on the front by attaching it to the straps of the Cross Pro bag.

TECHNICAL DESCRIPTION

- high-resistance fabric 1680 D hermetic.
- YKK zip closure.
- 6 attachment points for carabiners.
- Zip and pleat to go from 23 L to 36 L.
- 2 nets to facilitate the drying of the rope.

ADVANTAGES

- Ability to vary the volume in a few seconds.
- The rope dries quickly.
- Ability to balance loads by attaching it to the Cross Pro.
- Opening possible on the bottom and on top.
- 7-point gear holder.
- Multi portability.
- Weight : 930 gr.

Reference Flash Lemon PCSRBYA

Reference Full Black PSCRFBA

Reference Rouge PSCRRYA

CROSS ROPE LIGHT

This lightweight rope bag may carry 80 metres of 10.5 mm rope. It may be attached inside the Cross Pro or Cross Evo bags. Its mesh panel over half the surface provides better ventilation and enable quick drying of ropes.

ADVANTAGES

- Side carrying handle.
- Opening of the bag at both ends.
- Mesh ventilated for half its surface.
- Pack size : 17L.

Reference PPLSSCLCE

DOCK

Sturdy carrying bag with comfortable portability. Its opening system allows you a quick access to the contents of the bag. Its upper part folds up to adapt to the volume used.

Its is equipped with several gear holders on the outside and a clever bottle-holder and saw-holder system.

TECHNICAL DESCRIPTION

- high-resistance fabric 1680 D
- YKK zip closure.
- 2 saw / bottle holders.
- 2 gear holders.
- 60 L.
- weight: 1600 gram

Reference PSAMBYA

HOST

Bag designed for the carrying and storage of ropes. It can store 60 m of semi-static rope and 45m of 12 mm climbing rope. The ropes can even be stored when wet thanks to its large vents.

It is equipped with stiffeners to hold the bag in shape even when empty on the straps of the Cross Pro bag.

TECHNICAL DESCRIPTION

- high-resistance fabric 1680 D.
- 4 gear holders.
- Folding pleat on the outside.
- 36 L.
- Weight : 840 gr.

Reference PSECBYA



CARGO

Carrying bag suitable for transporting gear, highly resistant to friction and tear.

Its straps are adjustable and it is equipped with a gear holder with six attachment points. The bottom is reinforced and equipped with air vents.

The flap has two transparent pockets with velcro closure, one on the outside and one on the inside.

TECHNICAL DESCRIPTION

- Ergonomic carrying handle.
- 6-point gear holder.
- Flap with two transparent pockets (above and below).

PACKAGING

- 40L / 50L

Ref yellow 40 L : PPLSSC42

Ref blue 50 L : PSCCAB5A

Ref red 50 L : PSCCAR5A

TOOL LANYARDS

NOVO K2



NOVO CK



NOVO K



NOVO C



NOVO TOOL LANYARDS

To minimize the risk of dropping tools when working at high altitudes we created new elasticated tool lanyards.

They are equipped with our brand new NANO tool karabiner, the lightest & thinnest within the safety industry!

NOVO K2 (2 tool karabiners)
Length : 75 cm

Fully extended length : 135 cm
MBS : 5 kgs

Reference LPMK274A

NOVO CK (tool karabiner & buckle)
Length : 95 cm

Fully extended length : 155 cm
MBS : 3 kgs

Reference LPMCK94A

NOVO K (1 tool carabiner)
Length : 85 cm

Fully extended length : 145 cm
MBS : 5 kgs

Reference LPMK184A

NOVO C (with a buckle)
Length : 60 cm

MBS : 3 kgs

Reference LPMC164A



WORKWEAR



WORKWEAR

Thanks to our know-how in the textile industry, we have developed a range of technical clothing products that meet the requirements of our demanding end users.

You will find clothing products suitable for your activity, weather conditions as well as your environment.

With a smart design, we have combined the latest technologies used in technical garments;

- Hydrotech 3.0 waterproof & breathable membrane for protection from the rain.
- Polartec fabric for protection from the cold.
- Ripstop fabric for protection against wear and tear.
- YKK zippers.
- Silicone padding for extra protection against wear.



STORM 2.0 JACKET

Designed exclusively for professional users, the Storm jacket features the 3.0 Hydrotech technology to protect you from heavy rain and wind. Hydrotech 3.0 comes from the latest waterproof & breathable textile technologies.

Its light Ripstop fabric is tear-resistant and the cut is perfectly adapted for wearing a climbing harness by guaranteeing great freedom of movement.

TECHNICAL DESCRIPTION

- Silicone protection on the elbows and shoulders.
- Hood compatible with wearing a helmet.
- Pockets accessible even when wearing a climbing harness.
- 2 side pockets, 1 back pocket, 1 Napoleon pocket for a cell phone.
- Mesh panels for ventilation under the arms.
- Microfleece chin guard.
- Zips and hermetic seams.
- Reflective patches.
- Available in red or black.
- Sizes: s - xxxl.

Reference RHB9LJ++

CYCLONE SOFTSHELL JACKET

The Cyclone jacket will protect you from the wind, cold and drizzle. Thanks to its 3 "Softtech 3.0" waterproof-breathable layers and its inner fleece layer, it evacuates moisture and gives you a good thermal protection.

TECHNICAL DESCRIPTION

- Inner fleece layer for a good thermal protection.
- Silicone protection on the elbows and shoulders.
- 2 side pockets, 1 back pocket, 1 Napoleon pocket for a cell phone.
- Hood compatible with wearing a helmet.
- Side pockets accessible even when wearing a climbing harness.
- Mesh panels for ventilation under the arms.
- Zips and hermetic seams.
- Reflective patches.
- Available in red or black.
- Sizes: s - xxxl.

Reference RHB9SJ++

TORNADO PANTS

The Tornado pants is equipped with the 3.0 Hydrotech technology. This will protect you from heavy rain and wind and perfectly adapt to your movements.

Its breathable and evacuates moisture so that you always remain dry. Practical, thanks to the opening over the entire length of the leg and the accessible pockets, even when wearing a climbing harness. The light protection fabric Ripstop and the silicone protection give it a high resistance.

TECHNICAL DESCRIPTION

- Silicone linings on the knees and on the inside of the ankles.
- Reinforced fabric on the buttocks.
- Pockets accessible even when wearing a climbing harness.
- 2 side pockets, 1 upper pocket, 1 pocket monkey.
- Opens over the entire length of the leg.
- Adjustable elastic straps.
- Zips and hermetic seams.
- Reflective patches.
- Available in red or black.
- Sizes: s - xxxl.

Reference RHB9LP++

SOLAR 2.0 PANTS

Solar pants feature the stretch Ripstop fabric. Its light, elastic, breathable and resistant. This pants offers you total freedom of movement.

The many reinforcements have been designed to ensure better resistance on the most used points.

TECHNICAL DESCRIPTION

- Reinforcements on the buttocks, knees and inside ankles.
- 2 side pockets, 2 cargo pockets, one back pocket.
- Bottom leg zips.
- Belt with buckle.
- Reflective patches.
- Available in red or black.
- Sizes: s - xxxl.

Reference RHB9PA++



MAGMA FLEECE JACKET

Thanks to the technology of the highly insulating and light Polartec fabric, the Magma jacket will protect you from the cold. It is also breathable and evacuates moisture.

Its cut is designed for a large freedom of movement. Its pockets remain accessible even when wearing a climbing harness.

TECHNICAL DESCRIPTION

- Pockets accessible even when wearing a climbing harness.
- 2 side pockets and 1 Napoleon pocket for a cell phone.
- Reinforcements on the shoulders and elbows.
- Available in red or black.
- Sizes: s - xxxl.

Reference RHB9FJ++

DESERT T-SHIRT



The Desert T-shirt features elastic stretch fabric in order to ensure maximum freedom of movement.

The ventilation zones evacuate moisture and keeps you dry. This light fabric is comfortable to wear and is tear-resistant.

TECHNICAL DESCRIPTION

- Light and breathable.

Reference RHB9TD++



With mycourant.com stay up to date!

- Discover our latest news
- Watch our videos in order to better understand a product and its use
- Browse our online training plans
- Download our manuals and checklists
- Chat with our technical advisors

Our website is constantly evolving.
Don't hesitate to check it regularly!

With the Courant mobile site you have our whole range at your fingertips!

- You don't need to download, it's a mobile site
- Find the "basics" of the "large format web" site
- Find a Courant dealer nearest to you in one click
- and let yourself be guided by activating the geolocalisation on your smartphone

mycourant.com, all the know-how from Courant at your fingertips...

